

# Senior Care Plus

*A Medicare Advantage Plan from Hometown Health.*

## **Senior Care Plus**

### **2021 Formulary**

### **(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID: 21017 Version Number: 05

This formulary was updated on 04/23/2021. For more recent information or other questions, please contact Senior Care Plus at 775-982-3112 or toll-free 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit [www.SeniorCarePlus.com](http://www.SeniorCarePlus.com).

Senior Care Plus is a Medicare Advantage Plan with a Medicare contract. Enrollment in Senior Care Plus depends on contract renewal.

**ATTENTION:** If you speak Spanish, language assistance services are available to you, free of charge. Call 775-982-3112 or toll-free at 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30.

**ATENCIÓN:** Si habla español, servicios de asistencia lingüística están disponible para usted sin cargo alguno. Llame al 775-982-3112 o al número gratuito al 888-775-7003 (Los usuarios de TTY deben llamar al Servicio de Retransmisión del Estado al 711). (No estamos abiertos los 7 días de la semana durante todo el año) El horario es de 8:00 a.m. a 8:00 p.m., los 7 días de la semana (excepto Acción de Gracias y Navidad) del 1 de octubre al 31 de marzo, y de lunes a viernes (excepto festivos) del 1 de abril al 30 de septiembre.

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Senior Care Plus. When it refers to “plan” or “our plan,” it means Senior Care Plus.

This document includes a list of the drugs (formulary) for our plan which is current as of 05/01/2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2021, and from time to time during the year.

## **What is the Senior Care Plus Formulary?**

A formulary is a list of covered drugs selected by Senior Care Plus in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Senior Care Plus will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Senior Care Plus network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## **Can the Formulary (drug list) change?**

Most changes in drug coverage happen on January 1, but Senior Care Plus may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Senior Care Plus Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration (FDA) deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or

add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Senior Care Plus Formulary.”
- **Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of 01/01/2021. To get updated information about the drugs covered by Senior Care Plus, please contact us. Our contact information appears on the front and back cover pages.

Senior Care Plus may choose to disseminate an errata sheet or addendum during the year to update members with respect to changes in providers’ or pharmacies; addresses and phone numbers, as well as prescription drug coverage. Senior Care Plus may make any necessary formulary changes via errata sheets mailed to affected members. Senior Care Plus is required to provide information about contracted providers and pharmacies and formulary information upon request

## **How do I use the Formulary?**

There are two ways to find your drug within the formulary:

### **Medical Condition**

The formulary begins on page 11. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins 9. Then look under the category name for your drug.

### **Alphabetical Listing**

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 154. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Senior Care Plus covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Senior Care Plus requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Senior Care Plus before you fill your prescriptions. If you don't get approval, Senior Care Plus may not cover the drug.
- **Quantity Limits:** For certain drugs, Senior Care Plus limits the amount of the drug that Senior Care Plus covers. For example, Senior Care Plus provides 30 tablets per prescription for simvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Senior Care Plus requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Senior Care Plus may not cover Drug B unless you try Drug A first. If Drug A does not work for you Senior Care Plus will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 11. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization restriction and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Senior Care Plus to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Senior Care Plus formulary?" on page 4 for information about how to request an exception.

## What are over-the counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan.

## What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Customer Service and ask if your drug is covered.

If you learn that Senior Care Plus does not cover your drug, you have two options:

- You can ask Customer Service for a list of similar drugs that are covered by Senior Care Plus. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Senior Care Plus.
- You can ask Senior Care Plus to make an exception to cover your drug. See below for information about how to request an exception.

## How do I request an exception to the Senior Care Plus Formulary?

You can ask Senior Care Plus to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Senior Care Plus limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Senior Care Plus will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member on our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90-days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90- days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90-days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Transition fills include the transition of new Enrollees into a Medicare Part D Plan following the annual coordinated election period; the transition of newly eligible Enrollees into a Medicare Part D Plan from other coverage; the transition of enrollees from one plan to another after the start of a plan year (i.e. after January 1); Enrollees residing in a Long-Term- Care (LTC) Facility; and current Enrollees in a Medicare Part D Plan affected by Formulary changes from one plan year to the next.

The transition period is the first 90 days of coverage under a Medicare Part D Plan following a transition, coverage will be extended across contract years if an Enrollee has an effective enrollment date of either November 1 or December 1 to allow for the full 90 days of coverage. During this time, Medicare Part D Plans must provide temporary fill of a Non Formulary Drug to an Enrollee.

For Enrollees who are residents of Long-Term Care Facilities and obtain their prescriptions from a Long-Term Care Network Pharmacy or who experience a transition characterized as a level of care change from one treatment setting to another, Senior Care Plus will provide up to a 31 day supply of Non Formulary Drug. An override for up to a 31 day supply is entered to allow the Non Formulary Drug claim to process.

## **For more information**

For more detailed information about your Senior Care Plus prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Senior Care Plus, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## **Senior Care Plus Formulary**

The formulary that begins on page 11 provides coverage information about the drugs covered by Senior Care Plus. If you have trouble finding your drug in the list, turn to the Index that begins on page 154.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., CRESTOR) and generic drugs are listed in lower-case italics (e.g., *rosuvastatin*).

The information in the Requirements/Limits column tells you if Senior Care Plus has any special requirements for coverage of your drug.

## NOTES KEY

The symbol < **[BvD]** > next to a drug name indicates that the drug is Part D vs Part B with prior authorization only.

The symbol < **[LA]** > next to a drug name indicates that it has limited access. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Customer Service at 888-775-7003. TTY users should call the State Relay Service at 711. We are available Monday through Friday, 7:00 am to 8:00 pm.

The symbol < **[PA]** > next to a drug name indicates that prior authorization may apply.

The symbol < **[QL]** > next to a drug name indicates that quantities dispensed may be limited.

The symbol < **[ST]** > next to a drug name indicates that Step Therapy may apply.

The symbol < **[NDS]** > next to a drug name indicates that Non-Extended Day Supply may apply.

The symbol < **[GC]** > next to a drug name indicates that Gap Coverage may apply. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

You will be notified when a generic is available throughout the year for certain brand name drugs.

Certain prescription drugs related to Home Infusion Therapy that are normally covered under our outpatient prescription drug benefit may instead be covered under our medical benefit. For more information, please call Customer Service at 888-775-7003. TTY users should call the State Relay Service at 711. (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit [www.SeniorCarePlus.com](http://www.SeniorCarePlus.com).

	<b>Tier Key</b>					
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>
	<b>Preferred Generic (Preferred /Standard copays)</b>	<b>Non-Preferred Generic (Preferred /Standard copays )</b>	<b>Preferred Brand (Preferred / Standard copays)</b>	<b>Non-Preferred Brand (Preferred /Standard copays)</b>	<b>Specialty (Preferred /Standard copays)</b>	<b>Select Care Drugs (Preferred / Standard copays)</b>
<b>PLAN TYPE</b>						
<b>Essential (HMO)-012</b>	<b>\$5 / \$11</b>	<b>\$12 / \$20</b>	<b>\$41 / \$47</b>	<b>\$94 / \$100</b>	<b>33% coinsurance</b>	<b>\$2.50 / \$8.50</b>
<b>Complete (HMO)-019</b>	<b>\$2 / \$8</b>	<b>\$8 / \$16</b>	<b>\$41 / \$47</b>	<b>\$94 / \$100</b>	<b>33% coinsurance</b>	<b>\$0 / \$6</b>
<b>Renown Preferred (HMO)-023</b>	<b>\$5 / \$11</b>	<b>\$12 / \$20</b>	<b>\$41 / \$47</b>	<b>\$94 / \$100</b>	<b>33% coinsurance</b>	<b>\$2.50 / \$8.50</b>
<b>Comprehensive (HMO)-021</b>	<b>\$2 / \$8</b>	<b>\$8 / \$16</b>	<b>\$41 / \$47</b>	<b>\$94 / \$100</b>	<b>33% coinsurance</b>	<b>\$0 / \$6</b>
<b>Select (HMO)-018</b>	<b>\$0 / \$6</b>	<b>\$0 / \$8</b>	<b>\$41 / 47</b> Senior Savings: <b>\$35</b>	<b>\$94 / \$100</b>	<b>33% coinsurance</b>	<b>\$0 / \$6</b>
<b>Encompass (HMO)-022</b>	<b>\$0 / \$8</b>	<b>\$5 / \$15</b>	<b>\$37 / 47</b> Senior Savings: <b>\$35</b>	<b>\$85 / \$95</b>	<b>33% coinsurance</b>	<b>\$0 / \$0</b>

## Table of Contents

<b>ANALGESICS.....</b>	<b>11</b>
<b>ANESTHETICS.....</b>	<b>15</b>
<b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS.....</b>	<b>16</b>
<b>ANTIANKXIETY AGENTS.....</b>	<b>17</b>
<b>ANTIBACTERIALS.....</b>	<b>18</b>
<b>ANTICANCER AGENTS.....</b>	<b>25</b>
<b>ANTICONVULSANTS.....</b>	<b>40</b>
<b>ANTIDEMENTIA AGENTS.....</b>	<b>44</b>
<b>ANTIDEPRESSANTS.....</b>	<b>45</b>
<b>ANTIDIABETIC AGENTS.....</b>	<b>48</b>
<b>ANTIFUNGALS.....</b>	<b>52</b>
<b>ANTIGOUT AGENTS.....</b>	<b>54</b>
<b>ANTI HISTAMINES.....</b>	<b>54</b>
<b>ANTI-INFECTIVES (SKIN AND MUCOUS MEMBRANE).....</b>	<b>55</b>
<b>ANTIMIGRAINE AGENTS.....</b>	<b>55</b>
<b>ANTIMYCOBACTERIALS.....</b>	<b>56</b>
<b>ANTINAUSEA AGENTS.....</b>	<b>57</b>
<b>ANTIPARASITE AGENTS.....</b>	<b>59</b>
<b>ANTIPARKINSONIAN AGENTS.....</b>	<b>60</b>
<b>ANTIPSYCHOTIC AGENTS.....</b>	<b>62</b>
<b>ANTIVIRALS (SYSTEMIC).....</b>	<b>67</b>
<b>BLOOD PRODUCTS/MODIFIERS/VOLUME EXPANDERS.....</b>	<b>74</b>
<b>CALORIC AGENTS.....</b>	<b>77</b>
<b>CARDIOVASCULAR AGENTS.....</b>	<b>81</b>
<b>CENTRAL NERVOUS SYSTEM AGENTS.....</b>	<b>91</b>
<b>CONTRACEPTIVES.....</b>	<b>96</b>

<b>DENTAL AND ORAL AGENTS.....</b>	<b>103</b>
<b>DERMATOLOGICAL AGENTS .....</b>	<b>104</b>
<b>DEVICES .....</b>	<b>108</b>
<b>ENZYME REPLACEMENT/MODIFIERS .....</b>	<b>108</b>
<b>EYE, EAR, NOSE, THROAT AGENTS .....</b>	<b>110</b>
<b>GASTROINTESTINAL AGENTS.....</b>	<b>114</b>
<b>GENITOURINARY AGENTS .....</b>	<b>118</b>
<b>HEAVY METAL ANTAGONISTS .....</b>	<b>119</b>
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING .....</b>	<b>119</b>
<b>IMMUNOLOGICAL AGENTS .....</b>	<b>127</b>
<b>INFLAMMATORY BOWEL DISEASE AGENTS .....</b>	<b>137</b>
<b>IRRIGATING SOLUTIONS .....</b>	<b>137</b>
<b>METABOLIC BONE DISEASE AGENTS .....</b>	<b>138</b>
<b>MISCELLANEOUS THERAPEUTIC AGENTS.....</b>	<b>139</b>
<b>OPHTHALMIC AGENTS .....</b>	<b>141</b>
<b>REPLACEMENT PREPARATIONS .....</b>	<b>143</b>
<b>RESPIRATORY TRACT AGENTS .....</b>	<b>144</b>
<b>SKELETAL MUSCLE RELAXANTS .....</b>	<b>149</b>
<b>SLEEP DISORDER AGENTS.....</b>	<b>150</b>
<b>VASODILATING AGENTS .....</b>	<b>150</b>
<b>VITAMINS AND MINERALS.....</b>	<b>151</b>

Drug Name	Drug Tier	Requirements/Limits
<b>Analgesics</b>		
<b>Analgesics, Miscellaneous</b>		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	GC; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg	2	GC; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	2	GC; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	2	GC
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	2	GC
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg (Esgic)	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg	2	GC; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg	2	GC; QL (180 per 30 days)
<i>codeine sulfate oral tablet</i> 30 mg, 60 mg	2	GC; QL (180 per 30 days)
<i>endocet oral tablet</i> 10-325 mg	2	GC; QL (180 per 30 days)
<i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg	2	GC; QL (360 per 30 days)
<i>endocet oral tablet</i> 7.5-325 mg	2	GC; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	2	GC; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution</i> 7.5-325 mg/15 ml	2	GC; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet</i> 10-325 mg, 7.5-325 mg	2	GC; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet</i> 2.5-325 mg, 5-325 mg	2	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	2	GC; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	GC; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	GC; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	GC; QL (180 per 30 days)
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	GC
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	2	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	GC; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i> (Roxicodone)	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	2	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	2	GC; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG	3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
<b>Nonsteroidal Anti-Inflammatory Agents</b>		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	GC
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; GC; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin oral capsule 25 mg</i>	2	GC; QL (240 per 30 days)
<i>indomethacin oral capsule 50 mg</i>	2	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	GC
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	2	GC
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
<b>Anesthetics</b>		
<b>Local Anesthetics</b>		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac (PF)))	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i> (Suboxone)	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i> (Suboxone)	2	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naltrexone oral tablet 50 mg</i>	2	GC
NARCAN NASAL SPRAY,NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
<b>Antianxiety Agents</b>		
<b>Benzodiazepines</b>		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	GC; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	2	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
<b>Antibacterials</b>		
<b>Aminoglycosides</b>		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC
<b>Antibacterials, Miscellaneous</b>		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
CLINDAMYCIN 600 MG/50 ML-NS OUTER,SINGLE-USE,L/F 600 MG/50 ML	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINDAMYCIN 900 MG/50 ML- NS OUTER,SINGLE-USE,L/F 900 MG/50 ML	2	GC
<i>clindamycin hcl oral capsule 150 mg,</i> (Cleocin HCl) <i>300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML, 900 MG/50 ML	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection</i> (Cleocin) <i>solution 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 300 mg/2 ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection</i> (Coly-Mycin M <i>recon soln 150 mg</i> Parenteral)	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln</i> (Cubicin) <i>500 mg</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid in dextrose 5% intravenous</i> (Zyvox) <i>piggyback 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)	5	NM; NDS
<i>linezolid oral tablet 600 mg</i> (Zyvox)	2	GC
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	2	GC
<i>metronidazole in nacl (iso-os)</i> (Metro I.V.) <i>intravenous piggyback 500 mg/100 ml</i>	2	GC
<i>metronidazole oral tablet 250 mg</i>	1	GC
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	GC; QL (40 per 30 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	GC; QL (80 per 30 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Cephalosporins</b>		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	GC
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>cefepodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefepodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram</i> (Fortaz)	2	GC
<i>ceftazidime injection recon soln 6 gram</i> (Tazicef)	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
<b>Macrolides</b>		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	ST; NM; NDS; QL (100 per 10 days)
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
<b>Miscellaneous B-Lactam Antibiotics</b>		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
<b>Penicillins</b>		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin gk 5 million unit p/f, latex-free 5 million unit</i> (Pfizerpen-G)	2	GC
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
<b>Quinolones</b>		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl 750 mg tab f/c 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
<b>Sulfonamides</b>		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	2	GC
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	GC
<b>Tetracyclines</b>		
<i>doxy-100 intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	2	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	GC
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>mondoxyne nl oral capsule 100 mg</i>	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	5	NM; NDS
<b>Anticancer Agents</b>		
<b>Anticancer Agents</b>		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD; GC
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSIA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20</i> (Toposar) <i>mg/ml</i>	2	GC
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5</i> <i>gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1</i> <i>gram/20 ml, 5 gram/100 ml, 500</i> <i>mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	GC
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	2	GC
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; GC; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	PA NSO; NM; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARGRETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
<i>toposar intravenous solution 20 mg/ml</i>	2	GC
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NM; NDS; QL (1 per 28 days)
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<b>Anticonvulsants</b>		
<b>Anticonvulsants</b>		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	ST; QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	5	ST; NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	2	GC
<i>carbamazepine oral suspension 100</i> (Tegretol) <i>mg/5 ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epilex) <i>100 mg</i>	2	GC
<i>carbamazepine oral tablet extended</i> (Tegretol XR) <i>release 12 hr 100 mg, 200 mg, 400</i> <i>mg</i>	2	GC
<i>carbamazepine oral tablet, chewable</i> <i>100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	2	GC
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	GC
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	GC
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	2	GC
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	GC
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	GC
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	GC
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fospheyntoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	GC; QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	GC; QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	GC; QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	GC; QL (120 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	GC
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	GC
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	GC
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	GC
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	GC; QL (900 per 30 days)
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	GC
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	2	GC
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	GC
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	GC
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	2	GC
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	GC
<i>valproic acid oral capsule 250 mg</i>	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i>	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
<b>Antidementia Agents</b>		
<b>Antidementia Agents</b>		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>memantine oral capsule, sprinkle, er</i> (Namenda XR) 24hr 14 mg, 21 mg, 28 mg, 7 mg	2	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	GC; QL (60 per 30 days)
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7- 10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	2	GC; QL (30 per 30 days)
<b>Antidepressants</b>		
<b>Antidepressants</b>		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	2	GC
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	2	GC
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	2	GC
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	GC
<i>citalopram oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg, 40 mg</i> (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	2	GC
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	2	GC
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2	GC
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	GC
FETZIMA ORAL CAPSULE, EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE, EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	GC
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC
<i>mirtazapine oral tablet, disintegrating</i> (Remeron SolTab) <i>15 mg, 30 mg, 45 mg</i>	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>	2	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	2	GC
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>	2	GC
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	GC
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	GC
<i>trazodone oral tablet 300 mg</i>	2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	2	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
<b>Antidiabetic Agents</b>		
<b>Antidiabetic Agents, Miscellaneous</b>		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	2	GC; QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	6	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	6	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	6	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	6	GC; QL (60 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	6	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
<b>Insulins</b>		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	GC; SI; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sulfonylureas</b>		
<i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl)	6	GC; QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	6	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i>	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	6	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	6	GC; QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	6	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	6	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase)	6	GC
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	6	GC
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	6	GC
<b>Antifungals</b>		
<b>Antifungals</b>		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD; GC
<i>casprofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	5	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	GC; QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>	2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>	2	GC; QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>	2	GC
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>	2	GC
<i>ketoconazole topical cream 2 %</i>	2	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>	2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>	2	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	5	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>	2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>	2	GC
<i>nystatin topical cream 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>nystop topical powder 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	2	GC
<b>Antigout Agents</b>		
<b>Antigout Agents, Other</b>		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	GC
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	2	ST; GC; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
<b>Antihistamines</b>		
<b>Antihistamines</b>		
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen)	2	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<b>Anti-Infectives (Skin And Mucous Membrane)</b>		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
<b>Antimigraine Agents</b>		
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i> (D.H.E.45)	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	5	NM; NDS; QL (20 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (16 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	3	PA; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT) <i>10 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating</i> <i>5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) <i>20 mg/actuation</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) <i>5 mg/actuation</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100</i> (Imitrex) <i>mg</i>	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25</i> (Imitrex) <i>mg, 50 mg</i>	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose <i>cartridge 6 mg/0.5 ml</i> Refill)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose Pen) <i>pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> (Imitrex) <i>solution 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous</i> <i>syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	4	PA; QL (1 per 30 days)

## Antimycobacterials

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Antimycobacterials</b>		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	2	GC
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	4	
<b>Antinausea Agents</b>		
<b>Antinausea Agents</b>		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; GC; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>aprepitant oral capsule, dose pack</i> (Emend) 125 mg (1)- 80 mg (2)	2	PA BvD; GC; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML	4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>	2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>	2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln</i> (Emend (fosaprepitant)) 150 mg	2	GC; QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	2	GC
<i>granisetron hcl intravenous solution 1 mg/ml</i>	2	GC
<i>granisetron hcl oral tablet 1 mg</i>	2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>	2	GC
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	GC
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	2	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	2	PA BvD; GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	2	GC
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prochlorperazine maleate oral tablet</i> (Compazine) 10 mg, 5 mg	2	GC
<i>prochlorperazine rectal suppository</i> (Compro) 25 mg	2	GC
<i>promethazine injection solution</i> 25 (Phenergan) mg/ml, 50 mg/ml	2	GC
<i>promethazine oral tablet</i> 12.5 mg, 25 mg, 50 mg	1	GC
<i>promethazine rectal suppository</i> 12.5 (Promethegan) mg, 50 mg	2	GC
<i>promethazine rectal suppository</i> 25 (Phenadoz) mg	2	GC
<i>promethegan rectal suppository</i> 12.5 mg, 25 mg, 50 mg	2	GC
<i>scopolamine base transdermal patch</i> (Transderm-Scop) 3 day 1 mg over 3 days	2	GC; QL (10 per 30 days)
<b>Antiparasite Agents</b>		
<b>Antiparasite Agents</b>		
<i>albendazole oral tablet</i> 200 mg (Albenza)	5	NM; NDS
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	5	NM; NDS
<i>atovaquone oral suspension</i> 750 (Mepron) mg/5 ml	5	NM; NDS
<i>atovaquone-proguanil oral tablet</i> (Malarone) 250-100 mg	2	GC
<i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric) 62.5-25 mg	2	GC
<i>chloroquine phosphate oral tablet</i> 250 mg	2	GC; QL (50 per 30 days)
<i>chloroquine phosphate oral tablet</i> 500 mg	2	GC; QL (25 per 30 days)
COARTEM ORAL TABLET 20-120 MG	4	
<i>hydroxychloroquine oral tablet</i> 200 (Plaquenil) mg	2	GC; QL (90 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet</i> 3 mg (Stromectol)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KRINTAFEL ORAL TABLET 150 MG	4	
<i>mefloquine oral tablet 250 mg</i>	2	GC
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i>	2	GC
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG	2	GC
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	5	PA; NM; NDS
<b>Antiparkinsonian Agents</b>		
<b>Antiparkinsonian Agents</b>		
<i>amantadine hcl oral capsule 100 mg</i>	2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>	2	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i> (Cogentin)	2	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	2	GC
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i> (Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	4	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	4	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	GC
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE,EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	GC
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	2	GC
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	2	GC
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	2	GC
<i>selegiline hcl oral capsule 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Antipsychotic Agents</b>		
<b>Antipsychotic Agents</b>		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	GC; QL (30 per 30 days)
<i>aripiprazole oral tablet 2 mg</i> (Abilify)	2	GC; QL (60 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg</i>	5	ST; NM; NDS; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	ST; GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection solution</i> 25 mg/ml	2	GC
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	GC
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	GC
<i>fluphenazine hcl oral elixir</i> 2.5 mg/5 ml	2	GC
<i>fluphenazine hcl oral tablet</i> 1 mg, 10 mg, 2.5 mg, 5 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i>	2	GC
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 1.5 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 6 mg</i>	2	GC; QL (60 per 30 days)
<i>paliperidone oral tablet extended (Invega) release 24hr 9 mg</i>	5	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC
<i>quetiapine oral tablet 100 mg, 200 (Seroquel) mg, 25 mg, 300 mg, 400 mg, 50 mg</i>	2	GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	GC; QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>	2	GC; QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i>	2	GC; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
<b>Antivirals (Systemic)</b>		
<b>Antiretrovirals</b>		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	2	GC
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 200 MG/ML- 300 MG/ML	5	NM; NDS
CIMDUO ORAL TABLET 300-300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200-25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50-300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	5	NM; NDS
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	2	GC
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	2	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	5	NM; NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NM; NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada)	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYM TUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC
<b>Antivirals, Miscellaneous</b>		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	2	PA BvD; GC
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	4	QL (4 per 180 days)
<b>Hcv Antivirals</b>		
EPCLUSA ORAL TABLET 200-50 MG, 400-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG	5	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	5	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epcclusa)	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
<b>Interferons</b>		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
<b>Nucleosides And Nucleotides</b>		
<i>acyclovir oral capsule 200 mg</i>	2	GC
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	2	GC
<i>acyclovir oral tablet 400 mg, 800 mg</i>	2	GC
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	2	PA BvD; GC
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD; GC
<i>adefovir oral tablet 10 mg</i> (Hepsera)	5	NM; NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	GC
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	GC
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	5	PA BvD; NM; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	5	PA BvD; NM; NDS
<i>ribasphere oral capsule 200 mg</i>	2	GC
<i>ribasphere oral tablet 600 mg</i>	5	NM; NDS
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA BvD; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	2	GC
<i>ribavirin oral tablet 200 mg</i>	2	GC
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	GC
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	2	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Blood Products/Modifiers/Volume Expanders</b>		
<b>Anticoagulants</b>		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
<i>enoxaparin subcutaneous solution</i> (Lovenox) 300 mg/3 ml	2	GC; QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 100 mg/ml, 150 mg/ml	2	GC; QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) 120 mg/0.8 ml, 80 mg/0.8 ml	2	GC; QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 30 (Lovenox) mg/0.3 ml	2	GC; QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 40 (Lovenox) mg/0.4 ml	2	GC; QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 60 (Lovenox) mg/0.6 ml	2	GC; QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	5	NM; NDS
<i>fondaparinux subcutaneous syringe</i> (Arixtra) 2.5 mg/0.5 ml	2	GC
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	2	GC
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	GC
<i>heparin (porcine) injection syringe</i> 5,000 unit/ml	2	GC
<i>heparin, porcine (pf) injection solution</i> 1,000 unit/ml	2	GC
<i>heparin, porcine (pf) injection syringe</i> 5,000 unit/0.5 ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
<b>Blood Formation Modifiers</b>		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
<b>Hematologic Agents, Miscellaneous</b>		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	2	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	GC; QL (30 per 30 days)
<b>Platelet-Aggregation Inhibitors</b>		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	2	GC; QL (30 per 30 days)
<b>Caloric Agents</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Caloric Agents</b>		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	2	PA BvD; GC
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	GC
<i>dextrose 5%-water iv soln single use 5 %</i>	2	GC
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
<b>Cardiovascular Agents</b>		
<b>Alpha-Adrenergic Agents</b>		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	2	GC; QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	2	GC; QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	2	GC
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Nothera)	5	PA; NM; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i>	2	GC
<i>methyldopa oral tablet 250 mg, 500 mg</i>	2	GC
<i>methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg</i>	2	GC
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG	5	PA; NM; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	GC
<b>Angiotensin II Receptor Antagonists</b>		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	6	GC
<b>Angiotensin-Converting Enzyme Inhibitors</b>		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	6	GC
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	6	GC
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	6	GC
<i>lisinopril oral tablet 20 mg</i> (Prinivil)	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
<b>Antiarrhythmic Agents</b>		
<i>amiodarone oral tablet 200 mg</i> (Pacerone)	1	GC
<i>amiodarone oral tablet 400 mg</i> (Pacerone)	2	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
<b>MULTAQ ORAL TABLET 400 MG</b>	3	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
<b>Beta-Adrenergic Blocking Agents</b>		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	GC
<b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<b>Calcium-Channel Blocking Agents</b>		
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	GC
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	GC
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	GC
<i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	GC
<b>Cardiovascular Agents, Miscellaneous</b>		
CORLANOR ORAL SOLUTION 5 MG/5 ML	3	
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	2	GC
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
<b>Dihydropyridines</b>		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg</i> (Procardia)	2	GC
<i>nifedipine oral capsule 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	2	GC
<b>Diuretics</b>		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide oral tablet 500 mg</i>	2	GC
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	GC
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	GC
<b>Dyslipidemics</b>		
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	6	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	GC
<i>cholestyramine light oral powder 4 gram</i>	2	GC
<i>cholestyramine light packet 4 gram</i>	2	GC
<i>colesevelam oral tablet 625 mg</i> (WelChol)	2	GC
<i>colestipol oral packet 5 gram</i> (Colestid)	2	GC
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>	2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	2	GC
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG	5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG	3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NEXLETOL ORAL TABLET 180 MG	3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i> (Niacor)	2	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	2	GC
<i>niacor oral tablet 500 mg</i>	2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	GC; QL (120 per 30 days)
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	6	GC
<i>prevalite oral powder in packet 4 gram</i>	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Zocor)	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	3	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	GC
<b>Renin-Angiotensin-Aldosterone System Inhibitors</b>		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	2	GC
<b>Vasodilators</b>		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoso)	2	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	GC
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	GC
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	2	GC
<b>Central Nervous System Agents</b>		
<b>Central Nervous System Agents</b>		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution</i> (Cafcit) <i>60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended</i> (Ampyra) <i>release 12 hr 10 mg</i>	2	PA; GC; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet 10</i> (Focalin) <i>mg, 2.5 mg, 5 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10</i> (Zenzedi) <i>mg, 5 mg</i>	2	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>10 mg, 15 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall XR) <i>oral capsule,extended release 24hr</i> <i>20 mg, 25 mg, 30 mg</i>	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine</i> (Adderall) <i>oral tablet 10 mg, 12.5 mg, 15 mg, 20</i> <i>mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(dr/ec) 120</i> <i>mg</i>	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(dr/ec) 120</i> <i>mg (14)- 240 mg (46)</i>	5	PA; NM; NDS
<i>dimethyl fumarate oral</i> (Tecfidera) <i>capsule,delayed release(dr/ec) 240</i> <i>mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>flumazenil intravenous solution 0.1 mg/ml</i>	2	GC
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>	5	PA; NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	2	GC
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA NSO; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i> (Ritalin LA)	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i> (Ritalin LA)	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	GC; QL (90 per 30 days)
NUEDEXTA ORAL CAPSULE 20- 10 MG	5	PA; NM; NDS; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK 2 MG (2) - 10 MG (3)	5	PA; NM; NDS
PONVORY ORAL TABLET 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	5	PA; NM; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Contraceptives</b>		
<b>Contraceptives</b>		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	GC
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	GC
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	1	GC
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	2	GC
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Jasmiel (28))	2	GC
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Syeda)	2	GC
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	GC
<b>ELLA ORAL TABLET 30 MG</b>	4	QL (6 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	2	GC; QL (1 per 28 days)
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	GC
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	GC
<i>errin oral tablet 0.35 mg</i>	1	GC
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	2	GC
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50 (28))	2	GC
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	2	GC; QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	GC
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>heather oral tablet 0.35 mg</i>	1	GC
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	1	GC
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	GC
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	GC
<i>jencycla oral tablet 0.35 mg</i>	1	GC
<i>juleber oral tablet 0.15-0.03 mg</i>	2	GC
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	GC
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	2	GC
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (LoJaimiess)	2	GC; QL (91 per 84 days)
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	2	GC
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Altavera (28))	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Iclevia)	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	GC
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	GC
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>lyleq oral tablet 0.35 mg</i>	1	GC
<i>lyza oral tablet 0.35 mg</i>	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>mili oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	GC
<i>noreth-estradiol-fe 1-0.02(24)-75 inner 1 mg-20 mcg (24)/75 mg (4)</i> (Merzee)	2	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri Femynor)	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	2	GC
<i>norlyda oral tablet 0.35 mg</i>	1	GC
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	GC
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	GC
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	2	GC
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	1	GC
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>syeda oral tablet 3-0.03 mg</i>	2	GC
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	GC
<i>vienva oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	GC
<b>Dental And Oral Agents</b>		
<b>Dental And Oral Agents</b>		
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	GC
<i>oralone dental paste 0.1 %</i>	2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	2	GC
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Dermatological Agents</b>		
<b>Dermatological Agents, Other</b>		
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
<i>acitretin oral capsule 10 mg, 25 mg</i> (Soriatane)	2	GC
<i>acitretin oral capsule 17.5 mg</i>	2	GC
<i>acyclovir topical ointment 5 %</i> (Zovirax)	2	GC; QL (30 per 30 days)
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	2	GC; QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	5	NM; NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	2	GC; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
TOLAK TOPICAL CREAM 4 %	4	
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
<b>Dermatological Antibacterials</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	GC
<i>ery pads topical swab 2 %</i>	2	GC
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	GC
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	GC
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	GC
<i>mupirocin topical ointment 2 %</i> (Centany)	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
NEOSPORIN GU IRRIGANT IRRIGATION SOLUTION 40 MG-200,000 UNIT/ML	2	GC
<i>rosadan topical cream 0.75 %</i>	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	GC
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	GC
<b>Dermatological Anti-Inflammatory Agents</b>		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>cormax scalp solution 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC
<i>pimecrolimus topical cream 1 %</i> (Elidel)	2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	2	GC
<b>Dermatological Retinoids</b>		
<i>adapalene topical cream 0.1 %</i> (Differin)	2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)	2	GC
ALTRENO TOPICAL LOTION 0.05 %	4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	2	GC
TAZORAC TOPICAL CREAM 0.05 %	4	
<i>tretinoin topical cream 0.025 %</i> (Avita)	2	PA; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	2	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)	2	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)	2	PA; GC
<b>Scabicides And Pediculicides</b>		
<i>malathion topical lotion 0.5 %</i> (Ovide)	2	GC
<i>permethrin topical cream 5 %</i> (Elimite)	2	GC
<b>Devices</b>		
<b>Devices</b>		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	2	GC
OMNIPOD / VGO	2	GC
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	2	GC
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	GC
<b>Enzyme Replacement/Modifiers</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Enzyme Replacement/Modifiers</b>		
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCIVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
<b>Eye, Ear, Nose, Throat Agents</b>		
<b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>		
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	4	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	2	GC; QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	GC
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	GC
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Pataday Twice Daily Relief)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday Once Daily Relief)	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
<b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>		
<i>acetic acid otic (ear) solution 2 %</i>	2	GC
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	2	GC
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	3	ST
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	GC
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	GC
<b>NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %</b>	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	1	GC
<i>sulfacetamide sodium ophthalmic</i> (Bleph-10) <i>(eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic</i> <i>(eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone</i> <i>ophthalmic (eye) drops 10 %-0.23 %</i> <i>(0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops</i> (Tobrex) <i>0.3 %</i>	1	GC
<i>tobramycin-dexamethasone</i> (TobraDex) <i>ophthalmic (eye) drops,suspension</i> <i>0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
<b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>		
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	ST
BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %	3	
<i>dexamethasone sodium phosphate</i> <i>ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye)</i> <i>drops 0.1 %</i>	2	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol</i> <i>25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm) <i>drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye)</i> <i>drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal</i> (24 Hour Allergy Relief) <i>spray,suspension 50 mcg/actuation</i>	1	GC; QL (16 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	2	GC
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	2	GC; QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
<b>Gastrointestinal Agents</b>		
<b>Antiulcer Agents And Acid Suppressants</b>		
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	2	GC
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	2	GC
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	GC
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>famotidine intravenous solution 10 mg/ml</i>	2	GC
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid)	2	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>	2	GC
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid)	2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	2	GC
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)	1	GC; QL (60 per 30 days)
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	GC
<b>Gastrointestinal Agents, Other</b>		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	GC
<i>dicyclomine oral capsule 10 mg</i>	2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>	2	GC
<i>dicyclomine oral tablet 20 mg</i>	2	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>diphenoxylate-atropine oral tablet</i> (Lomotil) 2.5-0.025 mg	2	GC
<i>enulose oral solution</i> 10 gram/15 ml	2	GC
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	5	PA; NM; NDS
<i>generlac oral solution</i> 10 gram/15 ml	2	GC
<i>glycopyrrolate injection solution</i> 0.2 <i>mg/ml</i>	2	GC
<i>glycopyrrolate oral tablet</i> 1 mg, 2 mg	2	GC
<i>kionex (with sorbitol) oral suspension</i> 15-19.3 gram/60 ml	2	GC
<i>kionex oral powder</i>	2	GC
<i>lactulose oral solution</i> 10 gram/15 ml (Constulose)	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule</i> 2 mg (Anti-Diarrheal (loperamide))	2	GC
<i>lubiprostone oral capsule</i> 24 mcg, 8 <i>mcg</i> (Amitiza)	3	QL (60 per 30 days)
<i>methscopolamine oral tablet</i> 2.5 mg, 5 mg	2	GC
<i>metoclopramide hcl injection</i> <i>solution</i> 5 mg/ml	2	GC
<i>metoclopramide hcl injection syringe</i> 5 mg/ml	2	GC
<i>metoclopramide hcl oral solution</i> 5 <i>mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet</i> 10 (Reglan) <i>mg, 5 mg</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	2	GC
<i>sodium polystyrene sulfonate oral powder</i>	2	GC
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	GC
<i>ursodiol oral capsule 300 mg</i>	2	GC
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	GC
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	GC
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
<b>Laxatives</b>		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	GC
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	GC
<i>gavilyte-n oral recon soln 420 gram</i>	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
SUTAB ORAL TABLET 1.479-0.188 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	2	GC
<b>Phosphate Binders</b>		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg</i>	2	GC
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
<b>Genitourinary Agents</b>		
<b>Antispasmodics, Urinary</b>		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>tropium oral tablet 20 mg</i>	2	GC
<b>Genitourinary Agents, Miscellaneous</b>		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
THIOLA ORAL TABLET 100 MG	5	NM; NDS
<b>Heavy Metal Antagonists</b>		
<b>Heavy Metal Antagonists</b>		
<i>clovique oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA; GC
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	2	PA; GC
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NM; NDS; QL (240 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying</b>		
<b>Androgens</b>		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>	2	PA; GC; QL (180 per 30 days)
<b>XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML</b>	3	PA; QL (2 per 28 days)
<b>Estrogens And Antiestrogens</b>		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<b>DUAVEE ORAL TABLET 0.45-20 MG</b>	3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	GC
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	2	GC; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>estradiol transdermal patch weekly</i> (Climara) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	2	GC
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil</i> (Delestrogen) 20 mg/ml, 40 mg/ml	2	GC
<i>estradiol-norethindrone acet oral</i> (Amabelz) <i>tablet 0.5-0.1 mg</i>	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> <i>1-5 mg-mcg</i>	2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>	2	GC
<i>lyllana transdermal patch</i> <i>semiweekly 0.025 mg/24 hr, 0.0375</i> <i>mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>	2	GC
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	2	GC
PREMARIN INJECTION RECON SOLN 25 MG	3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	GC
<i>yuvaferm vaginal tablet 10 mcg</i>	2	GC; QL (18 per 28 days)
<b>Glucocorticoids/Mineralocorticoids</b>		
<i>a-hydrocort injection recon soln 100</i> <i>mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>betamethasone acet,sod phos</i> (Celestone Soluspan) <i>injection suspension 6 mg/ml</i>	2	GC
<i>cortisone oral tablet 25 mg</i>	2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	2	GC
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	GC
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	2	GC
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i> (Solu-Medrol)	2	GC
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	GC
<b>Pituitary</b>		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	GC
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG	5	PA; NM; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS
<i>octreotide acetate injection solution</i> <i>1,000 mcg/ml, 200 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution</i> (Sandostatin) <i>100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC
<i>octreotide acetate injection syringe</i> <i>100 mcg/ml (1 ml), 50 mcg/ml (1 ml),</i> <i>500 mcg/ml (1 ml)</i>	2	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	4	PA
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORLISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORLISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
<b>Progestins</b>		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap(ppres)</i> (Makena) <i>intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>suspension 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular</i> (Depo-Provera) <i>syringe 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10</i> (Provera) <i>mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10</i> <i>ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5</i> (Aygestin) <i>mg</i>	2	GC
<i>progesterone intramuscular oil 50</i> <i>mg/ml</i>	2	GC
<i>progesterone micronized oral</i> (Prometrium) <i>capsule 100 mg, 200 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Thyroid And Antithyroid Agents</b>		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	GC
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>	2	GC
<b>Immunological Agents</b>		
<b>Immunological Agents</b>		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD; GC
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive) oral</i> (Zortress) tablet 0.25 mg	2	PA BvD; GC
<i>everolimus (immunosuppressive) oral</i> (Zortress) tablet 0.5 mg, 0.75 mg	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	2	PA BvD; GC
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	GC
<i>mycophenolate mofetil (hcl)</i> (CellCept Intravenous) <i>intravenous recon soln 500 mg</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NM; NDS
<b>Vaccines</b>		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3-3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)
<b>Inflammatory Bowel Disease Agents</b>		
<b>Inflammatory Bowel Disease Agents</b>		
<i>alosectron oral tablet 0.5 mg</i> (Lotronex)	2	GC
<i>alosectron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	2	GC
<i>colocort rectal enema 100 mg/60 ml</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	GC
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	2	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	2	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION	3	
<b>Irrigating Solutions</b>		
<b>Irrigating Solutions</b>		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LACTATED RINGERS IRRIGATION SOLUTION	4	
<b>Metabolic Bone Disease Agents</b>		
<b>Metabolic Bone Disease Agents</b>		
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i> (Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	2	GC
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML ( 105MG/1.17MLX2)	5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NM; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	ST; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg</i> (Actonel)	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet,delayed release (dr/ec) 35 mg</i> (Atelvia)	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	2	GC; QL (100 per 300 days)
<b>Miscellaneous Therapeutic Agents</b>		
<b>Miscellaneous Therapeutic Agents</b>		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	5	NM; NDS; QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	2	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	2	GC
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	2	GC
<i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev)	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	2	GC
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)	2	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
<b>Ophthalmic Agents</b>		
<b>Antiglaucoma Agents</b>		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml (Cosopt)</i>	2	GC
<i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 % (Isopto Carpine)</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 % (Timoptic-XE)</i>	4	
<i>travoprost (benzalkonium) ophthalmic (eye) drops 0.004 %</i>	2	GC; QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) 0.004 %	2	GC; QL (2.5 per 25 days)
<b>Replacement Preparations</b>		
<b>Replacement Preparations</b>		
<i>calcium chloride intravenous syringe</i> 100 mg/ml (10 %)	2	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er</i> <i>particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er</i> <i>particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er</i> <i>particles/crystals 20 meq</i>	2	GC
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>	2	GC
<i>magnesium sulfate in water</i> <i>intravenous parenteral solution 20</i> <i>gram/500 ml (4 %), 40 gram/1,000</i> <i>ml (4 %)</i>	2	PA BvD; GC
<i>magnesium sulfate in water</i> <i>intravenous piggyback 2 gram/50 ml</i> <i>(4 %), 4 gram/100 ml (4 %), 4</i> <i>gram/50 ml (8 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection solution</i> <i>4 meq/ml (50 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4</i> <i>meq/ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	2	GC
<i>potassium chloride oral tablet,er (Klor-Con M20) particles/crystals 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet extended (Urocit-K 10) release 10 meq (1,080 mg)</i>	2	GC
<i>potassium citrate oral tablet extended (Urocit-K 15) release 15 meq</i>	2	GC
<i>potassium citrate oral tablet extended (Urocit-K 5) release 5 meq (540 mg)</i>	2	GC
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	GC

**Respiratory Tract Agents**  
**Anti-Inflammatories, Inhaled**  
**Corticosteroids**

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	QL (60 per 30 days)
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; GC
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)
<b>Antileukotrienes</b>		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	GC
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	GC
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	2	GC
<b>Bronchodilators</b>		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	2	GC; QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>	2	GC; QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	2	GC; QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	2	PA BvD; GC; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	2	PA BvD; GC; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	2	GC
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	2	GC
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
<b>Respiratory Tract Agents, Other</b>		
<i>acetylcysteine intravenous solution</i> (Acetadote) 200 mg/ml (20 %)	2	GC
<i>acetylcysteine solution</i> 100 mg/ml (10 %), 200 mg/ml (20 %)	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization</i> 20 mg/2 ml	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
<b>Skeletal Muscle Relaxants</b>		
<b>Skeletal Muscle Relaxants</b>		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>chlorzoxazone oral tablet 250 mg</i>	5	NM; NDS
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<b>Sleep Disorder Agents</b>		
<b>Sleep Disorder Agents</b>		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; NM; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)
<b>Vasodilating Agents</b>		
<b>Vasodilating Agents</b>		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>ambriasantan oral tablet 10 mg, 5 mg</i> (Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i> (Flolan)	2	PA; GC
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i> (Flolan)	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

<b>Drug Name</b>	<b>Drug Tier</b>	<b>Requirements/Limits</b>
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS
<b>Vitamins And Minerals</b>		
<b>Vitamins And Minerals</b>		
SE-NATAL-19 ORAL TABLET 29 MG IRON- 1 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

## INDEX

<b>A</b>		
abacavir.....	67	AJOVY AUTOINJECTOR..55
abacavir-lamivudine .....	67	AJOVY SYRINGE .....55
abacavir-lamivudine-		AKYNZEO
zidovudine .....	67	(FOSNETUPITANT).....57
ABELCET .....	52	AKYNZEO (NETUPITANT)
ABILIFY MAINTENA .....	62	.....57
ABRAXANE.....	25	ala-cort.....105
acamprosate .....	16	albendazole.....59
acarbose .....	48	albuterol sulfate.....146
accutane .....	104	alclometasone.....105
acebutolol .....	84	ALCOHOL PADS .....104
acetaminophen-codeine .....	11	ALDURAZYME.....109
acetazolamide .....	141, 142	ALECENSA.....26
acetazolamide sodium .....	142	alendronate .....
acetic acid .....	111	.....138
acetic acid-aluminum acetate		alfuzosin .....
.....	111	.....118
acetylcysteine .....	148	ALIMTA .....
acitretin .....	104	.....26
ACTEMRA.....	127	ALINIA .....
ACTEMRA ACTPEN .....	127	.....59
ACTHIB (PF) .....	133	ALIQOPA .....
ACTIMMUNE .....	139	.....26
acyclovir .....	73, 104	aliskiren .....
acyclovir sodium .....	73	.....90
ADACEL(TDAP		allopurinol .....
ADOLESN/ADULT)(PF)		.....54
.....	133	alosetron .....
ADAKVEO .....	77	.....137
adapalene .....	107	ALPHAGAN P .....
ADCETRIS.....	25	.....142
adefovir.....	73	alprazolam .....
ADEMPAS .....	150	.....17
adriamycin .....	25	ALREX .....
adrucil .....	26	.....113
ADVAIR DISKUS .....	145	altavera (28) .....
ADVAIR HFA.....	145	.....96
AFINITOR .....	26	ALTRENO .....
AFINITOR DISPERZ .....	26	.....107
afirmelle.....	96	ALUNBRIG .....
a-hydrocort .....	121	.....26
AIMOVIG AUTOINJECTOR		alyacen 1/35 (28).....96
.....	55	alyacen 7/7/7 (28).....96
		alyq.....150
		amabelz .....
		.....120
		amantadine hcl .....
		.....60
		AMBISOME .....
		.....52
		ambrisentan .....
		.....150
		amethia .....
		.....96
		amethia lo .....
		.....96
		amiloride .....
		.....88
		amiloride-hydrochlorothiazide
		.....88
		AMINOSYN 10 % .....
		.....78
		AMINOSYN 7 % WITH
		ELECTROLYTES .....
		.....78
		AMINOSYN 8.5 % .....
		.....78
		AMINOSYN 8.5 %-
		ELECTROLYTES .....
		.....78
		AMINOSYN II 10 % .....
		.....78
		AMINOSYN II 15 % .....
		.....78
		AMINOSYN II 7 % .....
		.....78
		AMINOSYN II 8.5 % .....
		.....78
		AMINOSYN II 8.5 %-
		ELECTROLYTES .....
		.....78
		AMINOSYN M 3.5 % .....
		.....78
		AMINOSYN-HBC 7% .....
		.....78
		AMINOSYN-PF 10 % .....
		.....78
		AMINOSYN-PF 7 %
		(SULFITE-FREE).....
		.....78
		AMINOSYN-RF 5.2 % .....
		.....79
		amiodarone .....
		.....83
		AMITIZA .....
		.....115
		amitriptyline.....
		.....45
		amlodipine .....
		.....87
		amlodipine-benazepril .....
		.....87
		amlodipine-valsartan.....
		.....87
		ammonium lactate.....
		.....104
		amoxapine.....
		.....45
		amoxicillin .....
		.....22, 23
		amoxicillin-pot clavulanate .
		.....23
		amphotericin b .....
		.....52
		ampicillin .....
		.....23
		ampicillin sodium .....
		.....23
		ampicillin-sulbactam.....
		.....23
		ANADROL-50 .....
		.....119
		anagrelide.....
		.....77
		anastrozole .....
		.....26
		ANORO ELLIPTA .....
		.....146
		APOKYN.....
		.....60
		apraclonidine.....
		.....110
		aprepitant .....
		.....57, 58
		apri .....
		.....96
		APTIOM .....
		.....40
		APTIVUS .....
		.....67
		APTIVUS (WITH VITAMIN
		E).....
		.....67
		aranelle (28).....
		.....96
		ARCALYST .....
		.....127
		aripiprazole .....
		.....62
		ARISTADA .....
		.....62, 63

ARISTADA INITIO.....	62	balziva (28).....	96	BOOSTRIX TDAP.....	133
armodafinil .....	150	BANZEL.....	40	BORTEZOMIB .....	27
ARNUITY ELLIPTA.....	145	BAVENCIO.....	27	BOSULIF.....	27
arsenic trioxide .....	26	BAXDELA.....	24	BRAFTOVI.....	27
asenapine maleate.....	63	BCG VACCINE, LIVE (PF)		BREO ELLIPTA .....	145
ashlyna.....	96	.....	133	BREZTRI AEROSPHERE	146
ASPARLAS.....	26	BD ULTRA-FINE NANO		briellyn.....	97
aspirin-dipyridamole.....	77	PEN NEEDLE.....	108	BRILINTA.....	77
ASSURE ID INSULIN		BD VEO INSULIN SYR		brimonidine.....	142
SAFETY .....	108	HALF UNIT.....	108	BRIVIACT .....	40
atazanavir.....	67	BD VEO INSULIN SYRINGE		bromocriptine.....	60
atenolol .....	84	UF.....	108	BROMSITE .....	113
atenolol-chlorthalidone.....	84	bekyree (28) .....	97	BRONCHITOL.....	148
atomoxetine .....	91	BELEODAQ .....	27	BRUKINSA.....	27
atorvastatin .....	89	BELSOMRA .....	150	budesonide .....	137, 145
atovaquone.....	59	benazepril .....	82	bumetanide.....	88
atovaquone-proguanil .....	59	BENDEKA.....	27	buprenorphine hcl .....	11, 16
atropine .....	110	BENLYSTA.....	139, 140	buprenorphine-naloxone.....	16
ATROVENT HFA.....	146	benztropine.....	60	bupropion hcl .....	45
AUBAGIO.....	91	BESIVANCE .....	111	bupropion hcl (smoking deter)	
aupra eq .....	96	BESPONSA .....	27	.....	16
aurovela 1.5/30 (21).....	96	betamethasone acet,sod phos		buspirone.....	17
aurovela 1/20 (21).....	96	.....	122	butalbital-acetaminophen-caff	
aurovela 24 fe .....	96	betamethasone dipropionate		.....	11
aurovela fe 1.5/30 (28) .....	96	.....	105, 106	butalbital-aspirin-caffeine....	11
aurovela fe 1-20 (28) .....	96	betamethasone valerate .....	106	BYNFEZIA.....	123
AUSTEDO .....	91	betamethasone, augmented	106	BYSTOLIC.....	84
AVASTIN.....	26	BETASERON .....	92	<b>C</b>	
aviane.....	96	betaxolol.....	84	CABENUVA .....	67
AVONEX .....	92	bethanechol chloride .....	118	cabergoline.....	60
AVSOLA .....	127	BEVYXXA .....	74	CABLIVI.....	77
ayuna.....	96	bexarotene .....	27	CABOMETYX .....	27
AYVAKIT .....	26	BEXSERO .....	133	caffeine citrate .....	92
azacitidine.....	26	bicalutamide.....	27	calcipotriene.....	104
azathioprine .....	127	BICILLIN L-A .....	23	calcitonin (salmon) .....	138
azathioprine sodium.....	127	BIDIL .....	91	calcitriol .....	138
azelastine .....	110	BIKTARVY .....	67	calcium acetate(phosphat bind)	
azithromycin .....	21	bisoprolol fumarate .....	84	.....	117, 118
AZOPT .....	142	bisoprolol-hydrochlorothiazide		calcium chloride.....	143
aztreonam .....	22	.....	84	CALDOLOR.....	14
azurette (28).....	96	BLENREP .....	27	CALQUENCE .....	27
<b>B</b>		bleomycin.....	27	camila.....	97
bacitracin .....	111	bleph-10.....	111	CAPASTAT.....	57
bacitracin-polymyxin b.....	111	BLINCYTO .....	27	CAPLYTA.....	63
baclofen .....	149	blisovi 24 fe.....	97	CAPRELSA .....	27
balsalazide .....	137	blisovi fe 1.5/30 (28).....	97	captopril .....	82
BALVERSA.....	26, 27	blisovi fe 1/20 (28).....	97	CARBAGLU .....	115

carbamazepine .....	40	ciclopirox.....	52	CLINIMIX E 2.75%/D5W	
carbidopa-levodopa .....	60	cilostazol .....	77	SULF FREE.....	79
carbidopa-levodopa-		CIMDUO .....	67	CLINIMIX E 4.25%/D10W	
entacapone .....	60, 61	cimetidine hcl.....	114	SUL FREE.....	79
carteolol .....	142	CIMZIA .....	127	CLINIMIX E 4.25%/D5W	
cartia xt .....	85	CIMZIA POWDER FOR		SULF FREE.....	79
carvedilol .....	84	RECONST .....	127	CLINIMIX E 5%/D15W	
casprofungin.....	52	cinacalcet.....	138	SULFIT FREE.....	80
CAYSTON .....	22	CINQAIR .....	148	CLINIMIX E 5%/D20W	
caziant (28) .....	97	CINRYZE .....	75	SULFIT FREE.....	80
cefaclor .....	20	CINVANTI .....	58	CLINIMIX E 8%-D10W	
cefadroxil.....	20	ciprofloxacin .....	24	SULFITEFREE.....	80
cefazolin .....	20	ciprofloxacin hcl.....	24, 111	CLINIMIX E 8%-D14W	
cefdinir.....	20	ciprofloxacin in 5 % dextrose		SULFITEFREE.....	80
cefepime .....	20	.....	24	CLINOLIPID .....	80
cefixime .....	20	ciprofloxacin-dexamethasone		clobazam .....	40
cefotaxime .....	20	.....	111	clobetasol .....	106
cefoxitin.....	20	citalopram.....	45	clobetasol-emollient.....	106
cefpodoxime .....	21	clarithromycin .....	22	clofarabine .....	28
cefprozil.....	21	CLENPIQ.....	117	clomipramine .....	45
ceftazidime .....	21	clindamycin hcl.....	19	clonazepam .....	17
ceftriaxone .....	21	CLINDAMYCIN IN 0.9 %		clonidine .....	81
cefuroxime axetil.....	21	SOD CHLOR .....	18, 19	clonidine hcl.....	81
cefuroxime sodium.....	21	clindamycin in 5 % dextrose	19	clopidogrel .....	77
celecoxib.....	14	CLINDAMYCIN IN 5 %		clorazepate dipotassium.....	17
CELONTIN .....	40	DEXTROSE.....	19	clotrimazole .....	52, 53
cephalexin.....	21	clindamycin phosphate..	19, 55,	clotrimazole-betamethasone	53
CERDELGA.....	109	105		clovique.....	119
CEREZYME.....	109	CLINIMIX 5%/D15W		clozapine .....	63
CHANTIX .....	16	SULFITE FREE.....	79	COARTEM.....	59
CHANTIX CONTINUING		CLINIMIX 5%/D25W		codeine sulfate .....	11
MONTH BOX .....	16	SULFITE-FREE.....	79	colchicine .....	54
CHANTIX STARTING		CLINIMIX 4.25%/D10W		colesevelam.....	89
MONTH BOX .....	16	SULF FREE .....	79	colestipol.....	89
chateal eq (28) .....	97	CLINIMIX 4.25%/D5W		colistin (colistimethate na)...	19
chloramphenicol sod succinate		SULFIT FREE .....	79	colocort .....	137
.....	18	CLINIMIX 4.25%-D25W		COMBIGAN.....	142
chlordiazepoxide hcl.....	17	SULF-FREE.....	79	COMBIVENT RESPIMAT	
chlorhexidine gluconate.....	103	CLINIMIX 5%-		.....	147
chloroquine phosphate.....	59	D20W(SULFITE-FREE) .	79	COMETRIQ .....	28
chlorothiazide .....	88	CLINIMIX 6%-D5W		COMPLERA.....	67
chlorothiazide sodium .....	88	(SULFITE-FREE) .....	79	compro .....	58
chlorpromazine .....	63	CLINIMIX 8%-		constulose .....	115
chlorthalidone .....	88	D10W(SULFITE-FREE) .	79	COPAXONE.....	92
chlorzoxazone.....	149	CLINIMIX 8%-		COPIKTRA .....	28
cholestyramine (with sugar)	89	D14W(SULFITE-FREE) .	79	CORLANOR .....	86
cholestyramine light .....	89			cormax .....	106

cortisone ..... 122  
COSENTYX (2 SYRINGES)  
..... 127  
COSENTYX PEN (2 PENS)  
..... 128  
COTELLIC ..... 28  
CREON ..... 109  
CRIVAN ..... 68  
cromolyn ..... 110, 115, 148  
cryselle (28) ..... 97  
cyclafem 1/35 (28) ..... 97  
cyclafem 7/7/7 (28) ..... 97  
cyclobenzaprine ..... 149  
cyclopentolate ..... 110  
cyclophosphamide ..... 28  
CYCLOPHOSPHAMIDE ... 28  
cyclosporine ..... 128  
cyclosporine modified ..... 128  
cyproheptadine ..... 54  
CYRAMZA ..... 28  
cyred eq ..... 97  
CYSTADANE ..... 140  
CYSTARAN ..... 111

**D**

dalfampridine ..... 92  
DALIRESP ..... 148  
danazol ..... 120  
dantrolene ..... 149  
DANYELZA ..... 28  
dapsone ..... 57  
DAPTACEL (DTAP  
PEDIATRIC) (PF) ..... 133  
daptomycin ..... 19  
DARZALEX ..... 28  
DARZALEX FASPRO ..... 28  
dasetta 1/35 (28) ..... 97  
dasetta 7/7/7 (28) ..... 97  
DAURISMO ..... 28  
daysee ..... 97  
deblitane ..... 97  
decitabine ..... 28  
deferasirox ..... 119  
deferiprone ..... 119  
deferoxamine ..... 119  
DELSTRIGO ..... 68  
DEPO-PROVERA ..... 126  
DESCOVY ..... 68

desipramine ..... 45  
desmopressin ..... 123  
desog-e.estradiol/e.estradiol .97  
desogestrel-ethinyl estradiol 97  
desoximetasone ..... 106  
desvenlafaxine succinate ..... 46  
dexamethasone ..... 122  
dexamethasone sodium phos  
(pf) ..... 122  
dexamethasone sodium  
phosphate ..... 113, 122  
dexmethylphenidate ..... 92  
dextroamphetamine ..... 92  
dextroamphetamine-  
amphetamine ..... 92  
dextrose 10 % in water (d10w)  
..... 80  
dextrose 5 % in water (d5w) 80  
DIACOMIT ..... 40, 41  
diazepam ..... 17, 41  
diazepam intensol ..... 17  
diazoxide ..... 140  
diclofenac epolamine ..... 14  
diclofenac potassium ..... 14  
diclofenac sodium ..... 14, 113  
dicloxacillin ..... 23  
dicyclomine ..... 115  
didanosine ..... 68  
DIFICID ..... 22  
digitek ..... 86  
digox ..... 86  
digoxin ..... 86  
dihydroergotamine ..... 55  
diltiazem hcl ..... 85, 86  
dilt-xr ..... 86  
dimenhydrinate ..... 58  
dimethyl fumarate ..... 92  
DIPENTUM ..... 137  
diphenhydramine hcl ..... 54  
diphenoxylate-atropine ..... 115,  
116  
dipyridamole ..... 77  
disopyramide phosphate ..... 83  
disulfiram ..... 16  
divalproex ..... 41  
dofetilide ..... 83  
donepezil ..... 44

DOPTELET (10 TAB PACK)  
..... 75  
DOPTELET (15 TAB PACK)  
..... 75  
DOPTELET (30 TAB PACK)  
..... 75  
dorzolamide ..... 142  
dorzolamide-timolol ..... 142  
dotti ..... 120  
DOVATO ..... 68  
doxazosin ..... 81  
doxepin ..... 46  
doxercalciferol ..... 138  
doxorubicin ..... 28  
doxorubicin, peg-liposomal .28  
doxy-100 ..... 25  
doxycycline hyclate ..... 25  
doxycycline monohydrate .... 25  
DRIZALMA SPRINKLE ... 46  
dronabinol ..... 58  
droperidol ..... 58  
drospirenone-ethinyl estradiol  
..... 97  
DROXIA ..... 28  
droxidopa ..... 81  
DUAVEE ..... 120  
duloxetine ..... 46  
DUPIXENT PEN ..... 128  
DUPIXENT SYRINGE ..... 128  
DUREZOL ..... 113  
dutasteride ..... 118

**E**

econazole ..... 53  
EDARBI ..... 82  
EDARBYCLOR ..... 82  
EDURANT ..... 68  
efavirenz ..... 68  
efavirenz-emtricitabin-tenofov  
..... 68  
efavirenz-lamivu-tenofov  
disop ..... 68  
EGRIFTA ..... 123  
EGRIFTA SV ..... 123  
ELAPRASE ..... 109  
ELIGARD ..... 29  
ELIGARD (3 MONTH) ..... 29  
ELIGARD (4 MONTH) ..... 29

ELIGARD (6 MONTH) .....	29	epoprostenol (glycine).....	150	famotidine (pf)-nacl (iso-os)	114
elinest.....	97	ERBITUX .....	29	FANAPT .....	63
ELIQUIS.....	74	ergoloid .....	44	FARXIGA.....	48
ELIQUIS DVT-PE TREAT		ERGOMAR.....	56	FARYDAK .....	29
30D START.....	74	ERIVEDGE.....	29	FASENRA .....	148
ELITEK .....	109	ERLEADA .....	29	FASENRA PEN.....	148
ELLA .....	97	erlotinib .....	29	febuxostat.....	54
ELMIRON .....	140	errin .....	98	felbamate.....	41
eluryng.....	98	ertapenem .....	22	FEMRING .....	121
EMCYT .....	29	ery pads .....	105	femynor.....	98
EMEND.....	58	erythromycin .....	22, 111	fenofibrate.....	89
EMFLAZA .....	122	erythromycin ethylsuccinate	22	fenofibrate micronized.....	89
EMGALITY PEN.....	55	erythromycin with ethanol	105	fenofibrate nanocrystallized.	89
EMGALITY SYRINGE.....	56	ESBRIET .....	148	fentanyl .....	11
emoquette .....	98	escitalopram oxalate.....	46	fentanyl citrate .....	11
EMPLICITI .....	29	esomeprazole sodium.....	114	FERRIPROX .....	119
EMSAM .....	46	estarylla .....	98	FETZIMA .....	46
emtricitabine .....	68	estradiol .....	120, 121	FIASP FLEXTOUCH U-100	
emtricitabine-tenofovir (tdf)	68	estradiol valerate .....	121	INSULIN .....	50
EMTRIVA .....	68	estradiol-norethindrone acet	121	FIASP PENFILL U-100	
enalapril maleate.....	82	.....	121	INSULIN .....	50
enalaprilat .....	83	eszopiclone.....	150	FIASP U-100 INSULIN .....	50
enalapril-hydrochlorothiazide	83	ethambutol.....	57	finasteride .....	118
.....	83	ethosuximide .....	41	FINTEPLA .....	41
ENBREL.....	128	ethynodiol diac-eth estradiol	98	FIRVANQ.....	19
ENBREL MINI .....	128	etodolac .....	14	FLEBOGAMMA DIF .....	128
ENBREL SURECLICK ....	128	etonogestrel-ethinyl estradiol	98	flecainide.....	83
ENDARI.....	140	.....	98	FLOVENT DISKUS.....	145
endocet.....	11	ETOPOPHOS.....	29	FLOVENT HFA .....	145
ENGERIX-B (PF) .....	134	etoposide .....	29	floxuridine.....	29
ENGERIX-B PEDIATRIC		EUCRISA.....	106	fluconazole.....	53
(PF).....	134	EVENITY .....	138	fluconazole in nacl (iso-osm)	53
ENHERTU .....	29	everolimus		.....	53
enoxaparin .....	74	(immunosuppressive).....	128	flucytosine.....	53
enpresse .....	98	EVOTAZ.....	68	fludrocortisone.....	122
enskyce .....	98	EVRYSDI .....	140	flumazenil .....	93
entacapone .....	61	exemestane .....	29	flunisolide .....	113
entecavir .....	73	EXONDYS-51 .....	140	fluocinolone .....	106
ENTRESTO.....	82	EXTAVIA .....	92	fluocinonide .....	106
enulose .....	116	ezetimibe .....	89	fluocinonide-e .....	106
EPCLUSA .....	72	<b>F</b>		fluorometholone.....	113
EPIDIOLEX .....	41	FABRAZYME .....	109	fluorouracil .....	29, 104
epinastine.....	111	falmina (28).....	98	fluoxetine .....	46
epinephrine .....	86, 87	famciclovir .....	73	fluphenazine decanoate.....	63
epitol.....	41	famotidine .....	115	fluphenazine hcl.....	63
EPIVIR HBV .....	68	famotidine (pf) .....	114	flurbiprofen .....	14
eplerenone.....	91				

flurbiprofen sodium .....	113	gentak .....	111	HEPATAMINE 8% .....	80
flutamide .....	29	gentamicin .....	18, 105, 111	HERCEPTIN .....	30
fluticasone propionate	106, 113	gentamicin sulfate (ped) (pf)	18	HERCEPTIN HYLECTA....	30
fluvoxamine .....	46	gentamicin sulfate (pf) .....	18	HERZUMA.....	30
fomepizole .....	140	GENVOYA .....	68	HETLIOZ .....	150
fondaparinux.....	74	GILENYA .....	93	HETLIOZ LQ .....	150
FORTEO.....	138	GILOTRIF .....	30	HIBERIX (PF) .....	134
fosamprenavir .....	68	GIVLAARI .....	77	HUMATROPE .....	124
fosaprepitant .....	58	glatiramer .....	93	HUMIRA .....	129
foscarnet .....	71	glatopa .....	93	HUMIRA PEN.....	129
fosinopril.....	83	glimepiride .....	52	HUMIRA PEN CROHNS-UC-	
fosphenytoin .....	41	glipizide.....	52	HS START.....	129
FREAMINE HBC 6.9 % .....	80	glipizide-metformin.....	52	HUMIRA PEN PSOR-	
FREAMINE III 10 % .....	80	glyburide .....	52	UVEITS-ADOL HS.....	129
FULPHILA .....	75	glyburide micronized .....	52	HUMIRA(CF).....	130
fulvestrant .....	30	glyburide-metformin .....	52	HUMIRA(CF) PEDI	
furosemide .....	88	glycopyrrolate .....	116	CROHNS STARTER ....	129
FUZEON .....	68	glydo.....	15	HUMIRA(CF) PEN .....	130
fyavolv .....	121	GOCOVRI .....	61	HUMIRA(CF) PEN	
FYCOMPA.....	41	granisetron (pf).....	58	CROHNS-UC-HS.....	129
<b>G</b>		granisetron hcl.....	58	HUMIRA(CF) PEN	
gabapentin.....	41, 42	GRANIX .....	75	PEDIATRIC UC .....	129
GALAFOLD.....	109	griseofulvin microsize.....	53	HUMIRA(CF) PEN PSOR-	
galantamine.....	44	guanfacine .....	81, 93	UV-ADOL HS .....	129
GAMASTAN .....	128	GVOKE HYPOPEN 1-PACK		HUMULIN R U-500 (CONC)	
GAMIFANT .....	129	.....	140	INSULIN .....	50
GAMMAGARD LIQUID .	129	GVOKE HYPOPEN 2-PACK		HUMULIN R U-500 (CONC)	
GAMMAGARD S-D (IGA < 1		.....	140	KWIKPEN .....	50
MCG/ML).....	129	GVOKE PFS 1-PACK		hydralazine.....	87
GAMMAPLEX .....	129	SYRINGE .....	140	hydrochlorothiazide .....	88
GAMMAPLEX (WITH		GVOKE PFS 2-PACK		hydrocodone-acetaminophen	
SORBITOL) .....	129	SYRINGE .....	140	.....	11
ganciclovir sodium .....	73	<b>H</b>		hydrocodone-ibuprofen.....	12
GARDASIL 9 (PF).....	134	HAEGARDA .....	75	hydrocortisone ...	107, 122, 137
GATTEX 30-VIAL .....	116	hailey .....	98	hydromorphone.....	12
GAUZE PAD.....	108	hailey 24 fe.....	98	hydromorphone (pf).....	12
gavilyte-c .....	117	hailey fe 1.5/30 (28) .....	98	hydroxychloroquine.....	59
gavilyte-g.....	117	hailey fe 1/20 (28) .....	98	hydroxyprogesterone	
gavilyte-n.....	117	halobetasol propionate .....	106	cap(ppres) .....	126
GAVRETO .....	30	haloperidol.....	64	hydroxyurea .....	30
GAZYVA .....	30	haloperidol decanoate.....	64	hydroxyzine hcl .....	54, 55
gemfibrozil .....	89	haloperidol lactate .....	64	hydroxyzine pamoate.....	140
generlac.....	116	HARVONI .....	72	HYPERRAB (PF).....	130
gengraf .....	129	HAVRIX (PF) .....	134	HYPERRAB S/D (PF).....	130
GENOTROPIN.....	124	heather .....	98	HYQVIA.....	130
GENOTROPIN MINIQUICK		heparin (porcine) .....	74	<b>I</b>	
.....	123	heparin, porcine (pf).....	74	ibandronate .....	138

IBRANCE.....	30	IONOSOL-MB IN D5W ....	143	KALYDECO .....	148
ibu .....	14	IPOL .....	134	KANJINTI .....	31
ibuprofen.....	14	ipratropium bromide... 111, 147		KANUMA .....	109
icatibant .....	87	ipratropium-albuterol .....	147	kariva (28).....	99
iclevia .....	98	irbesartan .....	82	KEDRAB (PF).....	130
ICLUSIG .....	30	irbesartan-hydrochlorothiazide		kelnor 1/35 (28) .....	99
IDHIFA.....	30	.....	82	kelnor 1-50 (28) .....	99
ifosfamide .....	30	IRESSA .....	31	KESIMPTA PEN.....	93
ILARIS (PF) .....	130	ISENTRESS .....	69	ketoconazole .....	53
ILEVRO .....	114	ISENTRESS HD .....	69	ketorolac .....	15, 114
ILUMYA .....	130	isibloom.....	98	KEVEYIS .....	140
imatinib.....	30	ISOLYTE-P IN 5 %		KEVZARA .....	130
IMBRUVICA .....	30	DEXTROSE.....	143	KEYTRUDA .....	31
IMFINZI.....	31	ISOLYTE-S .....	143	KINERET .....	130
imipenem-cilastatin .....	22	isoniazid .....	57	KINRIX (PF) .....	134, 135
imipramine hcl.....	46	isosorbide dinitrate.....	91	kionex .....	116
imiquimod.....	104	isosorbide mononitrate.....	91	kionex (with sorbitol) .....	116
IMLYGIC .....	31	itraconazole .....	53	KISQALI .....	31
IMOGAM RABIES-HT (PF)		ivermectin.....	59	KISQALI FEMARA CO-	
.....	130	IXEMPRA.....	31	PACK.....	31
IMOVAX RABIES		IXIARO (PF).....	134	klor-con m10.....	143
VACCINE (PF) .....	134	<b>J</b>		klor-con m15.....	143
IMPAVIDO .....	59	jaimiess.....	98	klor-con m20.....	143
INBRIJA.....	61	JAKAFI.....	31	KORLYM .....	48
incassia .....	98	jantoven .....	75	KOSELUGO.....	32
INCRELEX .....	124	JANUMET .....	48	KRINTAFEL .....	60
indapamide .....	88	JANUMET XR .....	48	KRYSTEXXA .....	109
indomethacin .....	15	JANUVIA .....	48	kurvelo (28) .....	99
INFANRIX (DTAP) (PF)..	134	JARDIANCE .....	48	KYNMOBI .....	61
INFLECTRA .....	130	jasmiel (28).....	98	KYPROLIS.....	32
INGREZZA .....	93	jencycla .....	98	<b>L</b>	
INGREZZA INITIATION		JENTADUETO .....	48	l norgest/e.estradiol-e.estrad	99
PACK .....	93	JENTADUETO XR .....	48	labetalol.....	84
INLYTA .....	31	jinteli .....	121	LACTATED RINGERS ....	138
INQOVI.....	31	juleber.....	98	lactulose .....	116
INREBIC .....	31	JULUCA .....	69	lamivudine .....	69
INSULIN SYRINGE-		junel 1.5/30 (21).....	98	lamivudine-zidovudine .....	69
NEEDLE U-100 .....	108	junel 1/20 (21).....	99	lamotrigine.....	42
INTELENCE .....	68	junel fe 1.5/30 (28).....	99	lansoprazole .....	115
INTRALIPID.....	80	junel fe 1/20 (28).....	99	LANTUS SOLOSTAR U-100	
INTRON A .....	72, 73	junel fe 24.....	99	INSULIN .....	50
introvale.....	98	JUXTAPID.....	89	LANTUS U-100 INSULIN .	50
INVEGA SUSTENNA.....	64	JYNARQUE.....	88	lapatinib .....	32
INVEGA TRINZA .....	64, 65	<b>K</b>		larin 1.5/30 (21) .....	99
INVELTYS.....	114	KABIVEN.....	80	larin 1/20 (21) .....	99
INVIRASE .....	69	KALETRA.....	69	larin 24 fe.....	99
IONOSOL-B IN D5W .....	143	kalliga.....	99	larin fe 1.5/30 (28) .....	99

larin fe 1/20 (28).....	99	lojaimiess .....	100	MARPLAN.....	46
larissia.....	99	LOKELMA .....	116	MATULANE.....	33
latanoprost .....	142	LONSURF .....	32	MAVENCLAD (10 TABLET PACK) .....	93
LATUDA.....	65	loperamide.....	116	MAVENCLAD (4 TABLET PACK) .....	93
LAZANDA.....	12	lopinavir-ritonavir .....	69	MAVENCLAD (5 TABLET PACK) .....	93
ledipasvir-sofosbuvir .....	72	lorazepam .....	18	MAVENCLAD (6 TABLET PACK) .....	93
leflunomide.....	130	LORBRENA .....	32	MAVENCLAD (7 TABLET PACK) .....	94
LEMTRADA.....	93	lorcet (hydrocodone) .....	12	MAVENCLAD (8 TABLET PACK) .....	94
LENVIMA.....	32	lorcet hd.....	12	MAVYRET.....	72
lessina .....	99	lorcet plus .....	12	MAYZENT.....	94
letrozole .....	32	loryna (28).....	100	MAYZENT STARTER PACK .....	94
leucovorin calcium ....	140, 141	losartan .....	82	meclizine.....	58
LEUKERAN.....	32	losartan-hydrochlorothiazide	82	medroxyprogesterone .....	126
LEUKINE.....	75	LOTEMAX .....	114	mefenamic acid.....	15
leuprolide.....	32	LOTEMAX SM .....	114	mefloquine .....	60
levetiracetam.....	42	loteprednol etabonate .....	114	megestrol.....	33, 126
levobunolol .....	142	lovastatin .....	89	MEKINIST .....	33
levocarnitine .....	141	low-ogestrel (28).....	100	MEKTOVI.....	33
levocarnitine (with sugar)..	141	loxapine succinate .....	65	meloxicam.....	15
levocetirizine .....	55	lo-zumandimine (28).....	100	memantine.....	45
levofloxacin .....	24, 112	lubiprostone.....	116	MENACTRA (PF).....	135
levofloxacin in d5w .....	24	LUCEMYRA .....	16	MENQUADFI (PF) .....	135
levoleucovorin calcium ....	141	LUMIGAN.....	142	MENVEO A-C-Y-W-135-DIP (PF) .....	135
levonest (28).....	99	LUMOXITI.....	32	MEPSEVII.....	109
levonorgestrel-ethinyl estrad .....	99, 100	LUPRON DEPOT .....	33, 124	mercaptapurine .....	33
levonorg-eth estrad triphasic .....	100	LUPRON DEPOT (3 MONTH).....	32, 124	meropenem .....	22
levora-28.....	100	LUPRON DEPOT (4 MONTH).....	32	merzee.....	100
levothyroxine .....	127	LUPRON DEPOT (6 MONTH).....	32	mesalamine .....	137
LEXIVA .....	69	LUPRON DEPOT-PED ....	124	mesna .....	141
LIBTAYO.....	32	LUPRON DEPOT-PED (3 MONTH).....	124	MESNEX.....	141
lidocaine .....	15	lutera (28).....	100	metaproterenol .....	147
lidocaine (pf) .....	15, 83	lyleq.....	100	metformin .....	48, 49
lidocaine hcl.....	15	lyllana.....	121	methadone.....	12
lidocaine viscous .....	16	LYNPARZA .....	33	methadose .....	12
lidocaine-prilocaine .....	16	LYSODREN .....	33	methenamine hippurate.....	19
lillow (28).....	100	lyza.....	100	methimazole.....	127
linezolid .....	19	<b>M</b>		methocarbamol .....	149
linezolid in dextrose 5% .....	19	magnesium sulfate.....	143		
LINZESS .....	116	magnesium sulfate in d5w..	143		
liothyronine.....	127	magnesium sulfate in water	143		
lisinopril.....	83	malathion.....	108		
lisinopril-hydrochlorothiazide .....	83	maprotiline .....	46		
lithium carbonate .....	93	marlissa (28).....	100		
LIVALO .....	89				

methotrexate sodium .....	33	MORPHINE.....	12	NEUPOGEN.....	76
methotrexate sodium (pf) ....	33	morphine concentrate .....	12	NEUPRO .....	61
methoxsalen.....	104	MOVANTIK.....	116	nevirapine .....	69
methscopolamine.....	116	moxifloxacin .....	24, 112	NEXAVAR.....	33
methyl dopa .....	81	MOZOBIL .....	76	NEXLETOL .....	90
methyl dopa-		MULPLETA .....	76	NEXLIZET .....	90
hydrochlorothiazide .....	81	MULTAQ.....	83	niacin.....	90
methylphenidate hcl.....	94	mupirocin .....	105	niacor .....	90
methylprednisolone .....	122	MVASI.....	33	nicardipine .....	87
methylprednisolone acetate	122	mycophenolate mofetil.....	131	NICOTROL.....	17
methylprednisolone sodium		mycophenolate mofetil (hcl)		nifedipine .....	87, 88
succ .....	122	.....	130	nikki (28) .....	100
metipranolol.....	142	MYLOTARG.....	33	nilutamide .....	33
metoclopramide hcl .....	116	MYRBETRIQ .....	118	NINLARO .....	34
metolazone.....	88	<b>N</b>		nitazoxanide.....	60
metoprolol succinate.....	84	nabumetone .....	15	nitisinone.....	109
metoprolol ta-hydrochlorothiaz		nafcillin .....	23	nitrofurantoin macrocrystal .	19
.....	84	nafcillin in dextrose iso-osm	23	nitrofurantoin monohyd/m-	
metoprolol tartrate .....	85	NAGLAZYME .....	109	cryst.....	20
metronidazole .....	19, 55, 105	naloxone .....	16	nitroglycerin.....	91
metronidazole in nacl (iso-os)		naltrexone.....	16	NITYR .....	109
.....	19	NAMZARIC .....	45	NIVESTYM.....	76
metyrosine .....	87	naproxen.....	15	nizatidine.....	115
mexiletine .....	83	NARCAN.....	16	NOC DURNA (MEN) .....	124
MIACALCIN .....	138	NATACYN .....	112	NOC DURNA (WOMEN) .	124
miconazole-3 .....	53	NATPARA.....	138	NORDITROPIN FLEXPRO	
microgestin fe 1/20 (28) ....	100	NAYZILAM .....	42	.....	124
midodrine.....	81	necon 0.5/35 (28) .....	100	norethindrone (contraceptive)	
miglustat .....	109	nefazodone .....	47	.....	100
mili.....	100	neomycin .....	18	norethindrone acetate.....	126
milrinone.....	87	neomycin-bacitracin-poly-hc		norethindrone ac-eth estradiol	
mimvey .....	121	.....	112	.....	100, 121
minitran.....	91	neomycin-bacitracin-		norethindrone-e.estradiol-iron	
minocycline .....	25	polymyxin .....	112	.....	100, 101
minoxidil.....	91	neomycin-polymyxin b gu .	105	norgestimate-ethinyl estradiol	
mirtazapine .....	46, 47	neomycin-polymyxin b-		.....	101
misoprostol .....	115	dexameth .....	112	norlyda .....	101
MITIGARE.....	54	neomycin-polymyxin-		NORMOSOL-M IN 5 %	
mitoxantrone.....	33	gramicidin .....	112	DEXTROSE .....	144
M-M-R II (PF).....	135	neomycin-polymyxin-hc ....	112	NORMOSOL-R PH 7.4.....	144
molindone .....	65	neo-polycin.....	112	NORTHERA.....	81
mometasone .....	107, 114	neo-polycin hc.....	112	nortrel 0.5/35 (28).....	101
mondoxyne nl .....	25	NEOSPORIN GU IRRIGANT		nortrel 1/35 (21).....	101
MONJUVI.....	33	.....	105	nortrel 1/35 (28).....	101
mono-linyah.....	100	NEPHRAMINE 5.4 % .....	80	nortrel 7/7/7 (28).....	101
montelukast.....	146	NERLYNX.....	33	nortriptyline .....	47
morphine.....	12, 13	NEULASTA.....	76	NORVIR .....	69

NOVOLIN 70/30 U-100	olmesartan .....	82	paliperidone .....	65
INSULIN .....	olmesartan-		PALYNZIQ .....	110
NOVOLIN 70-30 FLEXPEN	hydrochlorothiazide.....	82	PANRETIN.....	104
U-100.....	olopatadine .....	111	pantoprazole.....	115
NOVOLIN N FLEXPEN ...	OLUMIANT .....	131	paricalcitol .....	139
NOVOLIN N NPH U-100	omega-3 acid ethyl esters.....	90	paroex oral rinse .....	103
INSULIN .....	omeprazole .....	115	paromomycin .....	60
NOVOLIN R FLEXPEN.....	omeprazole-sodium		paroxetine hcl.....	47
NOVOLIN R REGULAR U-	bicarbonate .....	115	PAXIL.....	47
100 INSULN .....	OMNIPOD / VGO .....	108	PEDIARIX (PF).....	135
NOVOLOG FLEXPEN U-100	OMNITROPE .....	125	PEDVAX HIB (PF) .....	135
INSULIN .....	ONCASPAR .....	34	PEGANONE.....	42
NOVOLOG MIX 70-30 U-100	ondansetron .....	58	PEGASYS.....	73
INSULN .....	ondansetron hcl .....	58	PEGINTRON.....	73
NOVOLOG MIX 70-	ondansetron hcl (pf) .....	58	PEMAZYRE.....	34
30FLEXPEN U-100 .....	ONIVYDE .....	34	PEN NEEDLE, DIABETIC	
NOVOLOG PENFILL U-100	ONTRUZANT .....	34	.....	108
INSULIN .....	ONUREG .....	34	penicillamine.....	119
NOVOLOG U-100 INSULIN	OPDIVO.....	34	penicillin g potassium .....	23
ASPART.....	OPSUMIT .....	150	penicillin g procaine .....	23
NOXAFIL.....	oralone.....	103	penicillin v potassium ....	23, 24
NUBEQA .....	ORENCIA .....	131	PENNSAID.....	15
NUCALA .....	ORENCIA (WITH		PENTACEL (PF).....	135
NUEDEXTA .....	MALTOSE) .....	131	pentamidine.....	60
NULOJIX .....	ORENCIA CLICKJECT ...	131	pentoxifylline .....	77
NUPLAZID .....	ORFADIN .....	109	PEPAXTO .....	34
NURTEC ODT.....	ORGOVYX.....	125	PERIKABIVEN.....	80
NUTRILIPID.....	ORLISSA.....	125	perindopril erbumine .....	83
NUTROPIN AQ NUSPIN.	ORKAMBI.....	149	periogard .....	103
nyamyc .....	ORLADEYO.....	76	permethrin .....	108
nylia 7/7/7 (28) .....	orsythia.....	101	perphenazine .....	65
nymyo .....	oseltamivir.....	71	perphenazine-amitriptyline ..	47
nystatin .....	OSMOLEX ER .....	61	PERSERIS .....	65
nystop .....	OTEZLA .....	131	pfizerpen-g.....	24
NYVEPRIA .....	OTEZLA STARTER .....	131	phenadoz .....	58
<b>O</b>	oxcarbazepine.....	42	phenelzine .....	47
OICALIVA .....	OXLUMO .....	141	phenobarbital .....	42
OCREVUS .....	OXTELLAR XR .....	42	phenylephrine hcl.....	81
OCTAGAM.....	oxybutynin chloride .....	118	phenytoin .....	42
octreotide acetate .....	oxycodone .....	13	phenytoin sodium.....	43
ODEFSEY .....	oxycodone-acetaminophen...13		phenytoin sodium extended .42	
ODOMZO.....	oxycodone-aspirin .....	13	PHESGO .....	34
OFEV .....	OXYCONTIN .....	13	philith.....	101
ofloxacin.....	OZEMPIC .....	49	PHOSLYRA .....	118
ogestrel (28).....	<b>P</b>		PICATO.....	104
OGIVRI .....	pacerone .....	83	PIFELTRO.....	70
olanzapine.....	PADCEV .....	34	pilocarpine hcl .....	103, 142

pimecrolimus .....	107	PREZCOBIX .....	70	quinidine sulfate.....	84
pimozide .....	65	PREZISTA .....	70	<b>R</b>	
pimtrex (28) .....	101	PRIFTIN.....	57	RABAVERT (PF).....	135
pioglitazone .....	49	PRIMAQUINE.....	60	RADICAVA .....	95
piperacillin-tazobactam .....	24	primidone .....	43	raloxifene .....	121
PIQRAY .....	34	PRIVIGEN .....	131	ramipril .....	83
pirmella.....	101	PROAIR RESPICLICK .....	147	ranolazine.....	87
PLASMA-LYTE 148 .....	144	probenecid.....	54	rasagiline.....	61
PLASMA-LYTE A .....	144	probenecid-colchicine .....	54	RASUVO (PF).....	131
PLEGRIDY .....	94, 95	procainamide .....	84	RAVICTI.....	116
podofilox.....	104	PROCALAMINE 3% .....	81	RAYALDEE.....	139
POLIVY .....	34	prochlorperazine.....	59	REBIF (WITH ALBUMIN)	95
polycin .....	112	prochlorperazine edisylate .....	58	REBIF REBIDOSE .....	95
polymyxin b sulfate .....	20	prochlorperazine maleate .....	59	REBIF TITRATION PACK	95
polymyxin b sulf-trimethoprim .....	113	procto-med hc.....	107	reclipsen (28) .....	101
POMALYST.....	34	proctosol hc .....	107	RECOMBIVAX HB (PF)..	135
PONVORY .....	95	proctozone-hc.....	107	RECTIV .....	141
PONVORY 14-DAY		progesterone .....	126	RELENZA DISKHALER ...	71
STARTER PACK.....	95	progesterone micronized .....	126	RELISTOR .....	116, 117
portia 28.....	101	PROGRAF .....	131	REMICADE .....	131
PORTRAZZA.....	35	PROLASTIN-C.....	149	RENFLEXIS.....	132
posaconazole.....	54	PROLENSA .....	114	repaglinide .....	49
potassium chloride.....	144	PROLEUKIN .....	35	REPATHA PUSHTRONEX	90
potassium chloride-0.45 %		PROLIA .....	139	REPATHA SURECLICK....	90
nacl .....	144	PROMACTA .....	76	REPATHA SYRINGE.....	90
potassium citrate.....	144	promethazine .....	55, 59	RESCRIPTOR .....	70
PRADAXA.....	75	promethegan.....	59	RESTASIS .....	114
PRALUENT PEN.....	90	propafenone.....	84	RETACRIT.....	76
pramipexole .....	61	proparacaine .....	111	RETEVMO .....	35
prasugrel .....	77	propranolol .....	85	RETROVIR .....	70
pravastatin.....	90	propranolol-		REVCOVI.....	110
prazosin.....	82	hydrochlorothiazid .....	85	REVLIMID.....	35
prednicarbate .....	107	propylthiouracil .....	127	revonto .....	149
prednisolone .....	123	PROQUAD (PF) .....	135	REXULTI .....	66
prednisolone acetate .....	114	PROSOL 20 % .....	81	REYATAZ.....	70
prednisolone sodium		protamine.....	77	REYVOW .....	56
phosphate.....	114, 122, 123	protriptyline.....	47	RHOPRESSA .....	142
prednisone.....	123	PULMOZYME .....	110	RIABNI.....	35
pregabalin .....	43	PURIXAN .....	35	ribasphere.....	73
PREMARIN .....	121	pyrazinamide .....	57	ribavirin.....	73
PREMPHASE.....	121	pyridostigmine bromide .....	141	RIDAURA .....	132
PREMPRO .....	121	pyrimethamine.....	60	rifabutin.....	57
PRETOMANID.....	57	<b>Q</b>		rifampin.....	57
prevalite .....	90	QINLOCK.....	35	riluzole .....	95
previfem.....	101	QUADRACEL (PF).....	135	rimantadine .....	72
PREVYMIS.....	71	quetiapine .....	65	RINVOQ.....	132
		quinapril .....	83	risedronate.....	139

RISPERDAL CONSTA .....	66	sildenafil (pulm.hypertension)	150	STRENSIQ .....	110
risperidone .....	66	SILIQ .....	132	streptomycin .....	18
ritonavir .....	70	silver sulfadiazine.....	105	STRIBILD .....	70
RITUXAN .....	35	SIMBRINZA.....	142	STRIVERDI RESPIMAT..	147
RITUXAN HYCELA .....	35	simliya (28) .....	101	SUBLOCADE .....	17
rivastigmine .....	45	simpesse .....	102	subvenite .....	43
rivastigmine tartrate.....	45	SIMPONI .....	132	sucrafate.....	115
rizatriptan.....	56	SIMPONI ARIA .....	132	sulfacetamide sodium .....	113
ROCKLATAN .....	142	simvastatin .....	90	sulfacetamide sodium (acne)	105
ropinirole .....	61	sirolimus.....	132	.....	113
rosadan.....	105	SIRTURO.....	57	sulfacetamide-prednisolone	113
rosuvastatin.....	90	SKYRIZI.....	132	sulfadiazine .....	24
ROTARIX .....	136	sodium chloride 0.9 %.....	144	sulfamethoxazole-	
ROTATEQ VACCINE.....	136	sodium phenylbutyrate .....	117	trimethoprim .....	24, 25
ROZLYTREK .....	35	sodium polystyrene (sorb free)	117	sulfasalazine.....	137
RUBRACA.....	35	.....	117	sulindac .....	15
rufinamide.....	43	sodium polystyrene sulfonate	117	sumatriptan .....	56
RUKOBIA .....	70	.....	117	sumatriptan succinate.....	56
RUXIENCE.....	35	sofosbuvir-velpatasvir .....	72	SUNOSI.....	150
RYBELSUS.....	49	SOLIQUA 100/33 .....	51	SUPPRELIN LA.....	126
RYDAPT .....	35	SOLTAMOX .....	35	SUPREP BOWEL PREP KIT	
<b>S</b>		SOLU-CORTEF ACT-O-		.....	117
SAIZEN .....	125	VIAL (PF) .....	123	SUTAB .....	117
SAIZEN SAIZENPREP ....	125	SOMATULINE DEPOT ..	125,	SUTENT .....	36
SANDOSTATIN LAR		126		syeda .....	102
DEPOT .....	125	SOMAVERT.....	126	SYLATRON .....	36
SANTYL .....	104	sorine .....	85	SYLVANT.....	36
sapropterin .....	110	sotalol .....	85	SYMBICORT .....	146
SARCLISA.....	35	sotalol af.....	85	SYMDEKO.....	149
SAVELLA .....	95	SOVALDI .....	72	SYMJEPI.....	87
scopolamine base.....	59	SPIRIVA RESPIMAT .....	147	SYMLINPEN 120 .....	49
SECUADO .....	66	SPIRIVA WITH		SYMLINPEN 60 .....	49
selegiline hcl.....	61, 62	HANDIHALER .....	147	SYMPAZAN .....	43
selenium sulfide.....	105	spironolactone .....	89	SYMTUZA .....	70
SELZENTRY .....	70	SPRAVATO.....	47	SYNAGIS .....	72
SE-NATAL-19 .....	151	sprintec (28) .....	102	SYNAREL.....	126
SEREVENT DISKUS .....	147	SPRITAM .....	43	SYNERCID .....	20
SEROSTIM .....	125	SPRYCEL .....	35, 36	SYNJARDY .....	49
sertraline .....	47	sps (with sorbitol).....	117	SYNJARDY XR.....	49
setlakin.....	101	sronyx .....	102	SYNRIBO.....	36
sevelamer carbonate .....	118	ssd.....	105	<b>T</b>	
sevelamer hcl .....	118	stavudine .....	70	TABLOID.....	36
sharobel.....	101	STELARA.....	132	TABRECTA .....	36
SHINGRIX (PF).....	136	STERILE PADS .....	108	tacrolimus .....	107, 132
SIGNIFOR.....	125	STIOLTO RESPIMAT .....	147	tadalafil (pulm. hypertension)	
SIKLOS .....	77	STIVARGA .....	36	.....	151
				TAFINLAR.....	36

TAGRISSE.....	36	tiagabine.....	43	triamcinolone acetonide....	103,
TAKHZYRO.....	141	TIBSOVO.....	37	107, 123	
TALTZ AUTOINJECTOR	132	TICE BCG.....	37	triamterene-hydrochlorothiazid	
TALTZ SYRINGE.....	132	tigecycline.....	25	.....	89
TALZENNA.....	36	timolol maleate.....	85, 142	trientine.....	119
tamoxifen.....	36	TIVICAY.....	70	tri-estarylla.....	102
tamsulosin.....	119	TIVICAY PD.....	70	trifluoperazine.....	66
TARGRETIN.....	36	tizanidine.....	149	trifluridine.....	113
tarina 24 fe.....	102	TOBI PODHALER.....	18	trihexyphenidyl.....	62
tarina fe 1-20 eq (28).....	102	tobramycin.....	18, 113	TRIKAFTA.....	149
TASIGNA.....	36	tobramycin in 0.225 % nacl .	18	tri-legest fe.....	102
TAVALISSE.....	77	tobramycin sulfate.....	18	tri-linyah.....	102
tazarotene.....	107	tobramycin-dexamethasone	113	tri-lo-estarylla.....	102
TAZORAC.....	107	TOLAK.....	104	tri-lo-marzia.....	102
taztia xt.....	86	tolterodine.....	118	tri-lo-mili.....	102
TAZVERIK.....	36	topiramate.....	43	tri-lo-sprintec.....	102
TDVAX.....	136	toposar.....	37	trilyte with flavor packets ..	117
TECENTRIQ.....	36	toremifene.....	37	trimethoprim.....	20
TEFLARO.....	21	torsemide.....	89	tri-mili.....	102
telmisartan.....	82	TOTECT.....	141	trimipramine.....	47
temazepam.....	18	TOUJEO MAX U-300		TRINTELLIX.....	47
TEMIXYS.....	70	SOLOSTAR.....	51	tri-nymyo.....	102
TEMODAR.....	36	TOUJEO SOLOSTAR U-300		tri-previfem (28).....	102
TENIVAC (PF).....	136	INSULIN.....	51	TRIPTODUR.....	126
tenofovir disoproxil fumarate		TOVIAZ.....	118	tri-sprintec (28).....	102
.....	70	TRACLEER.....	151	TRIUMEQ.....	71
TEPEZZA.....	111	TRADJENTA.....	49	trivora (28).....	102
TEPMETKO.....	36	tramadol.....	13	tri-vylibra.....	103
terazosin.....	119	tramadol-acetaminophen.....	13	tri-vylibra lo.....	102
terbinafine hcl.....	54	trandolapril.....	83	TRODELVY.....	37
terbutaline.....	147	tranexamic acid.....	77	TROGARZO.....	71
terconazole.....	55	tranylcypromine.....	47	TROPHAMINE 10 %.....	81
testosterone.....	120	TRAVASOL 10 %.....	81	TROPHAMINE 6%.....	81
testosterone cypionate.....	120	travoprost.....	143	trospium.....	118
testosterone enanthate.....	120	travoprost (benzalkonium) .	142	TRULICITY.....	49
TETANUS,DIPHThERIA		TRAZIMERA.....	37	TRUMENBA.....	136
TOX PED(PF).....	136	trazodone.....	47	TRUXIMA.....	37
tetrabenazine.....	95	TREANDA.....	37	TUKYSA.....	37
tetracycline.....	25	TRECTOR.....	57	tulana.....	103
THALOMID.....	141	TRELEGY ELLIPTA.....	148	TURALIO.....	37
theophylline.....	147	TRELSTAR.....	37	TWINRIX (PF).....	136
THIOLA.....	119	TREMFYA.....	132, 133	tyblume.....	103
THIOLA EC.....	119	treprostinil sodium.....	151	TYBOST.....	141
thioridazine.....	66	tretinoin.....	107, 108	TYMLOS.....	139
thiotepa.....	37	tretinoin (antineoplastic).....	37	TYPHIM VI.....	136
thiothixene.....	66	tri femynor.....	102	TYSABRI.....	133
tiadylt er.....	86			TYVASO.....	151

<b>U</b>		
UBRELVY .....	56	
UCERIS .....	137	
UDENYCA.....	77	
UKONIQ .....	37	
UNITUXIN.....	37	
UPTRAVI.....	151	
ursodiol .....	117	
<b>V</b>		
valacyclovir .....	73	
VALCHLOR .....	104	
valganciclovir .....	73	
valproate sodium .....	43	
valproic acid .....	43	
valproic acid (as sodium salt)		
.....	43	
valrubicin.....	38	
valsartan.....	82	
valsartan-hydrochlorothiazide		
.....	82	
VALTOCO .....	43	
vancomycin.....	20	
VAQTA (PF).....	136	
VARIVAX (PF).....	136	
VASCEPA .....	90	
VEKLURY .....	73	
VELCADE .....	38	
velivet triphasic regimen (28)		
.....	103	
VELPHORO.....	118	
VEMLIDY.....	71	
VENCLEXTA .....	38	
VENCLEXTA STARTING		
PACK .....	38	
venlafaxine .....	47	
verapamil .....	86	
VERSACLOZ.....	66	
VERZENIO .....	38	
vestura (28).....	103	
VIBERZI .....	117	
VICTOZA.....	50	
VIDEX 2 GRAM PEDIATRIC		
.....	71	
VIEKIRA PAK.....	72	
vienna .....	103	
vigabatrin.....	44	
vigadrone .....	44	
VIIBRYD .....	47, 48	
VIMIZIM .....	110	
VIMPAT .....	44	
vinorelbine.....	38	
viorele (28).....	103	
VIRACEPT .....	71	
VIREAD.....	71	
VISTOGARD.....	141	
VITRAKVI .....	38	
VIZIMPRO .....	38	
volnea (28) .....	103	
voriconazole .....	54	
VOSEVI.....	72	
VOTRIENT.....	38	
VPRIV.....	110	
VRAYLAR .....	66, 67	
VUMERITY.....	95	
VYEPTI .....	56	
vyfemla (28).....	103	
vylibra .....	103	
VYNDAMAX.....	87	
VYNDAQEL .....	87	
VYXEOS .....	38	
<b>W</b>		
warfarin .....	75	
WELCHOL .....	90	
wera (28) .....	103	
<b>X</b>		
XADAGO .....	62	
XALKORI.....	38	
XARELTO .....	75	
XARELTO DVT-PE TREAT		
30D START .....	75	
XATMEP .....	38	
XCOPRI.....	44	
XCOPRI MAINTENANCE		
PACK.....	44	
XCOPRI TITRATION PACK		
.....	44	
XELJANZ .....	133	
XELJANZ XR.....	133	
XERMELO .....	117	
XGEVA.....	139	
XHANCE.....	114	
XIFAXAN.....	20	
XIGDUO XR .....	50	
XIIDRA.....	114	
XOFLUZA.....	72	
XOLAIR .....	149	
XOSPATA.....	38	
XPOVIO .....	38, 39	
XTAMPZA ER.....	13, 14	
XTANDI.....	39	
xulane.....	103	
XULTOPHY 100/3.6.....	51	
XURIDEN .....	141	
XYOSTED.....	120	
XYREM.....	150	
XYWAV .....	150	
<b>Y</b>		
YERVOY.....	39	
YF-VAX (PF) .....	137	
YONDELIS .....	39	
YONSA.....	39	
yuvafem .....	121	
<b>Z</b>		
zafemy.....	103	
zafirlukast .....	146	
zaleplon.....	150	
zarah.....	103	
ZARXIO .....	77	
ZEJULA.....	39	
ZELBORAF.....	39	
zenatane .....	104	
ZENPEP.....	110	
ZEPATIER .....	72	
ZEPOSIA.....	95	
ZEPOSIA STARTER KIT ..	95	
ZEPOSIA STARTER PACK		
.....	95	
ZEPZELCA .....	39	
zidovudine.....	71	
ZIEXTENZO .....	77	
ziprasidone hcl .....	67	
ziprasidone mesylate.....	67	
ZIRABEV .....	39	
ZIRGAN .....	113	
ZOLADEX .....	39	
zoledronic acid.....	139	
zoledronic acid-mannitol-water		
.....	139	
ZOLINZA .....	39	
zolpidem .....	150	
ZOMACTON.....	126	

zonisamide.....	44	ZTLIDO .....	16	ZYLET.....	113
ZORBTIVE .....	126	ZULRESSO .....	48	ZYPREXA RELPREVV .....	67
ZORTRESS .....	133	zumandimine (28) .....	103	ZYTIGA .....	40
ZOSTAVAX (PF) .....	137	ZYDELIG .....	39		
zovia 1/35e (28).....	103	ZYKADIA .....	39		

This formulary was updated on 04/23/2021. For more recent information or other questions, please contact Senior Care Plus at 775-982-3112 or toll-free at 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit [www.SeniorCarePlus.com](http://www.SeniorCarePlus.com).

Senior Care Plus is a Medicare Advantage Plan with a Medicare contract. Enrollment in Senior Care Plus depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

This information is available for free in other languages. Please call our customer service number at 775-982-3112 or toll-free at 888-775-7003. TTY users should call the State Relay Service at 711. We are available Monday through Sunday, 8:00 am to 8:00 pm.

Esta información está disponible gratis en otros idiomas. Por favor llame a nuestro número de servicio al cliente de Senior Care Plus al 775-982-3112 o al número gratuito al 888-775-7003. Los usuarios de TTY deben llamar al Servicio de Retransmisión del Estado al 711. Estamos disponibles de lunes a domingo, de 8:00 am a 8:00 pm.