

Table of Contents

Analgesics	3
Anesthetics	7
Anti-Addiction/Substance Abuse Treatment Agents	8
Antianxiety Agents	9
Antibacterials	10
Anticancer Agents	17
Anticonvulsants	32
Antidementia Agents	37
Antidepressants	38
Antidiabetic Agents	41
Antifungals	45
Antigout Agents	47
Antihistamines	47
Anti-Infectives (Skin And Mucous Membrane)	48
Antimigraine Agents	48
Antimycobacterials	50
Antinausea Agents	50
Antiparasite Agents	52
Antiparkinsonian Agents	53
Antipsychotic Agents	55
Antivirals (Systemic)	60
Blood Products/Modifiers/Volume Expanders	67
Caloric Agents	71
Cardiovascular Agents	75
Central Nervous System Agents	85
Contraceptives	89
Dental And Oral Agents	97
Dermatological Agents	97
Devices	102
Enzyme Replacement/Modifiers	102
Eye, Ear, Nose, Throat Agents	104
Gastrointestinal Agents	108
Genitourinary Agents	112
Heavy Metal Antagonists	113
Hormonal Agents, Stimulant/Replacement/Modifying	113
Immunological Agents	121

Inflammatory Bowel Disease Agents.....	132
Irrigating Solutions.....	133
Metabolic Bone Disease Agents.....	133
Miscellaneous Therapeutic Agents.....	135
Ophthalmic Agents.....	137
Replacement Preparations.....	138
Respiratory Tract Agents.....	140
Skeletal Muscle Relaxants.....	145
Sleep Disorder Agents.....	145
Vasodilating Agents.....	146
Vitamins And Minerals.....	147

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
acetaminophen-codeine oral solution 120-12 mg/5 ml	1	GC; QL (4500 per 30 days)
acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg	2	GC; QL (360 per 30 days)
acetaminophen-codeine oral tablet 300-60 mg	2	GC; QL (180 per 30 days)
buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml	2	GC
buprenorphine hcl injection syringe 0.3 mg/ml	2	GC
butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)	2	GC; QL (180 per 30 days)
butalbital-aspirin-caffeine oral capsule 50-325-40 mg	2	GC; QL (180 per 30 days)
butalbital-aspirin-caffeine oral tablet 50-325-40 mg	2	GC; QL (180 per 30 days)
codeine sulfate oral tablet 30 mg, 60 mg	2	GC; QL (180 per 30 days)
endocet oral tablet 10-325 mg	2	GC; QL (180 per 30 days)
endocet oral tablet 2.5-325 mg, 5-325 mg	2	GC; QL (360 per 30 days)
endocet oral tablet 7.5-325 mg	2	GC; QL (240 per 30 days)
fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	5	PA; NM; NDS; QL (120 per 30 days)
fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	2	GC; QL (10 per 30 days)
hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml	2	GC; QL (2700 per 30 days)
hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg	2	GC; QL (180 per 30 days)
hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg	2	GC; QL (240 per 30 days)
hydrocodone-ibuprofen oral tablet 7.5-200 mg	2	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>	2	GC
<i>hydromorphone oral liquid 1 mg/ml (Dilaudid)</i>	2	GC; QL (1200 per 30 days)
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	GC; QL (180 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	5	PA; NM; NDS; QL (30 per 30 days)
<i>lorcet (hydrocodone) oral tablet 5-325 mg</i>	2	GC; QL (240 per 30 days)
<i>lorcet hd oral tablet 10-325 mg</i>	2	GC; QL (180 per 30 days)
<i>lorcet plus oral tablet 7.5-325 mg</i>	2	GC; QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	GC
<i>methadone oral solution 10 mg/5 ml</i>	2	GC; QL (600 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	2	GC; QL (1200 per 30 days)
<i>methadone oral tablet 10 mg</i>	2	GC; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i>	2	GC; QL (180 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>	2	GC; QL (30 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	GC; QL (180 per 30 days)
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	GC
<i>morphine oral solution 10 mg/5 ml</i>	2	GC; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	2	GC; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i>	(MS Contin)	2	GC; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i>	(MS Contin)	2	GC; QL (90 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>		2	GC; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg</i>		2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i>	(Roxicodone)	2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i>		2	GC; QL (120 per 30 days)
<i>oxycodone oral tablet 5 mg</i>	(Roxicodone)	2	GC; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	(OxyContin)	3	QL (60 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i>	(Endocet)	2	GC; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>	(Endocet)	2	GC; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>	(Endocet)	2	GC; QL (240 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>		2	GC; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG		3	QL (60 per 30 days)
<i>tramadol oral tablet 50 mg</i>	(Ultram)	1	GC; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Ultrace)	2	GC; QL (300 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG		3	QL (60 per 30 days)
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG		3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG	3	QL (240 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
CALDOLOR INTRAVENOUS RECON SOLN 800 MG/8 ML (100 MG/ML)	4	
<i>celecoxib oral capsule 100 mg, 200 mg, 50 mg</i> (Celebrex)	2	GC; QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Cataflam)	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet,extended release 24 hr 100 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg</i>	2	GC; QL (150 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 50 mg</i>	2	GC; QL (120 per 30 days)
<i>diclofenac sodium oral tablet,delayed release (dr/ec) 75 mg</i>	2	GC; QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>	2	GC; QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	2	GC
<i>diclofenac sodium topical gel 3 %</i> (Solaraze)	2	PA; GC; QL (100 per 28 days)
<i>etodolac oral capsule 200 mg, 300 mg</i>	2	GC
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	GC
<i>etodolac oral tablet 500 mg</i>	2	GC
<i>flurbiprofen oral tablet 100 mg</i>	2	GC
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	GC
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	2	GC
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	GC
<i>indomethacin oral capsule 25 mg</i>	2	GC; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>indomethacin oral capsule 50 mg</i>	2	GC; QL (120 per 30 days)
<i>ketorolac oral tablet 10 mg</i>	2	GC; QL (20 per 30 days)
<i>mefenamic acid oral capsule 250 mg</i>	2	GC
<i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i>	1	GC
<i>nabumetone oral tablet 500 mg, 750 mg (Relafen)</i>	2	GC
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	GC
<i>naproxen oral tablet 500 mg (Naprosyn)</i>	1	GC
<i>naproxen oral tablet, delayed release (EC-Naprosyn) (drlec) 375 mg, 500 mg</i>	2	GC
PENNSAID TOPICAL SOLUTION IN METERED-DOSE PUMP 20 MG/GRAM /ACTUATION(2 %)	5	PA; NM; NDS; QL (224 per 28 days)
<i>sulindac oral tablet 150 mg, 200 mg</i>	2	GC
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	1	GC
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	GC
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %) (Xylocaine (Cardiac) (PF))</i>	1	GC
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %) (Xylocaine)</i>	1	GC
<i>lidocaine hcl mucous membrane jelly 2 %</i>	2	GC; QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	2	PA; GC
<i>lidocaine topical adhesive patch, medicated 5 % (Lidoderm)</i>	2	PA; GC; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	2	PA; GC; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine viscous mucous membrane solution 2 %</i>	2	GC
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	2	PA; GC; QL (30 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %	3	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/lec) 333 mg</i>	2	GC
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	2	GC; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 8-2 mg</i>	2	GC; QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg</i>	2	GC; QL (30 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	2	GC; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	2	GC
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (336 per 365 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (336 per 365 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	2	GC
LUCEMYRA ORAL TABLET 0.18 MG	5	NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	2	GC
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	2	GC
<i>naltrexone oral tablet 50 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	3	QL (4 per 30 days)
NICOTROL INHALATION CARTRIDGE 10 MG	4	QL (1008 per 90 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 30 days)
Antianxiety Agents		
Benzodiazepines		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg (Xanax)</i>	1	GC; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg (Xanax)</i>	1	GC; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	GC
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>	1	GC; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg (Klonopin)</i>	1	GC; QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg (Klonopin)</i>	1	GC; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	GC; QL (90 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	2	GC; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i>	2	GC; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)</i>	2	GC; QL (180 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	2	GC; QL (1200 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	2	GC; QL (10 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam injection syringe 5 mg/ml</i>	2	GC; QL (10 per 28 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	2	GC; QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	GC; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	GC; QL (120 per 30 days)
<i>lorazepam injection solution 2 mg/ml, 4 mg/ml</i> (Ativan)	1	GC; QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml, 4 mg/ml</i>	2	GC; QL (2 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	GC; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	GC; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	GC; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	GC
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	GC
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	GC
<i>neomycin oral tablet 500 mg</i>	1	GC
<i>streptomycin intramuscular recon soln 1 gram</i>	5	NM; NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NM; NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NM; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	5	PA BvD; NM; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antibacterials, Miscellaneous		
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	2	GC
CLINDAMYCIN 600 MG/50 ML-NS OUTER,SINGLE-USE,L/F 600 MG/50 ML	2	GC
CLINDAMYCIN 900 MG/50 ML-NS OUTER,SINGLE-USE,L/F 900 MG/50 ML	2	GC
<i>clindamycin hcl oral capsule 150 mg, (Cleocin HCl) 300 mg, 75 mg</i>	1	GC
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>	2	GC
CLINDAMYCIN IN 5 % DEXTROSE INTRAVENOUS PIGGYBACK 600 MG/50 ML, 900 MG/50 ML	2	GC
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	GC
<i>clindamycin phosphate injection (Cleocin) solution 150 mg/ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 300 mg/2 ml</i>	2	GC
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	GC
<i>colistin (colistimethate na) injection (Coly-Mycin M recon soln 150 mg Parenteral)</i>	5	PA BvD; NM; NDS
<i>daptomycin intravenous recon soln (Cubicin) 500 mg</i>	5	NM; NDS
FIRVANQ ORAL RECON SOLN 25 MG/ML	4	
<i>linezolid in dextrose 5% intravenous (Zyvox) piggyback 600 mg/300 ml</i>	5	NM; NDS
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	5	NM; NDS
<i>linezolid oral tablet 600 mg (Zyvox)</i>	2	GC
<i>methenamine hippurate oral tablet 1 gram (Hiprex)</i>	2	GC
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metronidazole oral tablet 250 mg</i>	1	GC
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	GC
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	2	GC; QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	2	GC; QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	2	GC
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	2	GC
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	2	GC; QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	2	GC; QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG	5	PA; NM; NDS; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	5	PA; NM; NDS; QL (90 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	GC
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	GC
<i>cefadroxil oral capsule 500 mg</i>	2	GC
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	GC
<i>cefdinir oral capsule 300 mg</i>	2	GC
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefepime injection recon soln 1 gram, 2 gram</i>	2	GC
<i>cefixime oral capsule 400 mg</i> (Suprax)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefotaxime injection recon soln 1 gram</i>	2	GC
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	GC
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	GC
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	GC
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	GC
<i>ceftazidime injection recon soln 1 gram, 2 gram (Fortaz)</i>	2	GC
<i>ceftazidime injection recon soln 6 gram (Tazicef)</i>	2	GC
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	GC
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	GC
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	GC
<i>cephalexin oral capsule 250 mg, 500 mg</i>	1	GC
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>	2	GC
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	2	GC
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	GC
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	GC
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	5	ST; NM; NDS; QL (100 per 10 days)
DIFICID ORAL TABLET 200 MG	5	ST; NM; NDS; QL (20 per 10 days)
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	2	GC
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	2	GC
<i>erythromycin oral tablet 250 mg, 500 mg</i>	2	GC
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	2	GC
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; NM; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	2	GC
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	2	GC
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	2	GC
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	2	GC
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	GC
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	GC
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	2	GC
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600) 2	GC
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin) 1	GC
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	2	GC
<i>ampicillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	2	GC
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn) 2	GC
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	2	GC
<i>nafcillin 1 gml/ 50 ml inj 1 gram/50 ml</i>	2	GC
<i>nafcillin injection recon soln 1 gram</i>	2	GC
<i>nafcillin injection recon soln 10 gram</i>	5	NM; NDS
<i>nafcillin injection recon soln 2 gram</i>	2	GC
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G) 2	GC
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	2	GC
<i>penicillin gk 5 million unit plf, latex-free 5 million unit</i>	(Pfizerpen-G) 2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	GC
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	GC
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	GC
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	2	GC
Quinolones		
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin hcl 750 mg tab flc 750 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg</i>	1	GC
<i>ciprofloxacin hcl oral tablet 750 mg</i>	1	GC
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	GC
<i>ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i>	2	GC
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	GC
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	GC
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	GC
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	GC
<i>moxifloxacin oral tablet 400 mg</i>	2	GC
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	GC
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml</i>	2	GC
<i>sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	1	GC
Tetracyclines		
<i>doxy-100 intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	2	GC
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	2	GC
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 100 mg</i>	2	GC
<i>doxycycline monohydrate oral capsule 50 mg</i>	2	GC
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	2	GC
<i>doxycycline monohydrate oral tablet 100 mg</i>	2	GC
<i>doxycycline monohydrate oral tablet 50 mg</i>	2	GC
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	2	GC
<i>monodoxine nl oral capsule 100 mg</i>	2	GC
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	GC
<i>tigecycline intravenous recon soln 50 mg</i>	5	NM; NDS
Anticancer Agents		
Anticancer Agents		
<i>ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG</i>	5	NM; NDS
<i>ADCETRIS INTRAVENOUS RECON SOLN 50 MG</i>	5	PA NSO; NM; NDS
<i>adriamycin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i>	2	PA BvD; GC
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
AFINITOR ORAL TABLET 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS, DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	GC
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	5	NM; NDS
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	5	NM; NDS
ASPARLAS INTRAVENOUS SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NM; NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NM; NDS; QL (420 per 30 days)
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	GC
BLENREP INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	2	GC
BLINCYTO INTRAVENOUS KIT 35 MCG	5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	5	PA BvD; NM; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	5	PA BvD; NM; NDS
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	2	PA BvD; ST; GC
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	4	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS; QL (120 per 28 days)
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	5	PA NSO; NM; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; LA; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	NM; NDS
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml (Adriamycin)</i>	2	PA BvD; GC
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml (Doxil)</i>	5	PA BvD; NM; NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	5	NM; NDS
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i>	2	GC
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	GC
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; NDS
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD; GC
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD; GC
<i>flutamide oral capsule 125 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe</i> (Faslodex) 250 mg/5 ml	5	NM; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	5	PA NSO; NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG	5	PA NSO; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
<i>hydroxyurea oral capsule</i> 500 mg (Hydrea)	2	GC
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 10 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
ICLUSIG ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln</i> 1 gram	2	GC
<i>ifosfamide intravenous solution</i> 1 gram/20 ml, 3 gram/60 ml	2	GC
<i>imatinib oral tablet</i> 100 mg (Gleevec)	2	PA NSO; GC; QL (180 per 30 days)
<i>imatinib oral tablet</i> 400 mg (Gleevec)	2	PA NSO; GC; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 365 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS; QL (8 per 21 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NM; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NM; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NM; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	GC
LEUKERAN ORAL TABLET 2 MG	4	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	5	NM; NDS
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS; QL (7 per 21 days)
LONSURF ORAL TABLET 15- 6.14 MG	5	PA NSO; NM; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20- 8.19 MG	5	PA NSO; NM; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	GC
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>mercaptopurine oral tablet 50 mg</i>	2	GC
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD; GC
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	PA BvD; GC
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	PA BvD; ST; GC
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	GC
MONJUVI INTRAVENOUS RECON SOLN 200 MG	5	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NM; NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	PA NSO; NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NM; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	5	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NM; NDS; QL (14 per 21 days)
PEPAXTO INTRAVENOUS RECON SOLN 20 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
PHESGO SUBCUTANEOUS SOLUTION 1,200 MG-600MG-30000 UNIT/15ML	5	PA NSO; NM; NDS; QL (15 per 21 days)
PHESGO SUBCUTANEOUS SOLUTION 600 MG-600 MG-20000 UNIT/10ML	5	PA NSO; NM; NDS; QL (10 per 21 days)
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (56 per 28 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	5	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	5	NM; NDS
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (28 per 28 days)
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NM; NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG	5	PA NSO; NM; NDS
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	4	
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	GC
TARGETIN TOPICAL GEL 1 %	5	PA NSO; NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TASIGNA ORAL CAPSULE 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NM; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i>	5	NM; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
<i>toposar intravenous solution 20 mg/ml</i>	2	GC
<i>toremifene oral tablet 60 mg (Fareston)</i>	5	NM; NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	PA NSO; NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG	5	NM; NDS; QL (1 per 84 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 3.75 MG	5	NM; NDS; QL (1 per 28 days)
<i>tretinoi (antineoplastic) oral capsule 10 mg</i>	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRODELVY INTRAVENOUS RECON SOLN 180 MG	5	PA NSO; NM; NDS
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	5	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NM; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UKONIQ ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	5	NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; NM; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	2	GC
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA BvD; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (20 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	5	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NM; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 40 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	5	PA NSO; NM; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG	4	QL (1 per 84 days)
ZOLADEX SUBCUTANEOUS IMPLANT 3.6 MG	4	QL (1 per 28 days)
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NM; NDS
ZYTIGA ORAL TABLET 250 MG, 500 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	5	ST; NM; NDS; QL (60 per 30 days)
BANZEL ORAL TABLET 200 MG, 400 MG	5	ST; NM; NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	ST; QL (80 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL SOLUTION 10 MG/ML	5	ST; NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er</i> (Carbatrol) <i>multiphase 12 hr 100 mg, 200 mg,</i> <i>300 mg</i>	2	GC
<i>carbamazepine oral suspension 100</i> (Tegretol) <i>mg/5 ml</i>	2	GC
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	2	GC
<i>carbamazepine oral tablet extended</i> (Tegretol XR) <i>release 12 hr 100 mg, 200 mg, 400</i> <i>mg</i>	2	GC
<i>carbamazepine oral tablet, chewable</i> <i>100 mg</i>	2	GC
CELONTIN ORAL CAPSULE 300 MG	4	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	PA NSO; GC; QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	PA NSO; GC; QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NM; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20</i> (Diastat AcuDial) <i>mg, 5-7.5-10 mg</i>	4	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
<i>divalproex oral capsule, delayed rel</i> (Depakote Sprinkles) <i>sprinkle 125 mg</i>	2	GC
<i>divalproex oral tablet extended</i> (Depakote ER) <i>release 24 hr 250 mg, 500 mg</i>	2	GC
<i>divalproex oral tablet, delayed</i> (Depakote) <i>release (dr/ec) 125 mg, 250 mg, 500</i> <i>mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	2	GC
<i>ethosuximide oral capsule 250 mg (Zarontin)</i>	2	GC
<i>ethosuximide oral solution 250 mg/5 ml (Zarontin)</i>	2	GC
<i>felbamate oral suspension 600 mg/5 ml (Felbatol)</i>	2	GC
<i>felbamate oral tablet 400 mg, 600 mg (Felbatol)</i>	2	GC
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NM; NDS
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml (Cerebyx)</i>	2	GC
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	5	ST; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	5	ST; NM; NDS; QL (30 per 30 days)
FYCOMPA ORAL TABLET 2 MG	4	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	5	ST; NM; NDS; QL (60 per 30 days)
<i> gabapentin oral capsule 100 mg, 300 mg (Neurontin)</i>	1	GC; QL (360 per 30 days)
<i> gabapentin oral capsule 400 mg (Neurontin)</i>	1	GC; QL (270 per 30 days)
<i> gabapentin oral solution 250 mg/5 ml (Neurontin)</i>	2	GC; QL (2160 per 30 days)
<i> gabapentin oral tablet 600 mg (Neurontin)</i>	2	GC; QL (180 per 30 days)
<i> gabapentin oral tablet 800 mg (Neurontin)</i>	2	GC; QL (120 per 30 days)
<i> lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Subvenite)</i>	1	GC
<i> lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)</i>	2	GC
<i> levetiracetam intravenous solution 500 mg/5 ml (Keppra)</i>	2	GC
<i> levetiracetam oral solution 100 mg/ml (Keppra)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	GC
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	GC
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	GC
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	GC
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG	4	ST
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 600 MG	5	ST; NM; NDS
PEGANONE ORAL TABLET 250 MG	4	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	GC
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	GC
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	GC
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	GC
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	GC
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	GC
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	GC
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	GC; QL (90 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	GC; QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
primidone oral tablet 250 mg, 50 mg (Mysoline)	2	GC
rufinamide oral suspension 40 mg/ml (Banzel)	5	ST; NM; NDS
rufinamide oral tablet 200 mg, 400 mg (Banzel)	5	ST; NM; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	4	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	4	ST; QL (120 per 30 days)
subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg	1	GC
SYMPAZAN ORAL FILM 10 MG, 20 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
SYMPAZAN ORAL FILM 5 MG	4	PA NSO; QL (60 per 30 days)
tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)	2	GC
topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)	2	GC
topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)	1	GC
valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)	2	GC
valproic acid (as sodium salt) oral solution 250 mg/5 ml	2	GC
valproic acid oral capsule 250 mg	2	GC
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	4	
vigabatrin oral powder in packet 500 mg (Vigadron)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigabatrin oral tablet 500 mg (Sabril)	5	PA NSO; NM; NDS; QL (180 per 30 days)
vigadron oral powder in packet 500 mg	5	PA NSO; NM; NDS; QL (180 per 30 days)
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	QL (200 per 5 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL SOLUTION 10 MG/ML	3	QL (1200 per 30 days)
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	QL (60 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	4	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	4	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	4	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	4	ST
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	GC
<i>zonisamide oral capsule 50 mg</i>	2	GC
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	2	GC; QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	2	GC
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	2	GC; QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	GC; QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	2	GC; QL (60 per 30 days)
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	2	GC; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	GC; QL (360 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	3	ST
NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	3	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule</i> 1.5 mg, 3 mg, 4.5 mg, 6 mg	2	GC; QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour</i> 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour	2	GC; QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	GC
<i>amoxapine oral tablet</i> 100 mg, 150 mg, 25 mg, 50 mg	2	GC
<i>bupropion hcl oral tablet</i> 100 mg, 75 mg	2	GC
<i>bupropion hcl oral tablet extended release</i> 24 hr 150 mg, 300 mg	2	GC
<i>bupropion hcl oral tablet sustained-release</i> 12 hr 100 mg, 150 mg, 200 mg	2	GC
<i>citalopram oral solution</i> 10 mg/5 ml	2	GC; QL (600 per 30 days)
<i>citalopram oral tablet</i> 10 mg, 20 mg, 40 mg (Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule</i> 25 mg, 50 mg, 75 mg (Anafranil)	2	GC
<i>desipramine oral tablet</i> 10 mg, 25 mg (Norpramin)	2	GC
<i>desipramine oral tablet</i> 100 mg, 150 mg, 50 mg, 75 mg	2	GC
<i>desvenlafaxine succinate oral tablet extended release</i> 24 hr 100 mg, 25 mg, 50 mg (Pristiq)	2	GC; QL (30 per 30 days)
<i>doxepin oral capsule</i> 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxepin oral concentrate 10 mg/ml</i>	1	GC
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i> duloxetine oral capsule, delayed release(dr/lec) 20 mg, 30 mg, 60 mg (Cymbalta)</i>	2	GC; QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NM; NDS; QL (30 per 30 days)
<i> escitalopram oxalate oral solution 5 mg/5 ml</i>	2	GC
<i> escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg (Lexapro)</i>	1	GC
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i> fluoxetine oral capsule 10 mg, 20 mg, 40 mg (Prozac)</i>	1	GC
<i> fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	GC
<i> fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	2	GC
<i> imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i> maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
MARPLAN ORAL TABLET 10 MG	4	
<i> mirtazapine oral tablet 15 mg, 30 mg (Remeron)</i>	2	GC
<i> mirtazapine oral tablet 45 mg, 7.5 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i>	(Remeron SolTab)	2	GC
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>		2	GC
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>	(Pamelor)	1	GC
<i>nortriptyline oral solution 10 mg/5 ml</i>		2	GC
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i>	(Paxil)	1	GC
PAXIL ORAL SUSPENSION 10 MG/5 ML		4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>		2	GC
<i>phenelzine oral tablet 15 mg</i>	(Nardil)	2	GC
<i>protriptyline oral tablet 10 mg, 5 mg</i>		2	GC
<i>sertraline oral concentrate 20 mg/ml</i>	(Zoloft)	2	GC
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i>	(Zoloft)	1	GC
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)		5	PA NSO; NM; NDS
<i>tranylcypromine oral tablet 10 mg</i>	(Parnate)	2	GC
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>		1	GC
<i>trazodone oral tablet 300 mg</i>		2	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>		2	GC
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		3	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg</i>	(Effexor XR)	2	GC; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 37.5 mg, 75 mg</i>	(Effexor XR)	2	GC; QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>		2	GC
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG		3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)	3	
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	5	NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
acarbose oral tablet 100 mg, 25 mg, (Precose) 50 mg	2	GC; QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG	3	QL (30 per 30 days)
JANUMET ORAL TABLET 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100- 1,000 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50- 1,000 MG, 50-500 MG	3	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	3	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5- 850 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	4	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	4	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	5	PA; NM; NDS; QL (112 per 28 days)
metformin oral solution 500 mg/5 ml (Riomet)	2	GC; QL (765 per 30 days)
metformin oral tablet 1,000 mg	6	GC; QL (75 per 30 days)
metformin oral tablet 500 mg	6	GC; QL (150 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metformin oral tablet 850 mg</i>	6	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	6	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	6	GC; QL (60 per 30 days)
OZEMPI SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML), 1 MG/DOSE (2 MG/1.5 ML), 1 MG/DOSE (4 MG/3 ML)	3	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg (Actos)</i>	6	GC; QL (30 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	6	GC; QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	6	GC; QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	3	QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	5	PA; NM; NDS; QL (10.8 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	4	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
Insulins		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	SI; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	SI; QL (24 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	SI; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	SI; QL (30 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	SI; QL (30 per 28 days)
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	SI; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	GC; SI; QL (30 per 28 days)
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70- 30)	2	GC; SI; QL (40 per 28 days)
NOVOLOG MIX 70- 30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	GC; SI; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	GC; SI; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	GC; SI; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	3	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	SI; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	SI; QL (13.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	QL (15 per 28 days)
Sulfonylureas		
glimepiride oral tablet 1 mg, 2 mg (Amaryl)	6	GC; QL (30 per 30 days)
glimepiride oral tablet 4 mg (Amaryl)	6	GC; QL (60 per 30 days)
glipizide oral tablet 10 mg (Glucotrol)	6	GC; QL (120 per 30 days)
glipizide oral tablet 5 mg	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 10 mg	6	GC; QL (60 per 30 days)
glipizide oral tablet extended release (Glucotrol XL) 24hr 2.5 mg, 5 mg	6	GC; QL (30 per 30 days)
glipizide-metformin oral tablet 2.5- 250 mg	6	GC; QL (240 per 30 days)
glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg	6	GC; QL (120 per 30 days)
glyburide micronized oral tablet 1.5 (Glynase) mg, 3 mg, 6 mg	6	GC
glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg	6	GC
glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg	6	GC
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	5	PA BvD; NM; NDS
amphotericin b injection recon soln 50 mg	2	PA BvD; GC
caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg	5	NM; NDS
ciclopirox topical cream 0.77% (Ciclodan)	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ciclopirox topical solution 8 %</i>	(Ciclodan)	2	GC; QL (19.8 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i>		2	GC
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	GC
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		2	GC; QL (90 per 30 days)
<i>econazole topical cream 1 %</i>		2	GC; QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		2	PA BvD; GC
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	2	GC
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	2	GC
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2	GC
<i>griseofulvin microsize oral tablet 500 mg</i>		2	GC
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2	GC
<i>ketoconazole oral tablet 200 mg</i>		2	GC
<i>ketoconazole topical cream 2 %</i>		2	GC; QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		2	GC; QL (360 per 30 days)
<i>miconazole-3 vaginal suppository 200 mg</i>		2	GC
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		5	NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>		2	GC; QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		2	GC; QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		2	GC
<i>nystatin topical cream 100,000 unit/gram</i>		2	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nystatin topical ointment 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>	2	GC; QL (60 per 30 days)
<i>nystop topical powder 100,000 unit/gram</i>	2	GC; QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg (Noxafil)</i>	5	NM; NDS
<i>terbinafine hcl oral tablet 250 mg</i>	1	GC
<i>voriconazole intravenous recon soln 200 mg (Vfend IV)</i>	5	PA BvD; NM; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml) (Vfend)</i>	5	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg (Vfend)</i>	2	GC
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg (Zyloprim)</i>	1	GC
<i>allopurinol oral tablet 300 mg</i>	1	GC
<i>colchicine oral tablet 0.6 mg (Colcrys)</i>	4	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg (Uloric)</i>	2	ST; GC; QL (30 per 30 days)
<i>MITIGARE ORAL CAPSULE 0.6 MG</i>	2	GC; QL (60 per 30 days)
<i>probenecid oral tablet 500 mg</i>	2	GC
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	2	GC
Antihistamines		
Antihistamines		
<i>ciproheptadine oral syrup 2 mg/5 ml</i>	2	GC
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	2	GC
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml (Diphen)</i>	2	GC
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	2	GC
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
<i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)	2	GC
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	GC
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	GC
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	GC
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	GC
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	GC
<i>terconazole vaginal suppository 80 mg</i>	2	GC
Antimigraine Agents		
Antimigraine Agents		
<i>AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML</i>	3	PA; QL (1 per 30 days)
<i>AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML</i>	3	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution (D.H.E.45) 1 mg/ml</i>	5	NM; NDS; QL (24 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	NM; NDS; QL (8 per 28 days)
<i>EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML</i>	3	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
ERGOMAR SUBLINGUAL TABLET 2 MG	5	NM; NDS; QL (20 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
REYVOW ORAL TABLET 100 MG, 50 MG	3	PA; QL (8 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)	2	GC; QL (12 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation</i> (Imitrex)	2	GC; QL (12 per 30 days)
<i>sumatriptan nasal spray,non-aerosol 5 mg/actuation</i> (Imitrex)	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	GC; QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	GC; QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	GC; QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	2	GC; QL (4 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	4	PA; QL (1 per 30 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	4	
<i>dapsone oral tablet 100 mg, 25 mg</i>	2	GC
<i>ethambutol oral tablet 100 mg</i>	2	GC
<i>ethambutol oral tablet 400 mg (Myambutol)</i>	2	GC
<i>isoniazid oral solution 50 mg/5 ml</i>	2	GC
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	GC
PRETOMANID ORAL TABLET 200 MG	4	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	4	
<i>pyrazinamide oral tablet 500 mg</i>	2	GC
<i>rifabutin oral capsule 150 mg (Mycobutin)</i>	2	GC
<i>rifampin intravenous recon soln 600 mg (Rifadin)</i>	2	GC
<i>rifampin oral capsule 150 mg, 300 mg</i>	2	GC
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	4	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	4	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg</i>	2	PA BvD; GC; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	2	PA BvD; GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>aprepitant oral capsule 80 mg</i>	(Emend)	2	PA BvD; GC; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i>	(Emend)	2	PA BvD; GC; QL (6 per 28 days)
CINVANTI INTRAVENOUS EMULSION 7.2 MG/ML		4	QL (36 per 28 days)
<i>compro rectal suppository 25 mg</i>		2	GC
<i>dimenhydrinate injection solution 50 mg/ml</i>		2	GC
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	(Marinol)	2	PA; GC; QL (60 per 30 days)
<i>droperidol injection solution 2.5 mg/ml</i>		2	GC
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)		4	PA BvD; QL (6 per 28 days)
<i>fosaprepitant intravenous recon soln 150 mg</i>	(Emend (fosaprepitant))	2	GC; QL (2 per 28 days)
<i>gransetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>		2	GC
<i>gransetron hcl intravenous solution 1 mg/ml</i>		2	GC
<i>gransetron hcl oral tablet 1 mg</i>		2	PA BvD; GC
<i>meclizine oral tablet 12.5 mg</i>		2	GC
<i>meclizine oral tablet 25 mg</i>	(Dramamine Less Drowsy)	2	GC
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>		1	GC
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>		1	GC
<i>ondansetron hcl intravenous solution 2 mg/ml</i>		2	GC
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>		2	PA BvD; GC
<i>ondansetron hcl oral tablet 4 mg</i>	(Zofran)	2	PA BvD; GC
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>		2	PA BvD; GC
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	2	GC
<i>prochlorperazine maleate oral tablet (Compazine) 10 mg, 5 mg</i>	2	GC
<i>prochlorperazine rectal suppository (Compro) 25 mg</i>	2	GC
<i>promethazine injection solution 25 mg/ml, 50 mg/ml</i>	2	GC
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>promethazine rectal suppository (Promethegan) 12.5 mg, 50 mg</i>	2	GC
<i>promethazine rectal suppository 25 mg</i>	2	GC
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>scopolamine base transdermal patch (Transderm-Skop) 3 day 1 mg over 3 days</i>	2	GC; QL (10 per 30 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg (Albenza)</i>	5	NM; NDS
<i>ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML</i>	5	NM; NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	5	NM; NDS
<i>atovaquone-proguanil oral tablet (Malarone) 250-100 mg</i>	2	GC
<i>atovaquone-proguanil oral tablet (Malarone Pediatric) 62.5-25 mg</i>	2	GC
<i>chloroquine phosphate oral tablet 250 mg</i>	2	GC; QL (50 per 30 days)
<i>chloroquine phosphate oral tablet 500 mg</i>	2	GC; QL (25 per 30 days)
<i>COARTEM ORAL TABLET 20-120 MG</i>	4	
<i>hydroxychloroquine oral tablet 200 mg</i>	2	GC; QL (90 per 30 days)
<i>IMPAVIDO ORAL CAPSULE 50 MG</i>	5	PA; NM; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	2	GC
KRINTAFEL ORAL TABLET 150 MG		4	
<i>mefloquine oral tablet 250 mg</i>		2	GC
<i>nitazoxanide oral tablet 500 mg</i>	(Alinia)	5	NM; NDS
<i>paromomycin oral capsule 250 mg</i>	(Humatin)	2	GC
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	2	PA BvD; GC
<i>pentamidine injection recon soln 300 mg</i>	(Pentam)	2	GC
PRIMAQUINE ORAL TABLET 26.3 MG		2	GC
<i>pyrimethamine oral tablet 25 mg</i>	(Daraprim)	5	PA; NM; NDS
Antiparkinsonian Agents			
Antiparkinsonian Agents			
<i>amantadine hcl oral capsule 100 mg</i>		2	GC
<i>amantadine hcl oral solution 50 mg/5 ml</i>		2	GC
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML		5	PA; NM; NDS; QL (60 per 30 days)
<i>benztropine injection solution 1 mg/ml</i>	(Cogentin)	2	GC
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	GC
<i>bromocriptine oral capsule 5 mg</i>	(Parlodel)	2	GC
<i>bromocriptine oral tablet 2.5 mg</i>	(Parlodel)	2	GC
<i>cabergoline oral tablet 0.5 mg</i>		2	GC
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg</i>	(Sinemet)	2	GC
<i>carbidopa-levodopa oral tablet 25-250 mg</i>		2	GC
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>		2	GC
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i>	(Stalevo 50)	4	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i>	(Stalevo 75)	4	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i>	(Stalevo 100)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 125) tablet 31.25-125-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 150) tablet 37.5-150-200 mg	4	
<i>carbidopa-levodopa-entacapone oral</i> (Stalevo 200) tablet 50-200-200 mg	4	
<i>entacapone oral tablet</i> 200 mg (Comtan)	2	GC
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 137 MG	5	PA; NM; NDS; QL (60 per 30 days)
GOCOVRI ORAL CAPSULE, EXTENDED RELEASE 24HR 68.5 MG	5	PA; NM; NDS; QL (30 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	5	PA; NM; NDS; QL (300 per 30 days)
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS; QL (150 per 30 days)
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	5	PA; NM; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	4	ST; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	4	ST; QL (60 per 30 days)
<i>pramipexole oral tablet</i> 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg (Mirapex)	1	GC
<i>rasagiline oral tablet</i> 0.5 mg, 1 mg (Azilect)	2	GC
<i>ropinirole oral tablet</i> 0.25 mg, 3 mg, 5 mg (Requip)	2	GC
<i>ropinirole oral tablet</i> 0.5 mg, 1 mg, 2 mg, 4 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>selegiline hcl oral capsule 5 mg</i>	2	GC
<i>selegiline hcl oral tablet 5 mg</i>	2	GC
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	2	GC
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	GC
XADAGO ORAL TABLET 100 MG, 50 MG	5	PA; NM; NDS; QL (30 per 30 days)
Antipsychotic Agents		
Antipsychotic Agents		
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NM; NDS; QL (1 per 28 days)
<i>ariPIPRAZOLE oral solution 1 mg/ml</i>	2	GC; QL (900 per 30 days)
<i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	GC; QL (30 per 30 days)
<i>ariPIPRAZOLE oral tablet 2 mg</i> (Abilify)	2	GC; QL (60 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 10 mg</i>	5	ST; NM; NDS; QL (90 per 30 days)
<i>ariPIPRAZOLE oral tablet,disintegrating 15 mg</i>	5	ST; NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NM; NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NM; NDS; QL (1.6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NM; NDS; QL (3.2 per 28 days)
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	2	ST; GC; QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 42 MG	5	ST; NM; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution</i> 25 mg/ml	2	GC
<i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg	2	GC
<i>clozapine oral tablet</i> 100 mg (Clozaril)	2	GC; QL (270 per 30 days)
<i>clozapine oral tablet</i> 200 mg (Clozaril)	2	GC; QL (135 per 30 days)
<i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril)	2	GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg	2	ST; GC; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 150 mg	2	ST; GC; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> 200 mg	5	ST; NM; NDS; QL (120 per 30 days)
FANAPT ORAL TABLET 1 MG, 2 MG	4	ST; QL (60 per 30 days)
FANAPT ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG	5	ST; NM; NDS; QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)- 2MG(2)- 4MG(2)-6MG(2)	4	ST
<i>fluphenazine decanoate injection</i> solution 25 mg/ml	2	GC
<i>fluphenazine hcl injection solution</i> 2.5 mg/ml	2	GC
<i>fluphenazine hcl oral concentrate</i> 5 mg/ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	GC
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (Haldol Decanoate)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml (Haldol Decanoate)</i>	2	GC
<i>haloperidol decanoate intramuscular solution 50 mg/ml (1ml)</i>	2	GC
<i>haloperidol lactate injection solution (Haldol) 5 mg/ml</i>	2	GC
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	GC
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	GC
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	GC
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	NM; NDS; QL (0.875 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	NM; NDS; QL (1.315 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	NM; NDS; QL (2.625 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	QL (60 per 30 days)
<i>loxpipavine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	GC
<i>molindone oral tablet 10 mg</i>	2	GC; QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	2	GC; QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	2	GC; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>	2	GC; QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg</i>	2	GC; QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i>	2	GC; QL (60 per 30 days)
<i>paliperidone oral tablet extended release 24hr 9 mg</i>	5	NM; NDS; QL (30 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	GC
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRINGE 120 MG, 90 MG	5	NM; NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg (Seroquel)	2	GC; QL (90 per 30 days)
REXULTI ORAL TABLET 0.25 MG	5	ST; NM; NDS; QL (120 per 30 days)
REXULTI ORAL TABLET 0.5 MG	5	ST; NM; NDS; QL (60 per 30 days)
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	5	ST; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	4	QL (4 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	5	NM; NDS; QL (4 per 28 days)
risperidone oral solution 1 mg/ml (Risperdal)	2	GC; QL (480 per 30 days)
risperidone oral tablet 0.25 mg	2	GC; QL (60 per 30 days)
risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg (Risperdal)	2	GC; QL (60 per 30 days)
risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg	2	GC; QL (60 per 30 days)
risperidone oral tablet,disintegrating 3 mg, 4 mg	2	GC; QL (120 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NM; NDS; QL (30 per 30 days)
thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg	2	GC
thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg	2	GC
trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg	2	GC
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NM; NDS; QL (540 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	GC; QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	2	GC; QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NM; NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NM; NDS; QL (1 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	GC
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	GC
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	GC
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	5	NM; NDS
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	5	NM; NDS
APTIVUS ORAL CAPSULE 250 MG	5	NM; NDS
<i>atazanavir oral capsule 150 mg, 200 mg, 300 mg</i> (Reyataz)	2	GC
BIKTARVY ORAL TABLET 50-200-25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NM; NDS
CIMDUO ORAL TABLET 300- 300 MG	5	NM; NDS
COMPLERA ORAL TABLET 200-25-300 MG	5	NM; NDS
CRIXIVAN ORAL CAPSULE 200 MG, 400 MG	4	
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NM; NDS
DESCOVY ORAL TABLET 200- 25 MG	5	NM; NDS
<i>didanosine oral capsule, delayed release (drlec) 125 mg, 200 mg, 250 mg, 400 mg</i>	2	GC
DOVATO ORAL TABLET 50- 300 MG	5	NM; NDS
EDURANT ORAL TABLET 25 MG	5	NM; NDS
<i>efavirenz oral capsule 200 mg (Sustiva)</i>	5	NM; NDS
<i>efavirenz oral capsule 50 mg (Sustiva)</i>	2	GC
<i>efavirenz oral tablet 600 mg (Sustiva)</i>	2	GC
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i>	5	NM; NDS
<i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i>	5	NM; NDS
<i>emtricitabine oral capsule 200 mg (Emtriva)</i>	2	GC
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i>	5	NM; NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NM; NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NM; NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NM; NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NM; NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS
INTELENCE ORAL TABLET 100 MG, 200 MG	5	NM; NDS
INTELENCE ORAL TABLET 25 MG	4	
INVIRASE ORAL TABLET 500 MG	5	NM; NDS
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG, 25 MG	4	
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	GC
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	GC
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	GC
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	GC
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	GC; QL (480 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lopinavir-ritonavir oral tablet 100-25 (Kaletra) mg</i>	2	GC; QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 (Kaletra) mg</i>	5	NM; NDS; QL (120 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml (Viramune)</i>	2	GC
<i>nevirapine oral tablet 200 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	GC
<i>nevirapine oral tablet extended release 24 hr 400 mg (Viramune XR)</i>	2	GC
NORVIR ORAL POWDER IN PACKET 100 MG	4	
NORVIR ORAL SOLUTION 80 MG/ML	4	
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS
PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG	5	NM; NDS
PREZISTA ORAL TABLET 75 MG	4	
RESCRIPTOR ORAL TABLET 200 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NM; NDS
<i>ritonavir oral tablet 100 mg (Norvir)</i>	2	GC
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NM; NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	4	
SELZENTRY ORAL TABLET 150 MG, 300 MG, 75 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 25 MG	4	
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
STRIBILD ORAL TABLET 150-150-200-300 MG	5	NM; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	GC
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	4	
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
VEMLIDY ORAL TABLET 25 MG	5	NM; NDS; QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	4	
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NM; NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NM; NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NM; NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	GC
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	GC
<i>zidovudine oral tablet 300 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Antivirals, Miscellaneous			
<i>foscarnet intravenous solution 24 mg/ml</i>	(Foscavir)	2	PA; BvD; GC
<i>oseltamivir oral capsule 30 mg</i>	(Tamiflu)	2	GC; QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i>	(Tamiflu)	2	GC; QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i>	(Tamiflu)	2	GC; QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	(Tamiflu)	2	GC; QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML		5	PA; NM; NDS; QL (336 per 28 days)
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML		5	PA; NM; NDS; QL (672 per 28 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; NM; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		4	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i>	(Flumadine)	2	GC
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML		5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG		4	QL (4 per 180 days)
Hcv Antivirals			
EPCLUSIA ORAL TABLET 200-50 MG, 400-100 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG		5	PA; NM; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG		5	PA; NM; NDS; QL (56 per 28 days)
HARVONI ORAL TABLET 45-200 MG, 90-400 MG		5	PA; NM; NDS; QL (28 per 28 days)
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i>	(Harvoni)	5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG		5	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>	(Epclusa)	5	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOVALDI ORAL PELLETS IN PACKET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
SOVALDI ORAL PELLETS IN PACKET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SOVALDI ORAL TABLET 200 MG, 400 MG	5	PA; NM; NDS; QL (28 per 28 days)
VIEKIRA PAK ORAL TABLETS,DOSE PACK 12.5 MG-75 MG -50 MG/250 MG	5	PA; NM; NDS
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NM; NDS; QL (28 per 28 days)
ZEPATIER ORAL TABLET 50-100 MG	5	PA; NM; NDS; QL (30 per 30 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	5	PA NSO; NM; NDS
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	5	PA NSO; NM; NDS
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	NM; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	NM; NDS
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	5	NM; NDS
Nucleosides And Nucleotides		
acyclovir oral capsule 200 mg	2	GC
acyclovir oral suspension 200 mg/5 ml (Zovirax)	2	GC
acyclovir oral tablet 400 mg, 800 mg	2	GC
acyclovir sodium intravenous recon soln 1,000 mg, 500 mg	2	PA BvD; GC
acyclovir sodium intravenous solution 50 mg/ml	2	PA BvD; GC
adefovir oral tablet 10 mg (Hepsera)	5	NM; NDS
entecavir oral tablet 0.5 mg, 1 mg (Baraclude)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
famciclovir oral tablet 125 mg, 250 mg, 500 mg	2	GC
ganciclovir sodium intravenous recon soln 500 mg (Cytovene)	5	PA BvD; NM; NDS
ganciclovir sodium intravenous solution 50 mg/ml	5	PA BvD; NM; NDS
ribasphere oral capsule 200 mg	2	GC
ribasphere oral tablet 600 mg	5	NM; NDS
ribavirin inhalation recon soln 6 gram (Virazole)	5	PA BvD; NM; NDS
ribavirin oral capsule 200 mg	2	GC
ribavirin oral tablet 200 mg	2	GC
valacyclovir oral tablet 1 gram, 500 mg (Valtrex)	2	GC
valganciclovir oral tablet 450 mg (Valcyte)	2	GC
VEKLURY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NM; NDS
Blood		
Products/Modifiers/Volume		
Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	4	QL (43 per 42 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG, 5 MG	3	QL (60 per 30 days)
enoxaparin subcutaneous solution 300 mg/3 ml (Lovenox)	2	GC; QL (30 per 30 days)
enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml (Lovenox)	2	GC; QL (60 per 30 days)
enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml (Lovenox)	2	GC; QL (48 per 30 days)
enoxaparin subcutaneous syringe 30 mg/0.3 ml (Lovenox)	2	GC; QL (18 per 30 days)
enoxaparin subcutaneous syringe 40 mg/0.4 ml (Lovenox)	2	GC; QL (24 per 30 days)
enoxaparin subcutaneous syringe 60 mg/0.6 ml (Lovenox)	2	GC; QL (36 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
fondaparinux subcutaneous syringe (Arixtra) 10 mg/0.8 ml, 5 mg/0.4 ml, 7.5 mg/0.6 ml	5	NM; NDS
fondaparinux subcutaneous syringe (Arixtra) 2.5 mg/0.5 ml	2	GC
heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)	2	GC
heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	2	GC
heparin (porcine) injection syringe 5,000 unit/ml	2	GC
heparin, porcine (pf) injection solution 1,000 unit/ml	2	GC
heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml	2	GC
jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg	1	GC
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	GC
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
Blood Formation Modifiers		
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; NDS; QL (20 per 30 days)
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NM; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NM; NDS; QL (20 per 30 days)
LEUKINE INJECTION RECON SOLN 250 MCG	5	NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 7 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ORLADEYO ORAL CAPSULE 110 MG, 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL POWDER IN PACKET 25 MG	5	PA; NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROMACTA ORAL TABLET 12.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
PROMACTA ORAL TABLET 25 MG	5	PA; NM; NDS; QL (30 per 30 days)
PROMACTA ORAL TABLET 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	GC
<i>anagrelide oral capsule 1 mg</i>	2	GC
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	5	PA; NM; NDS
<i>protamine intravenous solution 10 mg/ml</i>	2	GC
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) 1,000 mg/10 ml (100 mg/ml)	2	GC
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	2	GC; QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	2	GC
<i>clopidogrel oral tablet 75 mg (Plavix)</i>	1	GC
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	2	GC
<i>pentoxifylline oral tablet extended release 400 mg</i>	2	GC
<i>prasugrel oral tablet 10 mg, 5 mg (Effient)</i>	2	GC; QL (30 per 30 days)
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN II 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
AMINOSYN-PF 7 % (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 5%/D25W SULFITE- FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 4.25%-D25W SULF- FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX 5%-D20W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX 6%-D5W (SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE- FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	4	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	4	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 % <i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	4 2	PA BvD; GC
<i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i>	2	GC
<i>dextrose 5%-water iv soln single use</i> 5 %	2	GC
FREAMINE HBC 6.9 % INTRAVENOUS PARENTERAL SOLUTION 6.9 %	4	PA BvD
FREAMINE III 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
HEPATAMINE 8% INTRAVENOUS PARENTERAL SOLUTION 8 %	4	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	4	PA BvD
KABIVEN INTRAVENOUS EMULSION 3.31-9.8-3.9 %	4	PA BvD
NEPHRAMINE 5.4 % INTRAVENOUS PARENTERAL SOLUTION 5.4 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PERIKABIVEN INTRAVENOUS EMULSION 2.36-6.8-3.5 %	4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 6% INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg	1	GC
clonidine transdermal patch weekly (Catapres-TTS-1) 0.1 mg/24 hr	2	GC; QL (4 per 28 days)
clonidine transdermal patch weekly (Catapres-TTS-2) 0.2 mg/24 hr	2	GC; QL (4 per 28 days)
clonidine transdermal patch weekly (Catapres-TTS-3) 0.3 mg/24 hr	2	GC; QL (8 per 28 days)
doxazosin oral tablet 1 mg, 2 mg, 4 (Cardura) mg, 8 mg	2	GC
droxidopa oral capsule 100 mg, 200 (Northera) mg, 300 mg	5	PA; NM; NDS; QL (180 per 30 days)
guanfacine oral tablet 1 mg, 2 mg	2	GC
methyldopa oral tablet 250 mg, 500 mg	2	GC
methyldopa-hydrochlorothiazide oral tablet 250-15 mg, 250-25 mg	2	GC
midodrine oral tablet 10 mg, 2.5 mg, 5 mg	2	GC
phenylephrine hcl injection solution (Vazculep) 10 mg/ml	2	GC
prazosin oral capsule 1 mg, 2 mg, 5 (Minipress) mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Angiotensin II Receptor Antagonists		
EDARBI ORAL TABLET 40 MG, 80 MG	3	
EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG	3	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	3	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg (Avapro)</i>	6	GC
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg (Avalide)</i>	6	GC
<i>losartan oral tablet 100 mg, 25 mg, 50 mg (Cozaar)</i>	6	GC
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg (Hyzaar)</i>	6	GC
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg (Benicar)</i>	6	GC
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg (Benicar HCT)</i>	6	GC
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg (Micardis)</i>	6	GC
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg (Diovan)</i>	6	GC
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg (Diovan HCT)</i>	6	GC
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg (Lotensin)</i>	6	GC
<i>benazepril oral tablet 5 mg</i>	6	GC
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	2	GC
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)</i>	6	GC
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	2	GC
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg (Vaseretic)</i>	6	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	6	GC
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	6	GC
<i>lisinopril oral tablet 10 mg, 2.5 mg, 30 mg, 40 mg, 5 mg (Zestril)</i>	6	GC
<i>lisinopril oral tablet 20 mg (Prinivil)</i>	6	GC
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg (Zestoretic)</i>	6	GC
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	6	GC
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg (Accupril)</i>	6	GC
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)</i>	6	GC
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	6	GC
Antiarrhythmic Agents		
<i>amiodarone oral tablet 200 mg (Pacerone)</i>	1	GC
<i>amiodarone oral tablet 400 mg (Pacerone)</i>	2	GC
<i>disopyramide phosphate oral capsule 100 mg, 150 mg (Norpace)</i>	2	GC
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg (Tikosyn)</i>	2	GC
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	2	GC
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i>	1	GC
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	2	GC
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 200 mg</i>	1	GC
<i>pacerone oral tablet 400 mg</i>	2	GC
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	2	GC
<i>procainamide intravenous syringe 100 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	GC
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	GC
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	2	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	GC
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	GC
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	GC
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	GC
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	2	GC
BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG	3	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC
<i>labetalol intravenous solution 5 mg/ml</i>	2	GC
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	GC
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	GC
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	GC
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg (Lopressor HCT)</i>	2	GC
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	2	GC
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>propranolol intravenous solution 1 mg/ml</i>	2	GC
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	GC
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	GC
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	GC
<i>propranolol-hydrochlorothiazide oral tablet 40-25 mg, 80-25 mg</i>	2	GC
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	GC
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	GC
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	GC
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	GC
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	GC
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	2	GC
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	GC
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	2	GC
<i>diltiazem hcl oral tablet 90 mg</i>	2	GC
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	2	GC
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	2	GC
<i>verapamil intravenous syringe 2.5 mg/ml</i>	2	GC
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan)	2	GC
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i> (Verelan)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	GC
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	GC
Cardiovascular Agents, Miscellaneous		
<i>CORLANOR ORAL SOLUTION 5 MG/5 ML</i>	3	
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>	3	
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	2	GC
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	2	GC
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	2	GC
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	GC; QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	GC; QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	GC
<i>hydralazine injection solution 20 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	GC
<i>icatibant subcutaneous syringe 30 mg/3 ml (Firazyr)</i>	5	PA; NM; NDS; QL (18 per 30 days)
<i>metyrosine oral capsule 250 mg (Demser)</i>	5	NM; NDS
<i>milrinone intravenous solution 1 mg/ml</i>	5	PA BvD; NM; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg (Ranexa)</i>	2	GC
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML, 0.3 MG/0.3 ML	3	QL (4 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg (Norvasc)</i>	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg (Lotrel)</i>	6	GC
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	6	GC
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)</i>	6	GC
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	GC
<i>nifedipine oral capsule 10 mg, 20 mg</i>	2	GC
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg (Procardia XL)</i>	2	GC
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg (Adalat CC)</i>	2	GC
Diuretics		
<i>amiloride oral tablet 5 mg</i>	2	GC
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	GC
<i>bumetanide injection solution 0.25 mg/ml</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	GC
<i>chlorothiazide oral tablet 500 mg</i>	2	GC
<i>chlorothiazide sodium intravenous (Diuril IV) recon soln 500 mg</i>	2	GC
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	GC
<i>furosemide injection solution 10 mg/ml</i>	1	GC
<i>furosemide injection syringe 10 mg/ml</i>	2	GC
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	GC
<i>furosemide oral tablet 20 mg, 40 mg, (Lasix) 80 mg</i>	1	GC
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	GC
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	GC
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	GC
JYNARQUE ORAL TABLET 15 MG, 30 MG	5	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	GC
<i>spironolactone oral tablet 100 mg, (Aldactone) 25 mg, 50 mg</i>	1	GC
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	2	GC
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i>	1	GC
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Dyslipidemics			
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	(Lipitor)	6	GC
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	(Questran)	2	GC
<i>cholestyramine light oral powder 4 gram</i>		2	GC
<i>cholestyramine light packet 4 gram</i>		2	GC
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	GC
<i>colestipol oral packet 5 gram</i>	(Colestid)	2	GC
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	GC
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	GC; QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>		2	GC
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	GC
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	GC
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	GC
JUXTAPID ORAL CAPSULE 10 MG, 30 MG, 40 MG, 60 MG		5	PA; NM; NDS; QL (30 per 30 days)
JUXTAPID ORAL CAPSULE 20 MG		5	PA; NM; NDS; QL (90 per 30 days)
JUXTAPID ORAL CAPSULE 5 MG		5	PA; NM; NDS; QL (45 per 30 days)
LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG		3	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>		6	GC
NEXLETOL ORAL TABLET 180 MG		3	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG		3	QL (30 per 30 days)
<i>niacin oral tablet 500 mg</i>	(Niacor)	2	GC
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	(Niaspan Extended-Release)	2	GC
<i>niacor oral tablet 500 mg</i>		2	GC
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	GC; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	3	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>	6	GC
<i>prevalite oral powder in packet 4 gram</i>	2	GC
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 (Crestor) mg, 40 mg, 5 mg</i>	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 (Zocor) mg, 40 mg, 80 mg</i>	6	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	6	GC; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM	2	GC; QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM	2	GC; QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	2	GC
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i>	2	GC
<i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i>	2	GC
Vasodilators		
BIDIL ORAL TABLET 20-37.5 MG	3	
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	GC
<i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradoser)</i>	2	GC
<i>isosorbide dinitrate oral tablet extended release 40 mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	GC
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	GC
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	GC
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	GC
<i>nitroglycerin sublingual tablet 0.3 (Nitrostat) mg, 0.4 mg, 0.6 mg</i>	2	GC
<i>nitroglycerin transdermal patch 24 (Minitran) hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	GC

Central Nervous System Agents

Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 18 (Strattera) mg, 25 mg, 40 mg</i>	2	GC; QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 (Strattera) mg, 80 mg</i>	2	GC; QL (30 per 30 days)
AUBAGIO ORAL TABLET 14 MG, 7 MG	5	PA; NM; NDS; QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NM; NDS; QL (15 per 30 days)
<i>caffeine citrate intravenous solution (Cafcit) 60 mg/3 ml (20 mg/ml)</i>	2	PA BvD; GC
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	2	GC
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML		5	PA; NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	(Ampyra)	2	PA; GC; QL (60 per 30 days)
<i>dextmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Focalin)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	(Zenedi)	2	GC; QL (180 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i>	(Adderall XR)	2	GC; QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i>	(Adderall XR)	2	GC; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	GC; QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	5	PA; NM; NDS
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i>	(Tecfidera)	5	PA; NM; NDS; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		5	PA; NM; NDS; QL (15 per 30 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		2	GC
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	PA; NM; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i>		5	PA; NM; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i>		5	PA; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER)	2	GC
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA NSO; NM; NDS
INGREZZA ORAL CAPSULE 40 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NM; NDS; QL (1.2 per 28 days)
LEMTRADA INTRAVENOUS SOLUTION 12 MG/1.2 ML	5	PA; NM; NDS; QL (6 per 365 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	GC
<i>lithium carbonate oral tablet 300 mg</i>	2	GC
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	GC
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	GC
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS
MAYZENT ORAL TABLET 0.25 MG	5	PA; NM; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 2 MG	5	PA; NM; NDS; QL (30 per 30 days)
MAYZENT STARTER PACK ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 10 mg, 20 mg, 40 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er (Ritalin LA) biphasic 50-50 30 mg</i>	2	GC; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 50-50 60 mg</i>	2	GC; QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	2	GC; QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC; QL (90 per 30 days)
NUEDEXTA ORAL CAPSULE 20-10 MG	5	PA; NM; NDS; QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NM; NDS
PONVORY 14-DAY STARTER PACK ORAL TABLETS,DOSE PACK 2 MG (2) - 10 MG (3)	5	PA; NM; NDS
PONVORY ORAL TABLET 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	5	PA; NM; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	GC; QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	3	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	3	
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	5	PA; NM; NDS; QL (112 per 28 days)
VUMERTY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NM; NDS; QL (120 per 30 days)
ZEPOSIA ORAL CAPSULE 0.92 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZEPOSIA STARTER KIT ORAL CAPSULE,DOSE PACK 0.23-0.46-0.92 MG	5	PA; NM; NDS
ZEPOSIA STARTER PACK ORAL CAPSULE,DOSE PACK 0.23 MG (4)- 0.46 MG (3)	5	PA; NM; NDS
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amethia lo oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>amethia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	2	GC
<i>aranelle (28) oral tablet 0.5/I/0.5-35 mg-mcg</i>	2	GC
<i>ashlyna oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>aurovela I/I/20 (21) oral tablet I-20 mg-mcg</i>	2	GC
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	GC
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>blisovi fe 1/I/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	GC
<i>camila oral tablet 0.35 mg</i>	1	GC
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
chateal eq (28) oral tablet 0.15-0.03 mg	2	GC	
cryselle (28) oral tablet 0.3-30 mg-mcg	2	GC	
cyclafem 1/35 (28) oral tablet 1-35 mg-mcg	2	GC	
cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC	
cyred eq oral tablet 0.15-0.03 mg	2	GC	
dasetta 1/35 (28) oral tablet 1-35 mg-mcg	2	GC	
dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC	
daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	GC; QL (91 per 84 days)	
deblitane oral tablet 0.35 mg	1	GC	
desog-e.estradiolle.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	(Azurette (28))	2	GC
desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg	(Apri)	2	GC
drospirenone-ethinyl estradiol oral tablet 3-0.02 mg	(Jasmiel (28))	2	GC
drospirenone-ethinyl estradiol oral tablet 3-0.03 mg	(Syeda)	2	GC
elonest oral tablet 0.3-30 mg-mcg	2	GC	
ELLA ORAL TABLET 30 MG	4	QL (6 per 365 days)	
eluryng vaginal ring 0.12-0.015 mg/24 hr	2	GC; QL (1 per 28 days)	
emoquette oral tablet 0.15-0.03 mg	2	GC	
enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)	2	GC	
enskyce oral tablet 0.15-0.03 mg	2	GC	
errin oral tablet 0.35 mg	1	GC	
estarrylla oral tablet 0.25-35 mg-mcg	2	GC	
ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg	(Kelnor 1/35 (28))	2	GC
ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg	(Kelnor 1-50 (28))	2	GC
etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr	(EduRyng)	2	GC; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>falmina</i> (28) oral tablet 0.1-20 mg-mcg	2	GC
<i>femynor</i> oral tablet 0.25-35 mg-mcg	2	GC
<i>hailey 24 fe</i> oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	GC
<i>hailey fe 1.5/30</i> (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	GC
<i>hailey fe 1/20</i> (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	2	GC
<i>hailey</i> oral tablet 1.5-30 mg-mcg	2	GC
<i>heather</i> oral tablet 0.35 mg	1	GC
<i>iclevia</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)	2	GC; QL (91 per 84 days)
<i>incassia</i> oral tablet 0.35 mg	1	GC
<i>introvale</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)	2	GC; QL (91 per 84 days)
<i>isibloom</i> oral tablet 0.15-0.03 mg	2	GC
<i>jaimiess</i> oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	GC; QL (91 per 84 days)
<i>jasmiel</i> (28) oral tablet 3-0.02 mg	2	GC
<i>jencycla</i> oral tablet 0.35 mg	1	GC
<i>juleber</i> oral tablet 0.15-0.03 mg	2	GC
<i>junel 1.5/30</i> (21) oral tablet 1.5-30 mg-mcg	2	GC
<i>junel 1/20</i> (21) oral tablet 1-20 mg-mcg	2	GC
<i>junel fe 1.5/30</i> (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)	2	GC
<i>junel fe 1/20</i> (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
<i>junel fe 24</i> oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	GC
<i>kalliga</i> oral tablet 0.15-0.03 mg	2	GC
<i>kariva</i> (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	GC
<i>kelnor 1/35</i> (28) oral tablet 1-35 mg-mcg	2	GC
<i>kelnor 1-50</i> (28) oral tablet 1-50 mg-mcg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>kurvelo</i> (28) oral tablet 0.15-0.03 mg	2	GC
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>l norgestrel-estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	GC
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	GC
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	2	GC
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	GC; QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	GC
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	GC; QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	GC
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	GC
<i>lulera (28) oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>lyleq oral tablet 0.35 mg</i>	1	GC
<i>lyza oral tablet 0.35 mg</i>	1	GC
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	GC
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>mini oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	GC
<i>noreth-ee-fe 1-0.02(24)-75 cap (Merzee) inner 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	1	GC
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	2	GC
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	GC
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	GC
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (28)</i>	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>norlyda oral tablet 0.35 mg</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg	2	GC
nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)	2	GC
nortrel 1/35 (28) oral tablet 1-35 mg-mcg	2	GC
nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC
nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg	2	GC
nymyo oral tablet 0.25-35 mg-mcg	2	GC
ogestrel (28) oral tablet 0.5-50 mg-mcg	2	GC
orsythia oral tablet 0.1-20 mg-mcg	2	GC
philith oral tablet 0.4-35 mg-mcg	2	GC
pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	GC
pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg	2	GC
portia 28 oral tablet 0.15-0.03 mg	2	GC
previfem oral tablet 0.25-35 mg-mcg	2	GC
reclipsen (28) oral tablet 0.15-0.03 mg	2	GC
setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)	2	GC; QL (91 per 84 days)
sharobel oral tablet 0.35 mg	1	GC
simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	GC
simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)	2	GC; QL (91 per 84 days)
sprintec (28) oral tablet 0.25-35 mg-mcg	2	GC
sronyx oral tablet 0.1-20 mg-mcg	2	GC
syeda oral tablet 3-0.03 mg	2	GC
tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)	2	GC
tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)	1	GC
tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-legest fe oral tablet 1-20(5)/1- 30(7) /1mg-35mcg (9)</i>	2	GC
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	GC
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	GC
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	GC
<i>tulana oral tablet 0.35 mg</i>	1	GC
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>	2	GC
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	GC
<i>vestura (28) oral tablet 3-0.02 mg</i>	2	GC
<i>vienna oral tablet 0.1-20 mg-mcg</i>	2	GC
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	GC
<i>vyfemla (28) oral tablet 0.4-35 mg- mcg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	2	GC
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	2	GC
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	2	GC; QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	2	GC
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	2	GC
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	2	GC

Dental And Oral Agents

Dental And Oral Agents

<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	GC
<i>denta 5000 plus dental cream 1.1 %</i>		1	GC
<i>dentagel dental gel 1.1 %</i>		1	GC
<i>fluoride (sodium) dental solution 0.2 %</i>	(PreviDent)	1	GC
<i>oralone dental paste 0.1 %</i>		2	GC
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>		1	GC
<i>periogard mucous membrane mouthwash 0.12 %</i>		1	GC
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	2	GC
<i>sf 5000 plus dental cream 1.1 %</i>		1	GC
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Fluoridex Sensitivity Relief)	1	GC
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Oralone)	2	GC

Dermatological Agents

Dermatological Agents, Other

<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		2	GC
<i>acitretin oral capsule 10 mg, 25 mg</i>	(Soriatane)	2	GC
<i>acitretin oral capsule 17.5 mg</i>		2	GC
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	2	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	GC
<i>ammonium lactate topical cream 12 %</i>	2	GC
<i>ammonium lactate topical lotion 12 % (Skin Treatment)</i>	2	GC
<i>calcipotriene scalp solution 0.005 %</i>	2	GC; QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 % (Dovonex)</i>	2	GC; QL (120 per 30 days)
<i>fluorouracil topical cream 0.5 % (Carac)</i>	5	NM; NDS
<i>fluorouracil topical cream 5 % (Efudex)</i>	2	GC
<i>fluorouracil topical solution 2 %, 5 %</i>	2	GC
<i>imiquimod topical cream in packet 5 % (Aldara)</i>	2	GC; QL (24 per 30 days)
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	5	NM; NDS
PANRETIN TOPICAL GEL 0.1 %	5	NM; NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 56 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 56 days)
<i>podofilox topical solution 0.5 %</i>	2	GC
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
TOLAK TOPICAL CREAM 4 %	4	
VALCHLOR TOPICAL GEL 0.016 %	5	NM; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	GC
Dermatological Antibacterials		
<i>clindamycin phosphate topical solution 1 % (Cleocin T)</i>	2	GC; QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 % (Clindacin ETZ)</i>	2	GC
<i>ery pads topical swab 2 %</i>	2	GC
<i>erythromycin with ethanol topical gel 2 % (Erygel)</i>	2	GC; QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	2	GC; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gentamicin topical cream 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	2	GC; QL (120 per 30 days)
<i>metronidazole topical cream 0.75 % (Rosadan)</i>	2	GC
<i>metronidazole topical gel 0.75 % (Rosadan)</i>	2	GC
<i>metronidazole topical gel 1 % (Metrogel)</i>	2	GC
<i>metronidazole topical lotion 0.75 % (MetroLotion)</i>	2	GC
<i>mupirocin topical ointment 2 % (Centany)</i>	1	GC; QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	GC
NEOSPORIN GU IRRIGANT IRRIGATION SOLUTION 40 MG-200,000 UNIT/ML	2	GC
<i>rosadan topical cream 0.75 %</i>	2	GC
<i>selenium sulfide topical lotion 2.5 %</i>	2	GC
<i>silver sulfadiazine topical cream 1 % (SSD)</i>	2	GC
<i>ssd topical cream 1 %</i>	4	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	2	GC
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	GC
<i>alclometasone topical cream 0.05 %</i>	2	GC
<i>alclometasone topical ointment 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	GC
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	GC
<i>betamethasone valerate topical cream 0.1 %</i>	2	GC
<i>betamethasone valerate topical lotion 0.1 %</i>	2	GC
<i>betamethasone valerate topical ointment 0.1 %</i>	2	GC
<i>betamethasone, augmented topical cream 0.05 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone, augmented topical gel 0.05 %</i>	2	GC
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	GC
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	2	GC
<i>clobetasol scalp solution 0.05 %</i>	2	GC
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	GC
<i>clobetasol-emollient topical cream 0.05 %</i>	2	GC
<i>cormax scalp solution 0.05 %</i>	2	GC
<i>desoximetasone topical cream 0.25 %</i> (Topicort)	2	GC; QL (120 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	3	
<i>fluocinolone topical cream 0.01 %</i>	2	GC
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	2	GC
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	2	GC
<i>fluocinonide topical cream 0.05 %</i>	2	GC
<i>fluocinonide topical solution 0.05 %</i>	2	GC
<i>fluocinonide-e topical cream 0.05 %</i>	2	GC
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	2	GC
<i>fluticasone propionate topical ointment 0.005 %</i>	2	GC
<i>halobetasol propionate topical cream 0.05 %</i>	2	GC
<i>halobetasol propionate topical ointment 0.05 %</i>	2	GC
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	GC
<i>hydrocortisone topical cream 2.5 %</i>	1	GC
<i>hydrocortisone topical lotion 2.5 %</i>	2	GC
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	GC
<i>hydrocortisone topical ointment 2.5 %</i>	1	GC
<i>mometasone topical cream 0.1 %</i>	2	GC
<i>mometasone topical ointment 0.1 %</i>	2	GC
<i>mometasone topical solution 0.1 %</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>pimecrolimus topical cream 1 %</i> (Elidel)		2	GC; QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>		2	GC
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>		2	GC
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>		2	GC
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>		2	GC
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)		2	GC; QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>		1	GC
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)		1	GC
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		2	GC
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		2	GC
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)		2	GC
Dermatological Retinoids			
<i>adapalene topical cream 0.1 %</i> (Differin)		2	GC
<i>adapalene topical gel 0.1 %</i> (Differin)		2	GC
<i>ALTRENO TOPICAL LOTION 0.05 %</i>		4	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)		2	GC
<i>TAZORAC TOPICAL CREAM 0.05 %</i>		4	
<i>tretinoin topical cream 0.025 %</i> (Avita)		2	PA; GC
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)		2	PA; GC
<i>tretinoin topical gel 0.01 %</i> (Retin-A)		2	PA; GC
<i>tretinoin topical gel 0.025 %</i> (Avita)		2	PA; GC
<i>tretinoin topical gel 0.05 %</i> (Atralin)		2	PA; GC
Scabicides And Pediculicides			
<i>malathion topical lotion 0.5 %</i> (Ovide)		2	GC
<i>permethrin topical cream 5 %</i> (Elimite)		2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Devices			
Devices			
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	GC	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	2	GC	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	GC	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	GC	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	2	GC	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	GC	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Advocate Syringes)	2	GC
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Lite Touch Insulin Syringe)	2	GC
OMNIPOD / VGO	2	GC	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips)	2	GC
SM STERILE PADS 2" X 2" 2"X2", STERILE 2 X 2 "	1	GC	
Enzyme Replacement/Modifiers			
Enzyme Replacement/Modifiers			
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	NM; NDS	
CERDELGA ORAL CAPSULE 84 MG	5	PA; NM; NDS	
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	NM; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	5	PA BvD; NM; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	5	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	NM; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin)	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
ORFADIN ORAL CAPSULE 20 MG	5	PA; NM; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	5	PA; NM; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NM; NDS
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sapropterin oral tablet,soluble 100 mg (Kuvan)	5	NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	5	PA; NM; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	NM; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000-84,000 UNIT, 25,000-79,000-105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000-24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
apraclonidine ophthalmic (eye) drops 0.5 %	2	GC
atropine ophthalmic (eye) drops I % (Isopto Atropine)	4	
azelastine nasal aerosol,spray 137 mcg (0.1 %)	2	GC; QL (30 per 25 days)
azelastine ophthalmic (eye) drops 0.05 %	2	GC
cromolyn ophthalmic (eye) drops 4 %	2	GC
cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 % (Cyclogyl)	2	GC
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; NDS
epinastine ophthalmic (eye) drops 0.05 %	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>	2	GC; QL (30 per 28 days)	
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>	2	GC; QL (15 per 10 days)	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Relf)	2	GC
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	2	GC
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	(Alcaine)	2	GC
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
<i>acetic acid otic (ear) solution 2 %</i>	2	GC	
<i>acetic acid-aluminum acetate otic (ear) drops 2 %</i>	2	GC	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	GC	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(Polycin)	2	GC
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	3	ST	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	GC	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	(Ciloxan)	1	GC
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	(Ciprodex)	2	GC
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	2	GC; QL (3.5 per 4 days)	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	2	GC	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	GC	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	GC	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4		
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	2	GC
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	2	GC
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	2	GC
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>		2	GC
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>		2	GC
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	GC
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>		2	GC
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>		2	GC
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>		2	GC
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflax)	2	GC
<i>ofloxacin otic (ear) drops 0.3 %</i>		2	GC
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>		2	GC
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit-1 mg/ml</i>	(Polytrim)	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	2	GC
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	GC
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	GC
<i>tobramycin ophthalmic (eye) drops (Tobrex) 0.3 %</i>	1	GC
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	2	GC
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	GC
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
<i>ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %</i>	3	ST
<i>BROMSITE OPHTHALMIC (EYE) DROPS 0.075 %</i>	3	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	GC
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	GC
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	GC; QL (50 per 25 days)
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i>	4	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	GC
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)</i>	1	GC; QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>ketorolac ophthalmic (eye) drops</i> (Acular) 0.5 %	2	GC; QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	
<i>loteprednol etabonate ophthalmic (eye) drops,gel</i> 0.5 %	2	GC
<i>mometasone nasal spray,non-aerosol</i> (Nasonex) 50 mcg/actuation	2	GC; QL (34 per 28 days)
<i>prednisolone acetate ophthalmic (eye) drops,suspension</i> 1 %	4	
<i>prednisolone sodium phosphate ophthalmic (eye) drops</i> 1 %	2	GC
PROLENSA OPHTHALMIC (EYE) DROPS 0.07 %	3	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	QL (60 per 30 days)
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION	3	ST; QL (32 per 30 days)
XiIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Gastrointestinal Agents		
Antilulcer Agents And Acid Suppressants		
<i>cimetidine hcl oral solution</i> 300 mg/5 ml	2	GC
<i>esomeprazole sodium intravenous recon soln</i> 20 mg	2	GC
<i>esomeprazole sodium intravenous</i> (Nexium IV) recon soln 40 mg	2	GC
<i>famotidine (pf) intravenous solution</i> 20 mg/2 ml	1	GC
<i>famotidine (pf)-nacl (iso-os)</i> intravenous piggyback 20 mg/50 ml	2	GC
<i>famotidine intravenous solution</i> 10 mg/ml	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	GC
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	GC
<i>lansoprazole oral capsule, delayed release(dr/lec) 15 mg</i>	(Prevacid)	2	GC; QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/lec) 30 mg</i>	(Prevacid)	2	GC; QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	2	GC
<i>nizatidine oral capsule 150 mg, 300 mg</i>		2	GC
<i>omeprazole oral capsule, delayed release(dr/lec) 10 mg, 20 mg, 40 mg</i>		1	GC
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	2	ST; GC; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	2	GC
<i>pantoprazole oral tablet, delayed release (dr/lec) 20 mg</i>	(Protonix)	1	GC; QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (dr/lec) 40 mg</i>	(Protonix)	1	GC; QL (60 per 30 days)
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	GC
Gastrointestinal Agents, Other			
<i>AMITIZA ORAL CAPSULE 24 MCG, 8 MCG</i>		3	QL (60 per 30 days)
<i>CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG</i>		5	NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>		2	GC
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	GC
<i>dicyclomine oral capsule 10 mg</i>		2	GC
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	GC
<i>dicyclomine oral tablet 20 mg</i>		2	GC
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>		2	GC
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	2	GC
<i>enulose oral solution 10 gram/15 ml</i>		2	GC
<i>GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG</i>		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>generlac oral solution 10 gram/15 ml</i>	2	GC
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	2	GC
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	2	GC
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	2	GC
<i>kionex oral powder</i>	2	GC
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	2	GC
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	QL (90 per 30 days)
<i>loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))</i>	2	GC
<i>lubiprostone oral capsule 24 mcg, 8 mcg (Amitiza)</i>	3	QL (60 per 30 days)
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>metoclopramide hcl injection solution 5 mg/ml</i>	2	GC
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	2	GC
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	GC
<i>metoclopramide hcl oral tablet 10 mg, 5 mg (Reglan)</i>	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
OCALIVA ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; NDS
RELISTOR ORAL TABLET 150 MG	5	PA; NM; NDS; QL (90 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	5	PA; NM; NDS; QL (16.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	5	PA; NM; NDS; QL (11.2 per 28 days)
sodium phenylbutyrate oral tablet (Buphenyl) 500 mg	5	NM; NDS
sodium polystyrene (sorb free) oral suspension 15 gram/60 ml	2	GC
sodium polystyrene sulfonate oral powder	2	GC
sps (with sorbitol) oral suspension 15-20 gram/60 ml	2	GC
ursodiol oral capsule 300 mg	2	GC
ursodiol oral tablet 250 mg (URSO 250)	2	GC
ursodiol oral tablet 500 mg (URSO Forte)	2	GC
VIBERZI ORAL TABLET 100 MG, 75 MG	5	ST; NM; NDS; QL (60 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram	2	GC
gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram	2	GC
gavilyte-n oral recon soln 420 gram	2	GC
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM	3	
trilyte with flavor packets oral recon soln 420 gram	2	GC
Phosphate Binders		
calcium acetate(phosphat bind) oral capsule 667 mg	2	GC
calcium acetate(phosphat bind) oral tablet 667 mg	2	GC
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	5	NM; NDS
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	GC
<i>sevelamer hcl oral tablet 400 mg</i>	2	GC
<i>sevelamer hcl oral tablet 800 mg</i> (Renagel)	2	GC
VELPHORO ORAL TABLET,CHEWABLE 500 MG	3	
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 50 mg</i>	2	GC
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	2	GC
<i>oxybutynin chloride oral tablet 5 mg</i>	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	2	GC
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	2	GC
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	GC
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	GC
TOVIAZ ORAL TABLET EXTENDED RELEASE 24 HR 4 MG, 8 MG	3	
<i>trospium oral tablet 20 mg</i>	2	GC
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	GC; QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	GC
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	GC
THIOLA EC ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG, 300 MG	5	PA; NM; NDS
<i>tiopronin oral tablet 100 mg</i> (Thiola)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>clovique oral capsule 250 mg</i>	5	PA; NM; NDS; QL (240 per 30 days)
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	5	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	5	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	2	PA; GC
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	5	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram</i>	2	PA; GC
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	2	PA; GC
FERRIPROX ORAL SOLUTION 100 MG/ML	5	PA; NM; NDS
FERRIPROX ORAL TABLET 1,000 MG	5	PA; NM; NDS
<i>penicillamine oral capsule 250 mg</i> (Cuprimine)	5	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)	5	PA; NM; NDS; QL (240 per 30 days)
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	5	PA; NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	GC
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA; GC
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	2	PA; GC
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	PA; GC; QL (5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	(Vogelxo)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	(AndroGel)	2	PA; GC; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i>	(AndroGel)	2	PA; GC; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>		2	PA; GC; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML		3	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>		2	GC
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>		2	GC; QL (8 per 28 days)
DUAVEE ORAL TABLET 0.45-20 MG		3	
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Estrace)	1	GC
<i>estradiol transdermal patch (Dotti) semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>		2	GC; QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	(Climara)	2	GC; QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	GC
<i>estradiol vaginal tablet 10 mcg</i>	(Yuvafem)	2	GC; QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i>	(Amabelz)	2	GC
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>		2	GC
<i>jinteli oral tablet 1-5 mg-mcg</i>		2	GC
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>		2	GC; QL (8 per 28 days)
<i>mimvey oral tablet 1-0.5 mg</i>		2	GC
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	2	GC
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG		3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	
<i>raloxifene oral tablet 60 mg</i>	(Evista)	2	GC
<i>yuvafem vaginal tablet 10 mcg</i>		2	GC; QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
<i>a-hydrocort injection recon soln 100 mg</i>		2	GC
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	(Celestone Soluspan)	2	GC
<i>cortisone oral tablet 25 mg</i>		2	GC
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>		2	GC
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	(Decadron)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	GC
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	GC
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	GC
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; NDS; QL (91 per 28 days)
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 36 MG, 6 MG	5	PA; NM; NDS; QL (60 per 30 days)
<i>fludrocortisone oral tablet 0.1 mg</i>	2	GC
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	GC
<i>methylprednisolone acetate injection (Depo-Medrol) suspension 40 mg/ml, 80 mg/ml</i>	2	GC
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	GC
<i>methylprednisolone oral tablets, dose pack 4 mg</i>	2	GC
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	2	GC
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	2	GC
<i>prednisolone 15 mg/5 ml soln alf, dlf 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	2	PA BvD; GC
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	2	PA BvD; GC
<i>prednisone oral solution 5 mg/5 ml</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD; GC
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	2	GC
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML	4	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	2	GC
Pituitary		
BYNFEZIA SUBCUTANEOUS PEN INJECTOR 2,500 MCG/ML	5	NM; NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	2	GC
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	2	GC
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	GC
EGRIFTA SUBCUTANEOUS RECON SOLN 1 MG, 2 MG	5	PA; NM; NDS; QL (60 per 30 days)
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	5	PA; NM; NDS; QL (60 per 30 days)
GENOTROPIN MINIQUICK SUBCUTANEOUS SYRINGE 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML	5	PA; NM; NDS
GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMATROPE INJECTION CARTRIDGE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT)	5	PA; NM; NDS
HUMATROPE INJECTION RECON SOLN 5 (15 UNIT) MG	5	PA; NM; NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	5	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
NUTROPIN AQ NUSPIN SUBCUTANEOUS PEN INJECTOR 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	2	GC
<i>octreotide acetate injection solution (Sandostatin) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i>	2	GC
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	2	GC
OMNITROPE SUBCUTANEOUS CARTRIDGE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NM; NDS
OMNITROPE SUBCUTANEOUS RECON SOLN 5.8 MG	4	PA
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (56 per 28 days)
SAIZEN CLICK.EASY SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SAIZENPREP SUBCUTANEOUS CARTRIDGE 8.8 MG/1.51 ML (FINAL CONC.)	5	PA; NM; NDS
SAIZEN SUBCUTANEOUS RECON SOLN 5 MG, 8.8 MG	5	PA; NM; NDS
SANDOSTATIN LAR DEPOT INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 10 MG, 20 MG, 30 MG	5	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML	5	PA NSO; NM; NDS; QL (1 per 28 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML	5	PA; NM; NDS; QL (1 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NM; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	5	NM; NDS; QL (1 per 360 days)
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	5	NM; NDS; QL (1 per 168 days)
ZOMACTON SUBCUTANEOUS RECON SOLN 10 MG	5	PA; NM; NDS
ZOMACTON SUBCUTANEOUS RECON SOLN 5 MG	4	PA
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	QL (10 per 28 days)
<i>hydroxyprogesterone cap (ppres) (Makena) intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular (Depo-Provera) suspension 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone intramuscular (Depo-Provera) syringe 150 mg/ml</i>	2	GC; QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 (Provera) mg, 2.5 mg, 5 mg</i>	1	GC
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	GC
<i>norethindrone acetate oral tablet 5 (Aygestin) mg</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	GC	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	GC	
Thyroid And Antithyroid Agents			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	GC	
<i>levothyroxine oral tablet 300 mcg</i>	(Levo-T)	1	GC
<i>liothyronine oral tablet 25 mcg, 50 mcg</i>	(Cytomel)	2	GC
<i>methimazole oral tablet 10 mg, 5 mg</i>	(Tapazole)	1	GC
<i>propylthiouracil oral tablet 50 mg</i>		2	GC
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NM; NDS	
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NM; NDS	
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NM; NDS	
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	NM; NDS	
AVSOLA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS	
<i>azathioprine oral tablet 50 mg</i>	(Imuran)	2	PA BvD; GC
<i>azathioprine sodium injection recon soln 100 mg</i>		2	PA BvD; GC
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS	
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	2	PA BvD; GC
<i>cyclosporine modified oral capsule</i> 50 mg	2	PA BvD; GC
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	2	PA BvD; GC
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	2	PA BvD; GC
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NM; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NM; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NM; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS
<i>everolimus (immunosuppressive)</i> (Zortress) oral tablet 0.25 mg	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
everolimus (immunosuppressive) oral tablet 0.5 mg, 0.75 mg (Zortress)	5	PA BvD; NM; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	4	PA BvD
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	5	PA; NM; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA BvD; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA BvD; NM; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	5	PA BvD; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA BvD; NM; NDS
<i>gengraf</i> oral capsule 100 mg, 25 mg	2	PA BvD; GC
<i>gengraf</i> oral solution 100 mg/ml	2	PA BvD; GC
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA PEN SUBCUTANEOUS INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NM; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NM; NDS
HYPERRAB (PF) INTRAMUSCULAR SOLUTION 300 UNIT/ML	4	
HYPERRAB S/D (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA BvD; NM; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
IMOGAM RABIES-HT (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
KEDRAB (PF) INTRAMUSCULAR SOLUTION 150 UNIT/ML	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i>	2	GC
<i>mycophenolate mofetil (hcl) (CellCept Intravenous) intravenous recon soln 500 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral capsule (CellCept) 250 mg</i>	2	PA BvD; GC
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	5	PA BvD; NM; NDS
<i>mycophenolate mofetil oral tablet (CellCept) 500 mg</i>	2	PA BvD; GC
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NM; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	5	PA BvD; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	5	PA; NM; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NM; NDS
OTEZLA ORAL TABLET 30 MG	5	PA; NM; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD; ST
RASUVO (PF) SUBCUTANEOUS AUTO- INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	3	
REMICADE INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	5	NM; NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	5	PA; NM; NDS
SILIQ SUBCUTANEOUS SYRINGE 210 MG/1.5 ML	5	PA; NM; NDS
SIMPONI ARIA INTRAVENOUS SOLUTION 12.5 MG/ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML, 50 MG/0.5 ML	5	PA; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	5	PA BvD; NM; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune)	2	PA BvD; GC
<i>sirolimus oral tablet 2 mg</i> (Rapamune)	5	PA BvD; NM; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NM; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD; GC
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE (2 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE (3 PACK) SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	5	PA; NM; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	5	PA; NM; NDS
ZORTRESS ORAL TABLET 1 MG	5	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF- MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3- 4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	QL (2 per 365 days)
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	QL (1 per 365 days)

Inflammatory Bowel Disease

Agents

Inflammatory Bowel Disease Agents

<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	GC
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NM; NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	GC
<i>budesonide oral capsule, delayed, extend.release 3 mg</i> (Entocort EC)	2	GC
<i>colocort rectal enema 100 mg/60 ml</i>	2	GC
DIPENTUM ORAL CAPSULE 250 MG	5	ST; NM; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	4	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	2	GC
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	2	GC
<i>mesalamine oral tablet, delayed release (dr/lec) 1.2 gram</i> (Lialda)	2	GC
<i>mesalamine oral tablet, delayed release (dr/lec) 800 mg</i> (Asacol HD)	2	GC
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	5	NM; NDS
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	2	GC
UCERIS RECTAL FOAM 2 MG/ACTUATION		3	
Irrigating Solutions			
Irrigating Solutions			
LACTATED RINGERS IRRIGATION SOLUTION		4	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
<i>alendronate oral tablet 10 mg, 5 mg</i>		1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i>	(Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i>	(Miacalcin)	5	NM; NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>		2	GC; QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>		2	GC
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>	(Rocaltrol)	2	GC
<i>calcitriol oral solution 1 mcg/ml</i>	(Rocaltrol)	2	GC
<i>cinacalcet oral tablet 30 mg</i>	(Sensipar)	2	GC; QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg</i>	(Sensipar)	5	NM; NDS; QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i>	(Sensipar)	5	NM; NDS; QL (120 per 30 days)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i>	(Hectorol)	2	GC
EVENITY SUBCUTANEOUS SYRINGE 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2)		5	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (620MCG/2.48ML)		3	PA; QL (2.4 per 28 days)
<i>ibandronate intravenous solution 3 mg/3 ml</i>		2	GC; QL (3 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	2	GC; QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg (Boniva)</i>	2	GC; QL (1 per 28 days)
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	5	NM; NDS
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; NDS; QL (2 per 28 days)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	2	GC
<i>paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar)</i>	2	GC
<i>paricalcitol oral capsule 4 mcg</i>	2	GC
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	ST; QL (1 per 180 days)
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	3	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg (Actonel)</i>	2	GC; QL (1 per 28 days)
<i>risedronate oral tablet 30 mg</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet 35 mg (Actonel)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	2	GC; QL (4 per 28 days)
<i>risedronate oral tablet 5 mg (Actonel)</i>	2	GC; QL (30 per 30 days)
<i>risedronate oral tablet, delayed release (dr/lec) 35 mg (Atelvia)</i>	2	GC; QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	2	GC
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	2	GC
<i>zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml</i>	2	GC; QL (100 per 300 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NM; NDS
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; NDS
BENLYSTA SUBCUTANEOUS AUTO-Injector 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
CYSTADANE ORAL POWDER 1 GRAM/1.7 ML	5	NM; NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	2	GC
ELMIRON ORAL CAPSULE 100 MG	5	NM; NDS; QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	5	PA; NM; NDS
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	5	NM; NDS
GVOKE HYPOOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	3	
GVOKE HYPOOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	3	
GVOKE HYPOOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	3	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	3	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine pamoate oral capsule 100 mg</i>	2	GC
<i>hydroxyzine pamoate oral capsule (Vistaril) 25 mg, 50 mg</i>	2	GC
KEVEYIS ORAL TABLET 50 MG	5	PA; NM; NDS; QL (120 per 30 days)
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	2	GC
<i>leucovorin calcium injection solution 10 mg/ml</i>	2	GC
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	2	GC
<i>levocarnitine (with sugar) oral solution 100 mg/ml (Carnitor)</i>	2	GC
<i>levocarnitine oral tablet 330 mg (Carnitor)</i>	2	GC
<i>levoleucovorin calcium intravenous recon soln 50 mg (Fusilev)</i>	5	NM; NDS
<i>mesna intravenous solution 100 mg/ml (Mesnex)</i>	2	GC
MESNEX ORAL TABLET 400 MG	5	NM; NDS
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	5	PA; NM; NDS
<i>pyridostigmine bromide oral syrup 60 mg/5 ml (Mestinon)</i>	2	GC
<i>pyridostigmine bromide oral tablet 30 mg</i>	2	GC
<i>pyridostigmine bromide oral tablet 60 mg (Mestinon)</i>	2	GC
RECTIV RECTAL OINTMENT 0.4 % (W/W)	4	QL (30 per 30 days)
TAKHYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
TOTECT INTRAVENOUS RECON SOLN 500 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	5	NM; NDS; QL (24 per 14 days)
XURIDEN ORAL GRANULES IN PACKET 2 GRAM	5	PA; NM; NDS; QL (120 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	GC
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	GC
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	GC
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	GC
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	GC
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i>	2	GC
<i>dorzolamide-timolol ophthalmic (Cosopt) (eye) drops 22.3-6.8 mg/ml</i>	2	GC
<i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i>	1	GC; QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	GC
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	QL (2.5 per 25 days)
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	GC
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	GC
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	4	
<i>travoprost (benzalkonium) ophthalmic (eye) drops 0.004 %</i>	2	GC; QL (2.5 per 25 days)
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	2	GC; QL (2.5 per 25 days)
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	2	GC
IONOSOL-B IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
IONOSOL-MB IN D5W INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %	4	
ISOLYTE-S INTRAVENOUS PARENTERAL SOLUTION	4	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	GC
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	GC
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	GC
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	GC
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	PA BvD; GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	PA BvD; GC
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	PA BvD; GC
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION	4	
NORMOSOL-R PH 7.4 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION	4	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	4	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	2	PA BvD; GC
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	GC
<i>potassium chloride oral tablet (K-Tab) extended release 10 meq, 8 meq</i>	2	GC
<i>potassium chloride oral tablet,er (Klor-Con M10) particles/crystals 10 meq</i>	2	GC
<i>potassium chloride oral tablet,er (Klor-Con M20) particles/crystals 20 meq</i>	2	GC
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 10) extended release 10 meq (1,080 mg)</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 15) extended release 15 meq</i>	2	GC
<i>potassium citrate oral tablet (Urocit-K 5) extended release 5 meq (540 mg)</i>	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sodium chloride 0.9 % intravenous parenteral solution	2	GC
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled		
Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	GC; QL (60 per 30 days)
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE	3	QL (60 per 30 days)
budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)	2	PA BvD; GC
FLOVENT 100 MCG DISKUS 100 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT 250 MCG DISKUS 250 MCG/ACTUATION	3	QL (120 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION	3	QL (60 per 30 days)
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION	3	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION	3	QL (12 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION	3	QL (24 per 28 days)
FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION	3	QL (21.2 per 28 days)
SYMBICORT INHALATION HFA AEROSOL INHALER 160- 4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	QL (30.6 per 30 days)
Antileukotrienes		
montelukast oral tablet 10 mg (Singulair)	1	GC
montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)	1	GC
zafirlukast oral tablet 10 mg, 20 mg (Accolate)	2	GC
Bronchodilators		
albuterol 5 mg/ml solution 5 mg/ml	2	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation	2	GC; QL (17 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)	2	GC; QL (13.4 per 30 days)
albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)	2	GC; QL (36 per 30 days)
albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)	2	PA BvD; GC; QL (360 per 30 days)
albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml	2	PA BvD; GC; QL (120 per 30 days)
albuterol sulfate oral syrup 2 mg/5 ml	2	GC
albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg	2	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	3	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	3	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 28 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation solution 0.02 %</i>	2	PA BvD; GC; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg (2.5 mg base)/3 ml</i>	2	PA BvD; GC; QL (540 per 30 days)
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	GC
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	3	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	3	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	2	GC
<i>terbutaline subcutaneous solution 1 mg/ml</i>	5	NM; NDS
<i>theophylline oral solution 80 mg/15 ml</i>	2	GC
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	2	GC
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	GC
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	3	QL (60 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i>	2	GC
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD; GC
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NM; NDS; QL (560 per 28 days)
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD; GC
DALIRESP ORAL TABLET 250 MCG	3	QL (28 per 28 days)
DALIRESP ORAL TABLET 500 MCG	3	QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (56 per 28 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (56 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML	5	PA BvD; NM; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA BvD; NM; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D)/150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NM; NDS; QL (84 per 28 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg</i>	2	GC
<i>chlorzoxazone oral tablet 250 mg</i>	5	NM; NDS
<i>chlorzoxazone oral tablet 500 mg</i>	2	GC
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	GC
<i>dantrolene oral capsule 100 mg</i>	2	GC
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	GC
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	2	GC
<i>revonto intravenous recon soln 20 mg</i>	2	GC
<i>tizanidine oral tablet 2 mg</i>	2	GC
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	GC
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; GC; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	GC; QL (30 per 30 days)
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML	5	PA; NM; NDS; QL (150 per 30 days)
HETLIOZ ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	4	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	5	PA; NM; LA; NDS; QL (540 per 30 days)
XYWAV ORAL SOLUTION 0.5 GRAM/ML	5	PA; NM; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	2	GC; QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NM; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg (Letairis)</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg</i>	2	PA; GC
<i>epoprostenol (glycine) intravenous recon soln 1.5 mg</i>	5	PA; NM; NDS
OPSUMIT ORAL TABLET 10 MG	5	PA; NM; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	5	PA; NM; NDS; QL (37.5 per 1 day)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	2	PA; GC; QL (90 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	5	PA; NM; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
<i>treprostин sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i>	5	PA; NM; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Vitamins And Minerals		
Vitamins And Minerals		
SE-NATAL-19 ORAL TABLET 29 MG IRON- 1 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

<i>abacavir</i>	60	<i>a-hydrocort</i>	115	<i>amethia lo</i>	90
<i>abacavir-lamivudine</i>	60	AIMOVIG		<i>amiloride</i>	81
<i>abacavir-lamivudine-</i>		AUTOINJECTOR.....	48	<i>amiloride-hydrochlorothiazide</i> ..	81
<i>zidovudine</i>	60	AJOVY AUTOINJECTOR....	48	AMINOSYN 10 %.....	71
ABELCET.....	45	AJOVY SYRINGE.....	48	AMINOSYN 7 % WITH	
ABILIFY MAINTENA.....	55	AKYNZEO		ELECTROLYTES.....	71
ABRAXANE.....	17	(FOSNETUPITANT).....	50	AMINOSYN 8.5 %.....	71
<i>acamprosate</i>	8	AKYNZEO		AMINOSYN 8.5 %-	
<i>acarbose</i>	41	(NETUPITANT).....	50	ELECTROLYTES.....	71
<i>accutane</i>	97	<i>ala-cort</i>	99	AMINOSYN II 10 %.....	71
<i>acebutolol</i>	78	<i>albendazole</i>	52	AMINOSYN II 15 %.....	71
<i>acetaminophen-codeine</i>	3	<i>albuterol sulfate</i>	141	AMINOSYN II 7 %.....	72
<i>acetazolamide</i>	137	<i>alclometasone</i>	99	AMINOSYN II 8.5 %.....	72
<i>acetazolamide sodium</i>	137	ALCOHOL PADS.....	98	AMINOSYN II 8.5 %-	
<i>acetic acid</i>	105	ALDURAZYME.....	102	ELECTROLYTES.....	72
<i>acetic acid-aluminum acetate</i> ..	105	ALECENSA.....	18	AMINOSYN M 3.5 %.....	72
<i>acetylcysteine</i>	143	<i>alendronate</i>	133	AMINOSYN-HBC 7%.....	72
<i>acitretin</i>	97	<i>alfuzosin</i>	112	AMINOSYN-PF 10 %.....	72
ACTEMRA.....	121	ALIMTA.....	18	AMINOSYN-PF 7 %	
ACTEMRA ACTPEN.....	121	ALINIA.....	52	(SULFITE-FREE).....	72
ACTHIB (PF).....	128	ALIQOPA.....	18	AMINOSYN-RF 5.2 %.....	72
ACTIMMUNE.....	135	<i>aliskiren</i>	84	<i>amiodarone</i>	77
<i>acyclovir</i>	66, 97	<i>allopurinol</i>	47	AMITIZA.....	109
<i>acyclovir sodium</i>	66	<i>alosetron</i>	132	<i>amitriptyline</i>	38
ADACEL(TDAP		ALPHAGAN P.....	137	<i>amlodipine</i>	81
ADOLESN/ADULT)(PF)....	128	<i>alprazolam</i>	9	<i>amlodipine-benazepril</i>	81
ADAKVEO.....	70	ALREX.....	107	<i>amlodipine-valsartan</i>	81
<i>adapalene</i>	101	<i>altavera (28)</i>	89	<i>ammonium lactate</i>	98
ADCETRIS.....	17	ALTRENO.....	101	<i>amoxapine</i>	38
<i>adefovir</i>	66	ALUNBRIG.....	18	<i>amoxicillin</i>	14, 15
ADEMPAS.....	146	<i>alyacen 1/35 (28)</i>	89	<i>amoxicillin-pot clavulanate</i>	15
<i>adriamycin</i>	17	<i>alyacen 7/7/7 (28)</i>	89	<i>amphotericin b</i>	45
<i>adrucil</i>	17	<i>alyq</i>	146	<i>ampicillin</i>	15
ADVAIR DISKUS.....	140	<i>amabelz</i>	114	<i>ampicillin sodium</i>	15
ADVAIR HFA.....	140	<i>amantadine hcl</i>	53	<i>ampicillin-sulbactam</i>	15
AFINITOR.....	18	AMBISOME.....	45	ANADROL-50.....	113
AFINITOR DISPERZ.....	18	<i>ambrisentan</i>	146	<i>anagrelide</i>	70
<i>afirmelle</i>	89	<i>amethia</i>	90	<i>anastrozole</i>	18

ANORO ELLIPTA	142	AVASTIN	18	<i>betamethasone dipropionate</i>	99
APOKYN	53	<i>aviane</i>	90	<i>betamethasone valerate</i>	99
<i>apraclonidine</i>	104	AVONEX	85	<i>betamethasone, augmented</i>	99, 100
<i>aprepitant</i>	50, 51	AVSOLA	121	BETASERON	85
<i>apri</i>	90	<i>ayuna</i>	90	<i>betaxolol</i>	78
APTIOM	32	AYVAKIT	18	<i>bethanechol chloride</i>	112
APTIVUS	60	<i>azacitidine</i>	18	BEVYXXA	67
APTIVUS (WITH VITAMIN E)	60	<i>azathioprine</i>	121	<i>bexarotene</i>	19
<i>aranelle</i> (28)	90	<i>azathioprine sodium</i>	121	BEXSERO	128
ARCALYST	121	<i>azelastine</i>	104	<i>bicalutamide</i>	19
<i>ariPIPrazole</i>	55	<i>azithromycin</i>	13, 14	BICILLIN L-A	15
ARISTADA	55, 56	AZOPT	137	BIDIL	84
ARISTADA INITIO	55	<i>aztreonam</i>	14	BIKTARVY	60
<i>armodafinil</i>	145	<i>azurette</i> (28)	90	<i>bisoprolol fumarate</i>	78
ARNUITY ELLIPTA	140	<i>bacitracin</i>	105	<i>bisoprolol-hydrochlorothiazide</i>	78
<i>arsenic trioxide</i>	18	<i>bacitracin-polymyxin b</i>	105	BLENREP	19
<i>asenapine maleate</i>	56	<i>baclofen</i>	145	<i>bleomycin</i>	19
<i>ashlyna</i>	90	<i>balsalazide</i>	132	<i>bleph-10</i>	105
ASPARLAS	18	BALVERSA	18	BLINCYTO	19
<i>aspirin-dipyridamole</i>	71	BANZEL	32	<i>blisovi 24 fe</i>	90
ASSURE ID INSULIN SAFETY	102	BAVENCIO	19	<i>blisovi fe 1.5/30</i> (28)	90
<i>atazanavir</i>	60	BAXDELA	16	<i>blisovi fe 1/20</i> (28)	90
<i>atenolol</i>	78	BCG VACCINE, LIVE (PF)	128	BOOSTRIX TDAP	128
<i>atenolol-chlorthalidone</i>	78	BD ULTRA-FINE NANO PEN NEEDLE	102	BORTEZOMIB	19
<i>atomoxetine</i>	85	BD VEO INSULIN SYR (HALF UNIT)	102	BOSULIF	19
<i>atorvastatin</i>	83	BD VEO INSULIN SYRINGE UF	102	BRAFTOVI	19
<i>atovaquone</i>	52	<i>bekyree</i> (28)	90	BREO ELLIPTA	140
<i>atovaquone-proguanil</i>	52	BELEODAQ	19	BREZTRI AEROSPHERE ..	142
<i>atropine</i>	104	BELSOMRA	145	<i>briellyn</i>	90
ATROVENT HFA	142	<i>benazepril</i>	76	BRILINTA	71
AUBAGIO	85	BENDEKA	19	<i>brimonidine</i>	137
<i>aubra eq</i>	90	BENLYSTA	135	BRIVIACT	32, 33
<i>aurovela 1.5/30</i> (21)	90	<i>benztropine</i>	53	<i>bromocriptine</i>	53
<i>aurovela 1/20</i> (21)	90	BESIVANCE	105	BROMSITE	107
<i>aurovela 24 fe</i>	90	BESPONSA	19	BRONCHITOL	143
<i>aurovela fe 1.5/30</i> (28)	90	<i>betamethasone acet,sod phos</i> ..	115	BRUKINSA	19
<i>aurovela fe 1-20</i> (28)	90			<i>budesonide</i>	132, 140
AUSTEDO	85			<i>bumetanide</i>	81, 82
				<i>buprenorphine hcl</i>	3, 8
				<i>buprenorphine-naloxone</i>	8

<i>bupropion hcl</i>	38	<i>cefepime</i>	12	<i>CINQAIR</i>	143
<i>bupropion hcl (smoking deter)</i>	8	<i>cefixime</i>	12	<i>CINRYZE</i>	68
<i>buspirone</i>	9	<i>cefotaxime</i>	13	<i>CINVANTI</i>	51
<i>butalbital-acetaminophen-caff</i>	3	<i>cefoxitin</i>	13	<i>ciprofloxacin</i>	16
<i>butalbital-aspirin-caffeine</i>	3	<i>cefpodoxime</i>	13	<i>ciprofloxacin hcl</i>	16, 105
BYNFEZIA	117	<i>cefprozil</i>	13	<i>ciprofloxacin in 5 % dextrose</i> ...	16
BYSTOLIC	78	<i>ceftazidime</i>	13	<i>ciprofloxacin-dexamethasone</i> . 105	
CABENUVA	61	<i>ceftriaxone</i>	13	<i>citalopram</i>	38
<i>cabergoline</i>	53	<i>cefuroxime axetil</i>	13	<i>clarithromycin</i>	14
CABLIVI	70	<i>cefuroxime sodium</i>	13	CLENPIQ	111
CABOMETYX	19	<i>celecoxib</i>	6	<i>clindamycin hcl</i>	11
<i>caffeine citrate</i>	85	CELONTIN	33	CLINDAMYCIN IN 0.9 %	
<i>calcipotriene</i>	98	<i>cephalexin</i>	13	SOD CHLOR	11
<i>calcitonin (salmon)</i>	133	CERDELGA	102	<i>clindamycin in 5 % dextrose</i>	11
<i>calcitriol</i>	133	CEREZYME	102	CLINDAMYCIN IN 5 %	
<i>calcium acetate(phosphat bind)</i>	111	CHANTIX	8	DEXTROSE	11
<i>calcium chloride</i>	138	CHANTIX CONTINUING MONTH BOX	8	<i>clindamycin phosphate</i> .. 11, 48, 98	
CALDOLOR	6	CHANTIX STARTING MONTH BOX	8	CLINIMIX 5%/D15W	
CALQUENCE	19	<i>chateal eq (28)</i>	91	SULFITE FREE	72
<i>camila</i>	90	<i>chloramphenicol sod succinate</i> .. 11		CLINIMIX 5%/D25W	
CAPASTAT	50	<i>chlordiazepoxide hcl</i>	9	SULFITE-FREE	72
CAPLYTA	56	<i>chlorhexidine gluconate</i>	97	CLINIMIX 4.25%/D10W	
CAPRELSA	19	<i>chloroquine phosphate</i>	52	SULF FREE	72
<i>captopril</i>	76	<i>chlorothiazide</i>	82	CLINIMIX 4.25%/D5W	
CARBAGLU	109	<i>chlorothiazide sodium</i>	82	SULFIT FREE	73
<i>carbamazepine</i>	33	<i>chlorpromazine</i>	56	CLINIMIX 5%- D20W(SULFITE-FREE)	73
<i>carbidopa-levodopa</i>	53	<i>chlorthalidone</i>	82	CLINIMIX 6%-D5W	
<i>carbidopa-levodopa- entacapone</i>	53, 54	<i>chlorzoxazone</i>	145	(SULFITE-FREE)	73
<i>carteolol</i>	137	<i>cholestyramine (with sugar)</i>	83	CLINIMIX 8%- D10W(SULFITE-FREE)	73
<i>cartia xt</i>	79	<i>cholestyramine light</i>	83	CLINIMIX 8%- D14W(SULFITE-FREE)	73
<i>carvedilol</i>	78	<i>ciclopirox</i>	45, 46	CLINIMIX E 2.75%/D5W	
<i>caspofungin</i>	45	<i>cilostazol</i>	71	SULF FREE	73
CAYSTON	14	CIMDUO	61	CLINIMIX E 4.25%/D10W	
<i>caziant (28)</i>	90	<i>cimetidine hcl</i>	108	SUL FREE	73
<i>cefaclor</i>	12	CIMZIA	121		
<i>cefadroxil</i>	12	CIMZIA POWDER FOR RECONST	121		
<i>cefazolin</i>	12	<i>cinacalcet</i>	133		
<i>cefdinir</i>	12				

CLINIMIX E 4.25%/D5W	
SULF FREE.....	73
CLINIMIX E 5%/D15W	
SULFIT FREE.....	73
CLINIMIX E 5%/D20W	
SULFIT FREE.....	73
CLINIMIX E 8%-D10W	
SULFITEFREE.....	74
CLINIMIX E 8%-D14W	
SULFITEFREE.....	74
CLINOLIPID.....	74
clobazam.....	33
clobetasol.....	100
clobetasol-emollient	100
clofarabine.....	19
clomipramine.....	38
clonazepam.....	9
clonidine.....	75
clonidine hcl.....	75
clopидогrel.....	71
clorazepate dipotassium.....	9
clotrimazole.....	46
clotrimazole-betamethasone	46
clovique.....	113
clozapine.....	56
COARTEM.....	52
codeine sulfate.....	3
colchicine.....	47
colesevelam.....	83
colestipol.....	83
colistin (colistimethate na)	11
colocort.....	132
COMBIGAN.....	137
COMBIVENT RESPIMAT..	142
COMETRIQ.....	20
COMPLERA.....	61
compro.....	51
constulose.....	109
COPAXONE.....	85, 86
COPIKTRA.....	20
CORLANOR.....	80
cormax.....	100
cortisone.....	115
COSENTYX.....	122
COSENTYX (2 SYRINGES)	
.....	122
COSENTYX PEN (2 PENS)	122
COTELLIC.....	20
CREON.....	103
CRIXIVAN.....	61
cromolyn.....	104, 109, 143
cryselle (28)	91
cyclafem 1/35 (28)	91
cyclafem 7/7/7 (28)	91
cyclobenzaprine.....	145
cyclopentolate.....	104
cyclophosphamide.....	20
CYCLOPHOSPHAMIDE.....	20
cyclosporine.....	122
cyclosporine modified.....	122
cyproheptadine.....	47
CYRAMZA.....	20
cyred eq.....	91
CYSTADANE.....	135
CYSTARAN.....	104
dalfampridine.....	86
DALIRESP.....	143
danazol.....	113
dantrolene	145
DANYELZA.....	20
dapsone.....	50
DAPTACEL (DTAP PEDIATRIC) (PF).....	128
daptomycin.....	11
DARZALEX.....	20
DARZALEX FASPRO.....	20
dasetta 1/35 (28)	91
dasetta 7/7/7 (28)	91
DAURISMO.....	20
daysee.....	91
deblitane.....	91
decitabine.....	20
deferasirox.....	113
deferiprone.....	113
deferoxamine.....	113
DELSTRIGO.....	61
denta 5000 plus.....	97
dentagel.....	97
DEPO-PROVERA.....	120
DESCOVY.....	61
desipramine.....	38
desmopressin.....	117
desog-e.estradiolle.estriadiol....	91
desogestrel-ethinyl estradiol....	91
desoximetasone.....	100
desvenlafaxine succinate	38
dexamethasone.....	115, 116
dexamethasone sodium phos (pf)	116
dexamethasone sodium phosphate.....	107, 116
dexmethylphenidate.....	86
dextroamphetamine.....	86
dextroamphetamine- amphetamine	86
dextrose 10 % in water (d10w)	74
dextrose 5 % in water (d5w) ...	74
DIACOMIT.....	33
diazepam.....	9, 10, 33
diazepam intensol.....	9
diazoxide.....	135
diclofenac epolamine	6
diclofenac potassium	6
diclofenac sodium	6, 107
dicloxacillin.....	15
dicyclomine.....	109
didanosine.....	61
DIFICID.....	14
digitek.....	80
digox.....	80

<i>digoxin</i>	80	DUREZOL.....	107	ENBREL MINI.....	122
<i>dihydroergotamine</i>	48	<i>dutasteride</i>	112	ENBREL SURECLICK	122
<i>diltiazem hcl</i>	79	<i>econazole</i>	46	ENDARI.....	135
<i>dilt-xr</i>	79	EDARBI.....	76	<i>endocet</i>	3
<i>dimenhydrinate</i>	51	EDARBYCLOR.....	76	ENGERIX-B (PF).....	128
<i>dimethyl fumarate</i>	86	EDURANT.....	61	ENGERIX-B PEDIATRIC (PF).....	128
DIPENTUM.....	132	<i>efavirenz</i>	61	ENHERTU.....	21
<i>diphenhydramine hcl</i>	47	<i>efavirenz-emtricitabin-tenofov</i> ..	61	<i>enoxaparin</i>	67
<i>diphenoxylate-atropine</i>	109	<i>efavirenz-lamivu-tenofov disop</i> . 61		<i>empresse</i>	91
<i>dipyridamole</i>	71	EGRIFTA.....	117	<i>enskyce</i>	91
<i>disopyramide phosphate</i>	77	EGRIFTA SV.....	117	<i>entacapone</i>	54
<i>disulfiram</i>	8	ELAPRASE.....	103	<i>entecavir</i>	66
<i>divalproex</i>	33	ELIGARD.....	21	ENTRESTO.....	76
<i>dofetilide</i>	77	ELIGARD (3 MONTH).....	21	<i>enulose</i>	109
<i>donepezil</i>	37	ELIGARD (4 MONTH).....	21	EPCLUSA.....	65
DOPTELET (10 TAB PACK) 68		ELIGARD (6 MONTH).....	21	EPIDIOLEX.....	34
DOPTELET (15 TAB PACK) 68		<i>elinest</i>	91	<i>epinastine</i>	104
DOPTELET (30 TAB PACK) 68		ELIQUIS.....	67	<i>epinephrine</i>	80
<i>dorzolamide</i>	137	ELIQUIS DVT-PE TREAT		<i>epitol</i>	34
<i>dorzolamide-timolol</i>	137	30D START.....	67	EPIVIR HBV.....	61
<i>dotti</i>	114	ELITEK.....	103	<i>eplerenone</i>	84
DOVATO.....	61	ELLA.....	91	<i>epoprostenol (glycine)</i>	146
<i>doxazosin</i>	75	ELMIRON.....	135	ERBITUX.....	21
<i>doxepin</i>	38, 39	<i>eluryng</i>	91	<i>ergoloid</i>	37
<i>doxercalciferol</i>	133	EMCYT.....	21	ERGOMAR.....	49
<i>doxorubicin</i>	20	EMEND.....	51	ERIVEDGE.....	21
<i>doxorubicin, peg-liposomal</i>	20	EMFLAZA.....	116	ERLEADA.....	21
<i>doxy-100</i>	17	EMGALITY PEN.....	48	<i>erlotinib</i>	21
<i>doxycycline hyclate</i>	17	EMGALITY SYRINGE.....	49	<i>errin</i>	91
<i>doxycycline monohydrate</i>	17	<i>emoquette</i>	91	<i>ertapenem</i>	14
DRIZALMA SPRINKLE.....	39	EMPICITI.....	21	<i>ery pads</i>	98
<i>dronabinol</i>	51	EMSAM.....	39	<i>erythromycin</i>	14, 105
<i>droperidol</i>	51	<i>emtricitabine</i>	61	<i>erythromycin ethylsuccinate</i>	14
<i>drospirenone-ethynodiol est</i>	91	<i>emtricitabine-tenofovir (tdf)</i> ...	61	<i>erythromycin with ethanol</i>	98
DROXIA.....	20	EMTRIVA.....	61	ESBRIET.....	143
<i>droxidopa</i>	75	<i>enalapril maleate</i>	76	<i>escitalopram oxalate</i>	39
DUAVEE.....	114	<i>enalaprilat</i>	76	<i>esomeprazole sodium</i>	108
<i>duloxetine</i>	39	<i>enalapril-hydrochlorothiazide</i>		<i>estarylla</i>	91
DUPIXENT PEN.....	122	76, 77	<i>estradiol</i>	114
DUPIXENT SYRINGE.....	122	ENBREL.....	122		

<i>estradiol valerate</i>	114	<i>fentanyl citrate</i>	3	<i>fosaprepitant</i>	51
<i>estradiol-norethindrone acet</i>	115	FERRIPROX	113	<i>foscarnet</i>	65
<i>eszopiclone</i>	145	FETZIMA	39	<i>fosinopril</i>	77
<i>ethambutol</i>	50	FIASP FLEXTOUCH U-100		<i>fosphenytoin</i>	34
<i>ethosuximide</i>	34	INSULIN	43	FOTIVDA	22
<i>ethynodiol diac-eth estradiol</i>	91	FIASP PENFILL U-100		FREAMINE HBC 6.9 %	74
<i>etodolac</i>	6	INSULIN	43	FREAMINE III 10 %	74
<i>etonogestrel-ethinyl estradiol</i>	91	FIASP U-100 INSULIN	43	FULPHILA	69
ETOPOPHOS	21	<i>finasteride</i>	112	<i>fulvestrant</i>	22
<i>etoposide</i>	21	FINTEPLA	34	<i>furosemide</i>	82
<i>etravirine</i>	62	FIRVANQ	11	FUZEON	62
EUCRISA	100	FLEBOGAMMA DIF	123	<i>fyavolv</i>	115
EVENITY	133	<i>flecainide</i>	77	FYCOMPA	34
<i>everolimus</i>		FLOVENT DISKUS	140	<i>gabapentin</i>	34
(immunosuppressive)	122, 123	FLOVENT HFA	141	GALAFOLD	103
EVOTAZ	62	<i>flouxuridine</i>	21	<i>galantamine</i>	37
EVRYSDI	135	<i>fluconazole</i>	46	GAMASTAN	123
<i>exemestane</i>	21	<i>fluconazole in nacl (iso-osm)</i>	46	GAMIFANT	123
EXONDYS-51	135	<i>flucytosine</i>	46	GAMMAGARD LIQUID	123
EXTAVIA	86	<i>fludrocortisone</i>	116	GAMMAGARD S-D (IGA <	
<i>ezetimibe</i>	83	<i>flumazenil</i>	86	1 MCG/ML)	123
FABRAZYME	103	<i>flunisolide</i>	107	GAMMAPLEX	123
<i>falmina (28)</i>	92	<i>fluocinolone</i>	100	GAMMAPLEX (WITH	
<i>famciclovir</i>	67	<i>fluocinonide</i>	100	SORBITOL)	123
<i>famotidine</i>	108, 109	<i>fluocinonide-e</i>	100	<i>ganciclovir sodium</i>	67
<i>famotidine (pf)</i>	108	<i>fluoride (sodium)</i>	97	GARDASIL 9 (PF)	129
<i>famotidine (pf)-nacl (iso-os)</i>	108	<i>fluorometholone</i>	107	GATTEX 30-VIAL	109
FANAPT	56	<i>fluorouracil</i>	21, 98	GAUZE PAD	102
FARXIGA	41	<i>fluoxetine</i>	39	<i>gavilyte-c</i>	111
FARYDAK	21	<i>fluphenazine decanoate</i>	56	<i>gavilyte-g</i>	111
FASENRA	144	<i>fluphenazine hcl</i>	56, 57	<i>gavilyte-n</i>	111
FASENRA PEN	144	<i>flurbiprofen</i>	6	GAVRETO	22
<i>febuxostat</i>	47	<i>flurbiprofen sodium</i>	107	GAZYVA	22
<i>felbamate</i>	34	<i>flutamide</i>	21	<i>gemfibrozil</i>	83
FEMRING	115	<i>fluticasone propionate</i>	100, 107	<i>generlac</i>	110
<i>femynor</i>	92	<i>fluvoxamine</i>	39	<i>gengraf</i>	123
<i>fenofibrate</i>	83	<i>fomepizole</i>	135	GENOTROPIN	117
<i>fenofibrate micronized</i>	83	<i>fondaparinux</i>	68	GENOTROPIN	
<i>fenofibrate nanocrystallized</i>	83	FORTEO	133	MINIQUICK	117
<i>fentanyl</i>	3	<i>fosamprenavir</i>	62	<i>gentak</i>	105

<i>gentamicin</i>	10, 99, 105	HARVONI	65	<i>hydroxychloroquine</i>	52
<i>gentamicin sulfate (ped) (pf)</i>	10	HAVRIX (PF)	129	<i>hydroxyprogesterone</i>	
<i>gentamicin sulfate (pf)</i>	10	<i>heather</i>	92	<i>cap (ppres)</i>	120
GENVOYA	62	<i>heparin (porcine)</i>	68	<i>hydroxyurea</i>	22
GILENYA	86	<i>heparin, porcine (pf)</i>	68	<i>hydroxyzine hcl</i>	47, 48
GILOTRIF	22	HEPATAMINE 8%	74	<i>hydroxyzine pamoate</i>	136
GIVLAARI	70	HERCEPTIN	22	HYPERRAB (PF)	124
<i>glatiramer</i>	86	HERCEPTIN HYLECTA	22	HYPERRAB S/D (PF)	124
<i>glatopa</i>	86	HERZUMA	22	HYQVIA	124
<i>glimepiride</i>	45	HETLIOZ	145	<i>ibandronate</i>	133, 134
<i>glipizide</i>	45	HETLIOZ LQ	145	IBRANCE	22
<i>glipizide-metformin</i>	45	HIBERIX (PF)	129	<i>ibu</i>	6
<i>glyburide</i>	45	HUMATROPE	118	<i>ibuprofen</i>	6
<i>glyburide micronized</i>	45	HUMIRA	123	<i>icatibant</i>	81
<i>glyburide-metformin</i>	45	HUMIRA PEN	123	<i>iclevia</i>	92
<i>glycopyrrolate</i>	110	HUMIRA PEN CROHNS-		ICLUSIG	22
<i>glydo</i>	7	UC-HS START	123	IDHIFA	22
GOCOVRI	54	HUMIRA PEN PSOR-		<i>ifosfamide</i>	22
<i>granisetron (pf)</i>	51	UVEITS-ADOL HS	123	ILARIS (PF)	124
<i>granisetron hcl</i>	51	HUMIRA(CF)	124	ILEVRO	107
GRANIX	69	HUMIRA(CF) PEDI		ILUMYA	124
<i>griseofulvin microsize</i>	46	CROHNS STARTER	123	<i>imatinib</i>	22
<i>guanfacine</i>	75, 87	HUMIRA(CF) PEN	124	IMBRUVICA	22, 23
GVOKE HYPOPEN 1-PACK	135	HUMIRA(CF) PEN		IMFINZI	23
GVOKE HYPOPEN 2-PACK	135	CROHNS-UC-HS	124	<i>imipenem-cilastatin</i>	14
GVOKE PFS 1-PACK		HUMIRA(CF) PEN		<i>imipramine hcl</i>	39
SYRINGE	135	PEDIATRIC UC	124	<i>imiquimod</i>	98
GVOKE PFS 2-PACK		HUMIRA(CF) PEN PSOR-		IMLYGIC	23
SYRINGE	135	UV-ADOL HS	124	IMOGRAM RABIES-HT (PF)	
HAEGARDA	69	HUMULIN R U-500		IMOVA RABIES	
<i>hailey</i>	92	(CONC) INSULIN	43	VACCINE (PF)	129
<i>hailey 24 fe</i>	92	HUMULIN R U-500		IMPAVIDO	52
<i>hailey fe 1.5/30 (28)</i>	92	(CONC) KWIKPEN	43	INBRIJA	54
<i>hailey fe 1/20 (28)</i>	92	<i>hydralazine</i>	80, 81	<i>incassia</i>	92
<i>halobetasol propionate</i>	100	<i>hydrochlorothiazide</i>	82	INCRELEX	118
<i>haloperidol</i>	57	<i>hydrocodone-acetaminophen</i>	3	<i>indapamide</i>	82
<i>haloperidol decanoate</i>	57	<i>hydrocodone-ibuprofen</i>	3	<i>indomethacin</i>	6, 7
<i>haloperidol lactate</i>	57	<i>hydrocortisone</i>	100, 116, 132	INFANRIX (DTAP) (PF)	129
		<i>hydromorphone</i>	4	INFLECTRA	124
		<i>hydromorphone (pf)</i>	4		

INGREZZA	87	JANUMET	41	KISQALI FEMARA CO-	
INGREZZA INITIATION		JANUMET XR	41	PACK	23
PACK	87	JANUVIA	41	<i>klor-con m10</i>	138
INLYTA	23	JARDIANCE	41	<i>klor-con m15</i>	138
INQOVI	23	<i>jasmiel</i> (28)	92	<i>klor-con m20</i>	138
INREBIC	23	JEMPERLI	23	KORLYM	41
INSULIN SYRINGE-		<i>jencycla</i>	92	KOSELUGO	24
NEEDLE U-100	102	JENTADUETO	41	KRINTAFEL	53
INTELENCE	62	JENTADUETO XR	41	KRYSTEXXA	103
INTRALIPID	74	<i>jinteli</i>	115	<i>kurvelo</i> (28)	93
INTRON A	66	<i>juleber</i>	92	KYNMOBI	54
<i>introvale</i>	92	JULUCA	62	KYPROLIS	24
INVEGA SUSTENNA	57	<i>junel 1.5/30 (21)</i>	92	<i>l norgest/e.estradiol-e.estrad</i>	93
INVEGA TRINZA	57, 58	<i>junel 1/20 (21)</i>	92	<i>labetalol</i>	78
INVELTYS	108	<i>junel fe 1.5/30 (28)</i>	92	LACTATED RINGERS	133
INVIRASE	62	<i>junel fe 1/20 (28)</i>	92	<i>lactulose</i>	110
IONOSOL-B IN D5W	138	<i>junel fe 24</i>	92	<i>lamivudine</i>	62
IONOSOL-MB IN D5W	138	JUXTAPID	83	<i>lamivudine-zidovudine</i>	62
IPOL	129	JYNARQUE	82	<i>lamotrigine</i>	34
<i>ipratropium bromide</i>	105, 142	KABIVEN	74	<i>lansoprazole</i>	109
<i>ipratropium-albuterol</i>	142	KALETRA	62	LANTUS SOLOSTAR U-100	
<i>irbesartan</i>	76	<i>kalliga</i>	92	INSULIN	43
<i>irbesartan-hydrochlorothiazide</i>	76	KALYDECO	144	LANTUS U-100 INSULIN	43
IRESSA	23	KANJINTI	23	<i>lapatinib</i>	24
ISENTRESS	62	KANUMA	103	<i>larin 1.5/30 (21)</i>	93
ISENTRESS HD	62	<i>kariva</i> (28)	92	<i>larin 1/20 (21)</i>	93
<i>isibloom</i>	92	KEDRAB (PF)	124	<i>larin 24 fe</i>	93
ISOLYTE-P IN 5 %		<i>kelnor 1/35 (28)</i>	92	<i>larin fe 1.5/30 (28)</i>	93
DEXTROSE	138	<i>kelnor 1-50 (28)</i>	92	<i>larin fe 1/20 (28)</i>	93
ISOLYTE-S	138	KESIMPTA PEN	87	<i>larissia</i>	93
<i>isoniazid</i>	50	<i>ketoconazole</i>	46	<i>latanoprost</i>	137
<i>isosorbide dinitrate</i>	84	<i>ketorolac</i>	7, 108	LATUDA	58
<i>isosorbide mononitrate</i>	85	KEVEYIS	136	LAZANDA	4
<i>itraconazole</i>	46	KEVZARA	125	<i>ledipasvir-sofosbuvir</i>	65
<i>ivermectin</i>	53	KEYTRUDA	23	<i>leflunomide</i>	125
IXEMPRA	23	KINERET	125	LEMTRADA	87
IXIARO (PF)	129	KINRIX (PF)	129	LENVIMA	24
<i>jaimiess</i>	92	<i>kionex</i>	110	<i>lessina</i>	93
JAKAFI	23	<i>kionex (with sorbitol)</i>	110	<i>letrozole</i>	24
<i>jantoven</i>	68	KISQALI	24	<i>leucovorin calcium</i>	136

LEUKERAN	24	<i>lorcet hd</i>	4	MARPLAN	39
LEUKINE	69	<i>lorcet plus</i>	4	MATULANE	25
leuprolide	24	<i>loryna</i> (28)	93	MAVENCLAD (10 TABLET PACK)	87
levetiracetam	34, 35	<i>losartan</i>	76	MAVENCLAD (4 TABLET PACK)	87
levobunolol	137	<i>losartan-hydrochlorothiazide</i>	76	MAVENCLAD (5 TABLET PACK)	87
levocarnitine	136	LOTEMAX	108	MAVENCLAD (6 TABLET PACK)	87
levocarnitine (with sugar)	136	LOTEMAX SM	108	MAVENCLAD (7 TABLET PACK)	87
levocetirizine	48	<i>loteprednol etabonate</i>	108	MAVENCLAD (8 TABLET PACK)	87
levofloxacin	16, 105	<i>lovastatin</i>	83	MAVENCLAD (9 TABLET PACK)	87
levofloxacin in d5w	16	<i>low-ogestrel</i> (28)	93	MAVYRET	65
levoleucovorin calcium	136	<i>loxapine succinate</i>	58	MAYZENT	87
levonest (28)	93	<i>lo-zumandimine</i> (28)	94	MAYZENT STARTER PACK	87
levonorgestrel-ethinyl estrad	93	<i>lubiprostone</i>	110	meclizine	51
levonorg-eth estrad triphasic	93	LUCEMYRA	8	medroxyprogesterone	120
levora-28	93	LUMAKRAS	24	mefenamic acid	7
levothyroxine	121	LUMIGAN	137	mefloquine	53
LEXIVA	62	LUMOXITI	24	megestrol	25, 120
LIBTAYO	24	LUPRON DEPOT	25, 118	MEKINIST	25
<i>lidocaine</i>	7	LUPRON DEPOT (3 MONTH)	25, 118	MEKTOVI	25
<i>lidocaine (pf)</i>	7, 77	LUPRON DEPOT (4 MONTH)	25	meloxicam	7
<i>lidocaine hcl</i>	7	LUPRON DEPOT (6 MONTH)	25	memantine	37
<i>lidocaine viscous</i>	8	LUPRON DEPOT-PED	118	MENACTRA (PF)	129
<i>lidocaine-prilocaine</i>	8	LUPRON DEPOT-PED (3 MONTH)	118	MENQUADFI (PF)	130
<i>lillow</i> (28)	93	<i>lutera</i> (28)	94	MENVEO A-C-Y-W-135- DIP (PF)	130
linezolid	11	<i>lyeq</i>	94	MEPSEVIL	103
linezolid in dextrose 5%	11	<i>lyllana</i>	115	mercaptopurine	25
LINZESS	110	LYNPARZA	25	meropenem	14
<i>liothyronine</i>	121	LYSODREN	25	merzee	94
<i>lisinopril</i>	77	<i>lyza</i>	94	mesalamine	132
<i>lisinopril-hydrochlorothiazide</i>	77	<i>magnesium sulfate</i>	139	mesna	136
<i>lithium carbonate</i>	87	<i>magnesium sulfate in d5w</i>	138	MESNEX	136
LIVALO	83	<i>magnesium sulfate in water</i>	138, 139		
<i>lojaimiess</i>	93	<i>malathion</i>	101		
LOKELMA	110	<i>maprotiline</i>	39		
LONSURF	24	<i>marlissa</i> (28)	94		
<i>loperamide</i>	110				
<i>lopinavir-ritonavir</i>	62, 63				
<i>lorazepam</i>	10				
LORBRENA	24				
<i>lorcet (hydrocodone)</i>	4				

<i>metaproterenol</i>	142	<i>mirtazapine</i>	39, 40	<i>neomycin-bacitracin-poly-hc</i>	106
<i>metformin</i>	41, 42	<i>misoprostol</i>	109	<i>neomycin-bacitracin-</i>	
<i>methadone</i>	4	MITIGARE	47	<i>polymyxin</i>	106
<i>methadose</i>	4	<i>mitoxantrone</i>	25	<i>neomycin-polymyxin b gu</i>	99
<i>methenamine hippurate</i>	11	M-M-R II (PF)	130	<i>neomycin-polymyxin b-</i>	
<i>methimazole</i>	121	<i>molindone</i>	58	<i>dexameth</i>	106
<i>methocarbamol</i>	145	<i>mometasone</i>	100, 108	<i>neomycin-polymyxin-</i>	
<i>methotrexate sodium</i>	25	<i>monodoxyne nl</i>	17	<i>gramicidin</i>	106
<i>methotrexate sodium (pf)</i>	25	MONJUVI	25	<i>neomycin-polymyxin-hc</i>	106
<i>methoxsalen</i>	98	<i>mono-linyah</i>	94	<i>neo-polycin</i>	106
<i>methscopolamine</i>	110	<i>montelukast</i>	141	<i>neo-polycin hc</i>	106
<i>methyldopa</i>	75	<i>morphine</i>	4, 5	NEOSPORIN GU	
<i>methyldopa-</i>		MORPHINE	4	IRRIGANT	99
<i>hydrochlorothiazide</i>	75	<i>morphine concentrate</i>	4	NEPHRAMINE 5.4 %	74
<i>methylphenidate hcl</i>	88	MOVANTIK	110	NERLYNX	26
<i>methylprednisolone</i>	116	<i>moxifloxacin</i>	16, 105	NEULASTA	69
<i>methylprednisolone acetate</i>	116	MOZOBIL	69	NEUPOGEN	69
<i>methylprednisolone sodium succ</i>	116	MULPLETA	69	NEUPRO	54
<i>metipranolol</i>	137	MULTAQ	77	<i>nevirapine</i>	63
<i>metoclopramide hcl</i>	110	<i>mupirocin</i>	99	NEXAVAR	26
<i>metolazone</i>	82	MVASI	25	NEXLETOL	83
<i>metoprolol succinate</i>	78	<i>mycophenolate mofetil</i>	125	NEXLIZET	83
<i>metoprolol ta-hydrochlorothiaz</i>	78	<i>mycophenolate mofetil (hcl)</i>	125	<i>niacin</i>	83
<i>metoprolol tartrate</i>	78, 79	MYLOTARG	26	<i>niacor</i>	83
<i>metronidazole</i>	12, 48, 99	MYRBETRIQ	112	<i>nicardipine</i>	81
<i>metronidazole in nacl (iso-os)</i>	11	<i>nabumetone</i>	7	NICOTROL	9
<i>metyrosine</i>	81	<i>nafcillin</i>	15	<i>nifedipine</i>	81
<i>mexiletine</i>	77	<i>nafcillin in dextrose iso-osm</i>	15	<i>nikki (28)</i>	94
MIACALCIN	134	NAGLAZYME	103	<i>nilutamide</i>	26
<i>miconazole-3</i>	46	<i>naloxone</i>	8	NINLARO	26
<i>microgestin fe 1/20 (28)</i>	94	<i>naltrexone</i>	8	<i>nitazoxanide</i>	53
<i>midodrine</i>	75	NAMZARIC	38	<i>nitisinone</i>	103
<i>miglustat</i>	103	<i>naproxen</i>	7	<i>nitrofurantoin macrocrystal</i>	12
<i>mil</i>	94	NARCAN	9	<i>nitrofurantoin monohyd/m-cryst</i>	12
<i>milrinone</i>	81	NATACYN	106	<i>nitroglycerin</i>	85
<i>mimvey</i>	115	NATPARA	134	NITYR	103
<i>minitran</i>	85	NAYZILAM	35	NIVESTYM	69
<i>minocycline</i>	17	<i>necon 0.5/35 (28)</i>	94	<i>nizatidine</i>	109
<i>minoxidil</i>	85	<i>nefazodone</i>	40	NOCDURNA (MEN)	118
		<i>neomycin</i>	10		

NOCDURNA (WOMEN)....	118	NUBEQA.....	26	ONIVYDE.....	26
NORDITROPIN FLEXP <small>R</small>	118	NUCALA.....	144	ONTRUZANT.....	26
<i>norethindrone (contraceptive)</i> ..	94	NUEDEXTA.....	88	ONUREG.....	26
<i>norethindrone acetate</i>	120	NULOJIX.....	125	OPDIVO.....	26
<i>norethindrone ac-eth estradiol</i>	94, 115	NUPLAZID.....	58	OPSUMIT.....	146
<i>norethindrone-e.estradiol-iron</i> ..	94	NURTEC ODT.....	49	<i>oralone</i>	97
<i>norgestimate-ethinyl estradiol</i> ..	94	NUTRILIPID.....	74	ORENCIA.....	125
<i>norlyda</i>	94	NUTROPIN AQ NUSPIN...	118	ORENCIA (WITH MALTPOSE).....	125
NORMOSOL-M IN 5 %		<i>nyamyc</i>	46	ORENCIA CLICKJECT	125
DEXTROSE.....	139	<i>nylia 7/7/7 (28)</i>	95	ORFADIN.....	103
NORMOSOL-R PH 7.4.....	139	<i>nymyo</i>	95	ORGOVYX.....	119
<i>nortrel 0.5/35 (28)</i>	95	<i>nystatin</i>	46, 47	ORILISSA.....	119
<i>nortrel 1/135 (21)</i>	95	<i>nystop</i>	47	ORKAMBI.....	144
<i>nortrel 1/135 (28)</i>	95	NYVEPRIA.....	69	ORLADEYO.....	69
<i>nortrel 7/7/7 (28)</i>	95	OCALIVA.....	110	<i>orsythia</i>	95
<i>nortriptyline</i>	40	OCREVUS.....	88	<i>oseltamivir</i>	65
NORVIR.....	63	OCTAGAM.....	125	OSMOLEX ER.....	54
NOVOLIN 70/30 U-100		<i>octreotide acetate</i>	119	OTEZLA.....	125
INSULIN.....	43	ODEFSEY.....	63	OTEZLA STARTER	125
NOVOLIN 70-30 FLEXP <small>E</small> N		ODOMZO.....	26	<i>oxcarbazepine</i>	35
U-100.....	43	OFEV.....	144	OXLUMO.....	136
NOVOLIN N FLEXP <small>E</small> N	44	<i>ofloxacin</i>	106	OXTELLAR XR.....	35
NOVOLIN N NPH U-100		<i>ogestrel (28)</i>	95	<i>oxybutynin chloride</i>	112
INSULIN.....	44	OGIVRI.....	26	<i>oxycodone</i>	5
NOVOLIN R FLEXP <small>E</small> N	44	<i>olanzapine</i>	58	<i>oxycodone-acetaminophen</i>	5
NOVOLIN R REGULAR U-100 INSULN.....	44	<i>olmesartan</i>	76	<i>oxycodone-aspirin</i>	5
NOVOLOG FLEXP <small>E</small> N U-100 INSULIN.....	44	<i>olmesartan-</i> <i>hydrochlorothiazide</i>	76	OXYCONTIN.....	5
NOVOLOG MIX 70-30 U-100 INSULN.....	44	<i>olopatadine</i>	105	OZEMPIC.....	42
NOVOLOG MIX 70-30FLEXP <small>E</small> N U-100.....	44	OLUMIANT.....	125	<i>pacerone</i>	77
NOVOLOG PENFILL U-100 INSULIN.....	44	<i>omega-3 acid ethyl esters</i>	83	PADCEV.....	26
NOVOLOG U-100 INSULIN ASPART	44	<i>omeprazole</i>	109	<i>paliperidone</i>	58
NOXAFIL.....	46	<i>omeprazole-sodium</i> <i>bicarbonate</i>	109	PALYNZIQ.....	103
		OMNIPOD / VGO.....	102	PANRETIN.....	98
		OMNITROPE.....	119	<i>pantoprazole</i>	109
		ONCASPAR.....	26	<i>paricalcitol</i>	134
		<i>ondansetron</i>	51	<i>paroex oral rinse</i>	97
		<i>ondansetron hcl</i>	51	<i>paramomycin</i>	53
		<i>ondansetron hcl (pf)</i>	51	<i>paroxetine hcl</i>	40
				PAXIL.....	40

PEDIARIX (PF).....	130	<i>pioglitazone</i>	42	<i>prevalite</i>	84
PEDVAX HIB (PF).....	130	<i>piperacillin-tazobactam</i>	16	<i>previfem</i>	95
PEGANONE.....	35	<i>PIQRAY</i>	26, 27	<i>PREVYMIS</i>	65
PEGASYS.....	66	<i>pirmella</i>	95	<i>PREZCOBIX</i>	63
PEGINTRON.....	66	<i>PLASMA-LYTE 148</i>	139	<i>PREZISTA</i>	63
PEMAZYRE.....	26	<i>PLASMA-LYTE A</i>	139	<i>PRIFTIN</i>	50
PEN NEEDLE, DIABETIC	102	<i>PLEGRIDY</i>	88	<i>PRIMAQUINE</i>	53
<i>penicillamine</i>	113	<i>podofilox</i>	98	<i>primidone</i>	36
<i>penicillin g potassium</i>	15	<i>POLIVY</i>	27	<i>PRIVIGEN</i>	125
<i>penicillin g procaine</i>	15	<i>polycin</i>	106	<i>PROAIR RESPICLICK</i>	142
<i>penicillin v potassium</i>	16	<i>polymyxin b sulfate</i>	12	<i>probenecid</i>	47
PENNSAID.....	7	<i>polymyxin b sulf-trimethoprim</i>	106	<i>probenecid-colchicine</i>	47
PENTACEL (PF).....	130	<i>POMALYST</i>	27	<i>procainamide</i>	77
<i>pentamidine</i>	53	<i>PONVORY</i>	88	<i>PROCALAMINE 3%</i>	75
<i>pentoxifylline</i>	71	<i>PONVORY 14-DAY</i>		<i>prochlorperazine</i>	52
PEPAXTO.....	26	<i>STARTER PACK</i>	88	<i>prochlorperazine edisylate</i>	52
PERIKABIVEN.....	74	<i>portia 28</i>	95	<i>prochlorperazine maleate</i>	52
<i>perindopril erbumine</i>	77	<i>PORTRAZZA</i>	27	<i>procto-med hc</i>	101
<i>periogard</i>	97	<i>posaconazole</i>	47	<i>proctosol hc</i>	101
<i>permethrin</i>	101	<i>potassium chloride</i>	139	<i>protozone-hc</i>	101
<i>perphenazine</i>	58	<i>potassium chloride-0.45 % nacl</i>	139	<i>progesterone</i>	121
<i>perphenazine-amitriptyline</i>	40	<i>potassium citrate</i>	139	<i>progesterone micronized</i>	121
PERSERIS.....	58	<i>PRADAXA</i>	68	<i>PROGRAF</i>	126
<i>pfizerpen-g</i>	16	<i>PRALUENT PEN</i>	84	<i>PROLASTIN-C</i>	144
<i>phenadoz</i>	51	<i>pramipexole</i>	54	<i>PROLEUKIN</i>	27
<i>phenelzine</i>	40	<i>prasugrel</i>	71	<i>PROLIA</i>	134
<i>phenobarbital</i>	35	<i>pravastatin</i>	84	<i>PROMACTA</i>	69, 70
<i>phenylephrine hcl</i>	75	<i>prazosin</i>	75	<i>promethazine</i>	48, 52
<i>phenytoin</i>	35	<i>prednicarbate</i>	101	<i>promethegan</i>	52
<i>phenytoin sodium</i>	35	<i>prednisolone</i>	116	<i>propafenone</i>	78
<i>phenytoin sodium extended</i>	35	<i>prednisolone acetate</i>	108	<i>proparacaine</i>	105
PHESGO.....	26	<i>prednisolone sodium phosphate</i>	108, 116	<i>propranolol</i>	79
<i>philith</i>	95	<i>prednisone</i>	116, 117	<i>propranolol-hydrochlorothiazid</i>	79
PHOSLYRA.....	111	<i>pregabalin</i>	35	<i>propylthiouracil</i>	121
PICATO.....	98	<i>PREMARIN</i>	115	<i>PROQUAD (PF)</i>	130
PIFELTRO.....	63	<i>PREMPHASE</i>	115	<i>PROSOL 20 %</i>	75
<i>pilocarpine hcl</i>	97, 137	<i>PREMPRO</i>	115	<i>protamine</i>	70
<i>pimecrolimus</i>	101	<i>PRETOMANID</i>	50	<i>protriptyline</i>	40
<i>pimozide</i>	58			<i>PULMOZYME</i>	103
<i>pimtrea (28)</i>	95				

PURIXAN	27	REXULTI	59	SANDOSTATIN LAR
<i>pyrazinamide</i>	50	REYATAZ	63	DEPOT
<i>pyridostigmine bromide</i>	136	REYVOW	49	SANTYL
<i>pyrimethamine</i>	53	RHOPRESSA	137	<i>sapropterin</i>
QINLOCK	27	RIABNI	27	SARCLISA
QUADRACEL (PF)	130	<i>ribasphere</i>	67	SAVELLA
<i>quetiapine</i>	59	<i>ribavirin</i>	67	<i>scopolamine base</i>
<i>quinapril</i>	77	RIDAURA	126	SECUADO
<i>quinidine sulfate</i>	78	rifabutin	50	<i>selegiline hcl</i>
RABAVERT (PF)	130	rifampin	50	<i>selenium sulfide</i>
RADICAVA	88	riluzole	89	SELZENTRY
<i>raloxifene</i>	115	rimantadine	65	SE-NATAL-19
<i>ramipril</i>	77	RINVOQ	126	SEREVENT DISKUS
<i>ranolazine</i>	81	risedronate	134	SEROSTIM
<i>rasagiline</i>	54	RISPERDAL CONSTA	59	<i>sertraline</i>
RASUVO (PF)	126	<i>risperidone</i>	59	<i>setlakin</i>
RAVICTI	110	ritonavir	63	<i>sevelamer carbonate</i>
RAYALDEE	134	RITUXAN	27	<i>sevelamer hcl</i>
REBIF (WITH ALBUMIN)	88	RITUXAN HYCELA	27	<i>sf 5000 plus</i>
REBIF REBIDOSE	89	<i>rivastigmine</i>	38	<i>sharobel</i>
REBIF TITRATION PACK	89	<i>rivastigmine tartrate</i>	38	SHINGRIX (PF)
<i>reclipsen (28)</i>	95	<i>rizatriptan</i>	49	SIGNIFOR
RECOMBIVAX HB (PF)	130	ROCKLATAN	138	SIKLOS
RECTIV	136	<i>ropinirole</i>	54	<i>sildenafil (pulm.hypertension)</i>
RELENZA DISKHALER	65	<i>rosadan</i>	99	SILIQ
RELISTOR	110, 111	<i>rosuvastatin</i>	84	<i>silver sulfadiazine</i>
REMICADE	126	ROTARIX	131	SIMBRINZA
RENFLEXIS	126	ROTATEQ VACCINE	131	<i>simliya (28)</i>
<i>repaglinide</i>	42	ROZLYTREK	27	<i>simpesse</i>
REPATHA PUSHTRONEX	84	RUBRACA	27	SIMPONI
REPATHA SURECLICK	84	<i>rufinamide</i>	36	SIMPONI ARIA
REPATHA SYRINGE	84	RUKOBIA	63	<i>simvastatin</i>
RESCRIPTOR	63	RUXIENCE	27	<i>sirolimus</i>
RESTASIS	108	RYBELSUS	42	SIRTURO
RETACRIT	70	RYBREVANT	28	SKYRIZI
RETEVMO	27	RYDAPT	28	<i>sodium chloride 0.9 %</i>
RETROVIR	63	SAIZEN	119	<i>sodium fluoride-pot nitrate</i>
REVCOVI	103	SAIZEN CLICK.EASY	119	<i>sodium phenylbutyrate</i>
REVLIMID	27	SAIZEN SAIZENPREP	119	
<i>revonto</i>	145			

<i>sodium polystyrene (sorb free)</i>	111	<i>sulfadiazine</i>	16	TALTZ SYRINGE (3 PACK)	127
<i>sodium polystyrene sulfonate</i>	111	<i>sulfamethoxazole-</i>		TALZENNA	28
<i>sofosbuvir-velpatasvir</i>	65	<i>trimethoprim</i>	16, 17	<i>tamoxifen</i>	28
SOLIQUA 100/33	44	<i>sulfasalazine</i>	132, 133	<i>tamsulosin</i>	112
SOLTAMOX	28	<i>sulindac</i>	7	TARGRETIN	28
SOLU-CORTEF ACT-O- VIAL (PF)	117	<i>sumatriptan</i>	49	<i>tarina 24 fe</i>	95
SOMATULINE DEPOT	120	<i>sumatriptan succinate</i>	49	<i>tarina fe 1-20 eq (28)</i>	95
SOMAVERT	120	<i>SUNOSI</i>	145	TASIGNA	28, 29
<i>sorine</i>	79	<i>SUPPRELIN LA</i>	120	TAVALISSE	70
<i>sotalol</i>	79	<i>SUPREP BOWEL PREP</i>		<i>tazarotene</i>	101
<i>sotalol af</i>	79	<i>KIT</i>	111	TAZORAC	101
SOVALDI	66	<i>SUTAB</i>	111	<i>taztia xt</i>	80
SPIRIVA RESPIMAT	142	<i>SUTENT</i>	28	TAZVERIK	29
SPIRIVA WITH HANDIHALER	142	<i>syeda</i>	95	TDVAX	131
<i>spironolactone</i>	82	<i>SYLATRON</i>	28	TECENTRIQ	29
SPRAVATO	40	<i>SYLVANT</i>	28	TEFLARO	13
<i>sprintec (28)</i>	95	<i>SYMBICORT</i>	141	<i>telmisartan</i>	76
SPRITAM	36	<i>SYMDEKO</i>	144	<i>temazepam</i>	10
SPRYCEL	28	<i>SYMJEPI</i>	81	TEMIXYS	64
<i>sps (with sorbitol)</i>	111	<i>SYMLINPEN 120</i>	42	TEMODAR	29
<i>sronyx</i>	95	<i>SYMLINPEN 60</i>	42	TENIVAC (PF)	131
<i>ssd</i>	99	<i>SYMPAZAN</i>	36	<i>tenofovir disoproxil fumarate</i>	64
<i>stavudine</i>	64	<i>SYMTUZA</i>	64	TEPEZZA	105
STELARA	127	<i>SYNAGIS</i>	65	TEPMETKO	29
STERILE PADS	102	<i>SYNAREL</i>	120	<i>terazosin</i>	112
STIOLTO RESPIMAT	142	<i>SYNERCID</i>	12	<i>terbinafine hcl</i>	47
STIVARGA	28	<i>SYNJARDY</i>	42	<i>terbutaline</i>	143
STRENSIQ	104	<i>SYNJARDY XR</i>	42	<i>terconazole</i>	48
<i>streptomycin</i>	10	<i>SYNRIBO</i>	28	<i>testosterone</i>	114
STRIBILD	64	<i>TABLOID</i>	28	<i>testosterone cypionate</i>	113
STRIVERDI RESPIMAT	143	<i>TABRECTA</i>	28	<i>testosterone enanthate</i>	113
SUBLOCADE	9	<i>tacrolimus</i>	101, 127	TETANUS,DIPHTHERIA TOX PED(PF)	131
<i>subvenite</i>	36	<i>tadalafil (pulm. hypertension)</i>	146	<i>tetrabenazine</i>	89
<i>sucralfate</i>	109	<i>TAFINLAR</i>	28	<i>tetracycline</i>	17
<i>sulfacetamide sodium</i>	107	<i>TAGRISSO</i>	28	THALOMID	136
<i>sulfacetamide sodium (acne)</i>	99	<i>TAKHYRO</i>	136	<i>theophylline</i>	143
<i>sulfacetamide-prednisolone</i>	107	<i>TALTZ AUTOINJECTOR</i>	127	THIOLA EC	112
		<i>TALTZ SYRINGE</i>	127	<i>thioridazine</i>	59
		<i>TALTZ SYRINGE (2 PACK)</i>	127		

<i>thiotepa</i>	29	<i>trazodone</i>	40	TROPHAMINE 10 %	75
<i>thiothixene</i>	59	TREANDA	29	TROPHAMINE 6%	75
<i>tiadylt er</i>	80	TRECATOR	50	<i>trospium</i>	112
<i>tiagabine</i>	36	TRELEGY ELLIPTA	143	TRULICITY	42
TIBSOVO	29	TRELSTAR	29	TRUMENBA	131
TICE BCG	29	TREMFYA	127	TRUSELTIQ	30
<i>tigecycline</i>	17	<i>treprostinil sodium</i>	146	TRUXIMA	30
<i>timolol maleate</i>	79, 138	<i>tretinoi</i> n	101	TUKYSA	30
<i>tiopronin</i>	112	<i>tretinoi</i> n (antineoplastic)	29	<i>tulana</i>	96
TIVICAY	64	<i>tri femynor</i>	95	TURALIO	30
TIVICAY PD	64	<i>triamicinolone acetonide</i>		TWINRIX (PF)	131
<i>tizanidine</i>	145		97, 101, 117	<i>tyblume</i>	96
TOBI PODHALER	10	<i>triamterene-hydrochlorothiazid</i>	82	TYBOST	137
<i>tobramycin</i>	10, 107	<i>trientine</i>	113	TYMLOS	134
<i>tobramycin in 0.225 % nacl</i>	10	<i>tri-estarrylla</i>	96	TYPHIM VI	131
<i>tobramycin sulfate</i>	10	<i>trifluoperazine</i>	59	TYSABRI	127
<i>tobramycin-dexamethasone</i>	107	<i>trifluridine</i>	107	TYVASO	146
TOLAK	98	<i>trihexyphenidyl</i>	55	UBRELVY	49
<i>tolterodine</i>	112	TRIKAFTA	144	UCERIS	133
<i>topiramate</i>	36	<i>tri-legest fe</i>	96	UDENYCA	70
<i>toposar</i>	29	<i>tri-linyah</i>	96	UKONIQ	30
<i>toremifene</i>	29	<i>tri-lo-estarrylla</i>	96	UNITUXIN	30
<i>torsemide</i>	82	<i>tri-lo-marzia</i>	96	UPTRAVI	146
TOTECT	136	<i>tri-lo-mili</i>	96	<i>ursodiol</i>	111
TOUJEO MAX U-300		<i>tri-lo-sprintec</i>	96	<i>valacyclovir</i>	67
SOLOSTAR	44	<i>trilyte with flavor packets</i>	111	VALCHLOR	98
TOUJEO SOLOSTAR U-300		<i>trimethoprim</i>	12	<i>valganciclovir</i>	67
INSULIN	44	<i>tri-mili</i>	96	<i>valproate sodium</i>	36
TOVIAZ	112	<i>trimipramine</i>	40	<i>valproic acid</i>	36
TRACLEER	146	TRINTELLIX	40	<i>valproic acid (as sodium salt)</i>	36
TRADJENTA	42	<i>tri-nymyo</i>	96	<i>valrubicin</i>	30
<i>tramadol</i>	5	<i>tri-previfem (28)</i>	96	<i>valsartan</i>	76
<i>tramadol-acetaminophen</i>	5	TRIPTODUR	120	<i>valsartan-hydrochlorothiazide</i>	76
<i>trandolapril</i>	77	<i>tri-sprintec (28)</i>	96	VALTOCO	36
<i>tranexamic acid</i>	70	TRIUMEQ	64	<i>vancomycin</i>	12
<i>tranylcypromine</i>	40	<i>trivora (28)</i>	96	VAQTA (PF)	131, 132
TRAVASOL 10 %	75	<i>tri-vylibra</i>	96	VARIVAX (PF)	132
<i>travoprost</i>	138	<i>tri-vylibra lo</i>	96	VASCEPA	84
<i>travoprost (benzalkonium)</i>	138	TRODELVY	30	VEKLURY	67
TRAZIMERA	29	TROGARZO	64	VELCADE	30

<i>velvet triphasic regimen</i> (28) ...	96	VYNDAMAX.....	81	YONSA.....	32
VELPHORO.....	112	VYNDAQEL.....	81	<i>yuvafem</i>	115
VEMLIDY.....	64	VYXEOS.....	31	<i>zafemy</i>	97
VENCLEXTA.....	30	<i>warfarin</i>	68	<i>zafirlukast</i>	141
VENCLEXTA STARTING PACK.....	30	WELCHOL.....	84	<i>zaleplon</i>	145
<i>venlafaxine</i>	40	werá (28).....	97	<i>zarah</i>	97
<i>verapamil</i>	80	XADAGO.....	55	ZARXIO.....	70
VERSACLOZ.....	59	XALKORI.....	31	ZEJULA.....	32
VERZENIO.....	30	XARELTO.....	68	ZELBORA F.....	32
<i>vestura</i> (28).....	96	XARELTO DVT-PE TREAT 30D START.....	68	<i>zenatane</i>	98
VIBERZI.....	111	XATMEP.....	31	ZENPEP.....	104
VICTOZA.....	43	XCOPRI.....	37	ZEPATIER.....	66
VIDEX 2 GRAM PEDIATRIC.....	64	XCOPRI MAINTENANCE PACK.....	37	ZEPOSIA.....	89
VIEKIRA PAK.....	66	XCOPRI TITRATION PACK.....	37	ZEPOSIA STARTER KIT	89
<i>vienna</i>	96	XELJANZ.....	127	ZEPOSIA STARTER PACK	89
<i>vigabatrin</i>	36	XELJANZ XR.....	127	ZEPZELCA.....	32
<i>vigadrone</i>	36	XERMELO.....	111	<i>zidovudine</i>	64
VIIBRYD.....	40, 41	XGEVA.....	134	ZIEXTENZO.....	70
VIMIZIM.....	104	XHANCE.....	108	<i>ziprasidone hcl</i>	60
VIMPAT.....	36, 37	XIFAXAN.....	12	<i>ziprasidone mesylate</i>	60
<i>vinorelbine</i>	30	XIGDUO XR.....	43	ZIRABEV.....	32
<i>viorele</i> (28).....	96	XXIIDRA.....	108	ZIRGAN.....	107
VIRACEPT.....	64	XOFLUZA.....	65	ZOLADEX.....	32
VIREAD.....	64	XOLAIR.....	144	<i>zoledronic acid</i>	134
VISTOGARD.....	137	XOSPATA.....	31	<i>zoledronic acid-mannitol-water</i>	134
VITRAKVI.....	30, 31	XPOVIO.....	31	ZOLINZA.....	32
VIZIMPRO.....	31	XTAMPZA ER.....	5, 6	<i>zolpidem</i>	145
VOCABRIA.....	64	XTANDI.....	31	ZOMACTON.....	120
<i>volnea</i> (28).....	96	xulane.....	97	<i>zonisamide</i>	37
<i>voriconazole</i>	47	XULTOPHY 100/3.6.....	45	ZORBTIVE.....	120
VOSEVI.....	66	XURIDEN.....	137	ZORTRESS.....	127
VOTRIENT.....	31	XYOSTED.....	114	ZOSTAVAX (PF).....	132
VPRI V.....	104	XYREM.....	145	<i>zovia 1/35e</i> (28).....	97
VRAYLAR.....	60	XYWAV.....	145	<i>zumandimine</i> (28).....	97
VUMERTY.....	89	YEROVY.....	32	ZYDELIG.....	32
VYEPTI.....	50	YF-VAX (PF).....	132	ZYKADIA.....	32
<i>vyfemla</i> (28).....	96	YONDELIS.....	32	ZYLET.....	107
<i>vylibra</i>	97				

ZYNLONTA.....	32
ZYPREXA RELPREVV	60
ZYTIGA.....	32