



A Medicare Advantage Plan from Hometown Health.

Senior Care Plus

2023 Formulary

(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

HPMS Approved Formulary File Submission ID: 23385 Version Number: v1

This formulary was updated on 01/01/2023. For more recent information or other questions, please contact Senior Care Plus at 775-982-3112 or toll-free 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit www.SeniorCarePlus.com.

Senior Care Plus is a Medicare Advantage Plan with a Medicare contract. Enrollment in Senior Care Plus depends on contract renewal.

ATTENTION: If you speak Spanish, language assistance services are available to you, free of charge. Call 775-982-3112 or toll-free at 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30.

ATENCIÓN: Si habla español, servicios de asistencia lingüística están disponible para usted sin cargo alguno. Llame al 775-982-3112 o al número gratuito al 888-775-7003 (Los usuarios de TTY deben llamar al Servicio de Retransmisión del Estado al 711). (No estamos abiertos los 7 días de la semana durante todo el año) El horario es de 8:00 a.m. a 8:00 p.m., los 7 días de la semana (excepto Acción de Gracias y Navidad) del 1 de octubre al 31 de marzo, y de lunes a viernes (excepto festivos) del 1 de abril al 30 de septiembre.

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

Important Message About What You Pay for Vaccines - Our plan covers most Part D vaccines at no cost to you. Call Member Services for more information.

Important Message About What You Pay for Insulin - You won't pay more than \$35 for a one-month supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Senior Care Plus. When it refers to “plan” or “our plan,” it means Senior Care Plus.

This document includes a list of the drugs (formulary) for our plan which is current as of 01/01/2023. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2023, and from time to time during the year.

What is the Senior Care Plus Formulary?

A formulary is a list of covered drugs selected by Senior Care Plus in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Senior Care Plus will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Senior Care Plus network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but Senior Care Plus may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can find information in the section below titled “How do I request an exception to the Senior Care Plus Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization,

quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

- If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Senior Care Plus Formulary.”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2023 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2023 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

The enclosed formulary is current as of **01/01/2023**. To get updated information about the drugs covered by Senior Care Plus, please contact us. Our contact information appears on the front and back cover pages.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 10. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 183. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Senior Care Plus covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Senior Care Plus requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Senior Care Plus before you fill your prescriptions. If you don't get approval, Senior Care Plus may not cover the drug.
- **Quantity Limits:** For certain drugs, Senior Care Plus limits the amount of the drug that Senior Care Plus covers. For example, Senior Care Plus provides 30 tablets per prescription for simvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Senior Care Plus requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Senior Care Plus may not cover Drug B unless you try Drug A first. If Drug A does not work for you Senior Care Plus will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 10. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization restriction and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Senior Care Plus to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Senior Care Plus formulary?" on page 4 for information about how to request an exception.

What are over-the-counter (OTC) drugs?

OTC drugs are non-prescription drugs that are not normally covered by a Medicare Prescription Drug Plan.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Senior Care Plus does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by Senior Care Plus. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Senior Care Plus.
- You can ask Senior Care Plus to make an exception to cover your drug. See below for information about how to request an exception.

How do I request an exception to the Senior Care Plus Formulary?

You can ask Senior Care Plus to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, Senior Care Plus limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Senior Care Plus will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90-days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90-days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

Transition fills include the transition of new Enrollees into a Medicare Part D Plan following the annual coordinated election period; the transition of newly eligible Enrollees into a Medicare Part D Plan from other coverage; the transition of enrollees from one plan to another after the start of a plan year (i.e. after January 1); Enrollees residing in a Long-Term- Care (LTC) Facility; and current Enrollees in a Medicare Part D Plan affected by Formulary changes from one plan year to the next.

The transition period is the first 90 days of coverage under a Medicare Part D Plan following a transition, coverage will be extended across contract years if an Enrollee has an effective enrollment date of either November 1 or December 1 to allow for the full 90 days of coverage. During this time, Medicare Part D Plans must provide temporary fill of a Non-Formulary Drug to an Enrollee.

For Enrollees who are residents of Long-Term Care Facilities and obtain their prescriptions from a Long-Term Care Network Pharmacy or who experience a transition characterized as a level of care change from one treatment setting to another, Senior Care Plus will provide up to a 31-day supply of Non-Formulary Drug. An override for up to a 31-day supply is entered to allow the Non-Formulary Drug claim to process.

For more information

For more detailed information about your Senior Care Plus prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Senior Care Plus, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Senior Care Plus Formulary

The formulary that begins on page 10. provides coverage information about the drugs covered by Senior Care Plus. If you have trouble finding your drug in the list, turn to the Index that begins on page 183.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., CRESTOR) and generic drugs are listed in lower-case italics (e.g., *rosuvastatin*).

The information in the Requirements/Limits column tells you if Senior Care Plus has any special requirements for coverage of your drug.

NOTES KEY

The symbol **BvD** next to a drug name indicates that the drug is Part D vs Part B with prior authorization only.

The symbol **LA** next to a drug name indicates that it has limited access. This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Customer Service at 888-775-7003. TTY users should call the State Relay Service at 711. We are available Monday through Friday, 7:00 am to 8:00 pm.

The symbol **PA** next to a drug name indicates that prior authorization may apply.

The symbol **QL** next to a drug name indicates that quantities dispensed may be limited.

The symbol **ST** next to a drug name indicates that Step Therapy may apply.

The symbol **SI** next to a drug name indicates that the insulin is included in the Senior Savings Program.

The symbol **NDS** next to a drug name indicates that Non-Extended Day Supply may apply

The symbol **GC** next to a drug name indicates that Gap Coverage may apply. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

You will be notified when a generic is available throughout the year for certain brand name drugs. Certain prescription drugs related to Home Infusion Therapy that are normally covered under our outpatient prescription drug benefit may instead be covered under our medical benefit.

| Tier Key | | | | | | |
|--|---|--|---|---|---|--|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| | Preferred Generic (Preferred /Standard copays) | Non-Preferred Generic (Preferred /Standard copays) | Preferred Brand (Preferred / Standard copays) | Non-Preferred Brand (Preferred /Standard copays) | Specialty (Preferred /Standard copays) | Select Care Drugs (Preferred / Standard copays) |
| PLAN TYPE | | | | | | |
| Essential (HMO)-012 | \$5 / \$11 | \$12 / \$20 | \$41 / \$47 Select Insulins: \$35 | \$94 / \$100 | 33% coinsurance | \$2.50 / \$8.50 |
| Complete (HMO)-019 | \$2 / \$8 | \$8 / \$16 | \$41 / \$47 Select Insulins: \$35 | \$94 / \$100 | 33% coinsurance | \$0 / \$6 |
| Renown Preferred (HMO)-023 | \$5 / \$11 | \$12 / \$20 | \$41 / \$47 Select Insulins: \$35 | \$94 / \$100 | 33% coinsurance | \$2.50 / \$8.50 |
| Select (HMO)-018 | \$0 / \$6 | \$0 / \$8 | \$41 / 47 Select Insulins: \$35 | \$94 / \$100 | 33% coinsurance | \$0 / \$6 |
| Extensive Duals (HMO D-SNP)-024 | \$0 | \$0 | \$0 | \$0 | 33% coinsurance | \$0 /\$0 |

For more information, please call Customer Service at 888-775-7003. TTY users should call the State Relay Service at 711. (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit www.SeniorCarePlus.com.

Table of Contents

| | |
|--|----|
| Analgesics | 10 |
| Anesthetics | 14 |
| Anti-Addiction/Substance Abuse Treatment Agents | 15 |
| Antianxiety Agents | 16 |
| Antibacterials | 17 |
| Anticancer Agents | 24 |
| Anticonvulsants | 37 |
| Antidementia Agents | 41 |
| Antidepressants | 42 |
| Antidiabetic Agents | 44 |
| Antifungals | 49 |
| Antigout Agents | 51 |
| Antihistamines | 51 |
| Anti-Infectives (Skin And Mucous Membrane) | 52 |
| Antimigraine Agents | 52 |
| Antimycobacterials | 53 |
| Antinausea Agents | 54 |
| Antiparasite Agents | 56 |
| Antiparkinsonian Agents | 56 |
| Antipsychotic Agents | 58 |
| Antivirals (Systemic) | 63 |
| Blood Products/Modifiers/Volume Expanders | 70 |
| Caloric Agents | 73 |
| Cardiovascular Agents | 75 |
| Central Nervous System Agents | 86 |

| | |
|---|-----|
| Contraceptives | 91 |
| Dental And Oral Agents | 99 |
| Dermatological Agents | 100 |
| Devices | 105 |
| Enzyme Replacement/Modifiers | 141 |
| Eye, Ear, Nose, Throat Agents | 142 |
| Gastrointestinal Agents | 146 |
| Genitourinary Agents | 150 |
| Heavy Metal Antagonists | 150 |
| Hormonal Agents, Stimulant/Replacement/Modifying | 151 |
| Immunological Agents | 156 |
| Inflammatory Bowel Disease Agents | 165 |
| Metabolic Bone Disease Agents | 166 |
| Miscellaneous Therapeutic Agents | 168 |
| Ophthalmic Agents | 169 |
| Replacement Preparations | 170 |
| Respiratory Tract Agents | 172 |
| Skeletal Muscle Relaxants | 177 |
| Sleep Disorder Agents | 177 |
| Vasodilating Agents | 178 |
| Vitamins And Minerals | 178 |

| Drug Name | Drug Tier | Requirements/Limits | |
|---|-------------------------------|---------------------------|-----------------------------------|
| Analgesics | | | |
| Analgesics, Miscellaneous | | | |
| <i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml | 2 | GC; QL (4500 per 30 days) | |
| <i>acetaminophen-codeine oral tablet</i> 300-15 mg, 300-30 mg | 2 | GC; QL (360 per 30 days) | |
| <i>acetaminophen-codeine oral tablet</i> 300-60 mg | 2 | GC; QL (180 per 30 days) | |
| <i>ascomp with codeine oral capsule</i> 30-50-325-40 mg | (codeine-butalbital-asa-caff) | 3 | QL (180 per 30 days) |
| <i>buprenorphine hcl injection solution</i> 0.3 mg/ml | (Buprenex) | 2 | GC |
| <i>buprenorphine hcl injection syringe</i> 0.3 mg/ml | | 2 | GC |
| <i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg | (Esgic) | 2 | GC; QL (180 per 30 days) |
| <i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg | | 3 | QL (180 per 30 days) |
| <i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg | | 2 | GC; QL (180 per 30 days) |
| <i>codeine sulfate oral tablet</i> 30 mg, 60 mg | | 2 | GC; QL (180 per 30 days) |
| <i>codeine-butalbital-asa-caff oral capsule</i> 30-50-325-40 mg | (Ascomp with Codeine) | 3 | QL (180 per 30 days) |
| <i>endocet oral tablet</i> 10-325 mg | (oxycodone-acetaminophen) | 2 | GC; QL (180 per 30 days) |
| <i>endocet oral tablet</i> 2.5-325 mg, 5-325 mg | (oxycodone-acetaminophen) | 2 | GC; QL (360 per 30 days) |
| <i>endocet oral tablet</i> 7.5-325 mg | (oxycodone-acetaminophen) | 2 | GC; QL (240 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg | (Actiq) | 5 | PA; NM; NDS; QL (120 per 30 days) |
| <i>fentanyl citrate buccal lozenge on a handle</i> 200 mcg | (Actiq) | 3 | PA; QL (120 per 30 days) |
| <i>fentanyl transdermal patch</i> 72 hour 100 mcg/hr | | 3 | QL (10 per 30 days) |
| <i>fentanyl transdermal patch</i> 72 hour 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | | 2 | GC; QL (10 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> | 3 | QL (2700 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i> | 2 | GC; QL (180 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i> | 2 | GC; QL (240 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i> | 2 | GC; QL (150 per 30 days) |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i> | 2 | GC |
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid) | 2 | GC; QL (1200 per 30 days) |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid) | 2 | GC; QL (180 per 30 days) |
| <i>methadone injection solution 10 mg/ml</i> | 2 | GC; QL (120 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | 2 | GC; QL (600 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | 2 | GC; QL (1200 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | 2 | GC; QL (180 per 30 days) |
| <i>methadose oral tablet, soluble 40 mg</i> (methadone) | 2 | GC; QL (30 per 30 days) |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 2 | PA; GC; QL (180 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml</i> | 2 | GC; QL (700 per 30 days) |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | GC; QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG | 4 | QL (180 per 30 days) |
| MORPHINE ORAL TABLET 30 MG | 4 | QL (120 per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin) | 2 | GC; QL (60 per 30 days) |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin) | 2 | GC; QL (90 per 30 days) |
| <i>oxycodone oral capsule 5 mg</i> | 3 | QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>oxycodone oral solution 5 mg/5 ml</i> | 3 | QL (1300 per 30 days) |
| <i>oxycodone oral tablet 10 mg, 5 mg</i> | 2 | GC; QL (180 per 30 days) |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone) | 2 | GC; QL (120 per 30 days) |
| <i>oxycodone oral tablet 20 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin) | 3 | QL (60 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet) | 2 | GC; QL (180 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet) | 2 | GC; QL (360 per 30 days) |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet) | 2 | GC; QL (240 per 30 days) |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone) | 3 | QL (60 per 30 days) |
| <i>oxymorphone oral tablet 10 mg</i> | 3 | QL (120 per 30 days) |
| <i>oxymorphone oral tablet 5 mg</i> | 3 | QL (180 per 30 days) |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i> | 3 | QL (60 per 30 days) |
| <i>tramadol oral tablet 50 mg</i> | 1 | GC; QL (240 per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 2 | GC; QL (300 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 13.5 MG, 18 MG, 9 MG | 3 | QL (60 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 27 MG | 3 | QL (120 per 30 days) |
| XTAMPZA ER ORAL CAP,SPRINKL,ER12HR(DONT CRUSH) 36 MG | 3 | QL (240 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex) | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> | 2 | GC; QL (150 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i> | 2 | GC; QL (120 per 30 days) |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>diclofenac sodium topical drops 1.5 %</i> | 2 | GC; QL (300 per 30 days) |
| <i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac)) | 2 | GC; QL (1000 per 30 days) |
| <i>diclofenac sodium topical gel 3 %</i> | 2 | PA; GC; QL (100 per 28 days) |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Pennsaid) | 5 | PA; NM; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 2 | GC |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2 | GC |
| <i>ec-naproxen dr 500 mg tablet 500 mg</i> (naproxen) | 2 | GC |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 2 | GC |
| <i>etodolac oral tablet 400 mg</i> (Lodine) | 2 | GC |
| <i>etodolac oral tablet 500 mg</i> | 2 | GC |
| <i>flurbiprofen oral tablet 100 mg</i> | 2 | GC |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> (ibuprofen) | 1 | GC |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil) | 2 | GC |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU) | 1 | GC |
| <i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis) | 3 | PA; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>indomethacin oral capsule 25 mg</i> | 1 | GC; QL (240 per 30 days) |
| <i>indomethacin oral capsule 50 mg</i> | 1 | GC; QL (120 per 30 days) |
| <i>indomethacin oral capsule, extended release 75 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>ketorolac oral tablet 10 mg</i> | 2 | GC; QL (20 per 30 days) |
| <i>mefenamic acid oral capsule 250 mg</i> | 4 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | GC |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 2 | GC |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | 1 | GC |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn) | 1 | GC |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn) | 2 | GC |
| <i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naproxen) | 2 | GC |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene) | 2 | GC |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 2 | GC |

Anesthetics

Local Anesthetics

| | | |
|--|---|-------------------------|
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl) | 2 | GC; QL (30 per 30 days) |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF) | 1 | GC |
| <i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i> | 1 | GC |
| <i>lidocaine hcl 1% 20 mg/2 ml vl sdv, p/f 10 mg/ml (1 %)</i> (Xylocaine-MPF) | 2 | GC |
| <i>lidocaine hcl 2% ampul outer, p/f, sdv 20 mg/ml (2 %)</i> (Xylocaine-MPF) | 2 | GC |
| <i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %)</i> (Xylocaine) | 2 | GC |
| <i>lidocaine hcl injection solution 5 mg/ml (0.5 %)</i> (Xylocaine) | 1 | GC |
| <i>lidocaine hcl mucous membrane jelly 2 %</i> | 2 | GC; QL (30 per 30 days) |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | 2 | PA; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| <i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm) | 2 | PA; GC; QL (90 per 30 days) |
| <i>lidocaine topical ointment 5 %</i> | 2 | PA; GC; QL (90 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl) | 2 | GC |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | 2 | PA; GC; QL (30 per 30 days) |
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 % | 3 | PA; QL (90 per 30 days) |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i> | 3 | |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone) | 2 | GC; QL (60 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone) | 2 | GC; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> | 2 | GC |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> | 2 | GC |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION | 3 | QL (4 per 30 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 1 | GC |
| <i>naloxone injection syringe 0.4 mg/ml</i> | 3 | |
| <i>naloxone injection syringe 1 mg/ml</i> | 2 | GC |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan) | 2 | GC; QL (4 per 30 days) |
| <i>naltrexone oral tablet 50 mg</i> | 2 | GC |
| NICOTROL INHALATION CARTRIDGE 10 MG | 4 | QL (2688 per 365 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>varenicline oral tablet 0.5 mg</i> | 2 | GC; QL (336 per 365 days) |
| <i>varenicline oral tablet 1 mg</i> (Chantix) | 2 | GC; QL (336 per 365 days) |
| <i>varenicline oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 3 | |
| Antianxiety Agents | | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax) | 1 | GC; QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax) | 1 | GC; QL (150 per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> | 1 | GC; QL (120 per 30 days) |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin) | 1 | GC; QL (90 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin) | 1 | GC; QL (300 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>clonazepam oral tablet, disintegrating 2 mg</i> | 2 | GC; QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg</i> | 2 | GC; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab) | 2 | GC; QL (180 per 30 days) |
| <i>diazepam injection solution 5 mg/ml</i> | 2 | GC; QL (10 per 28 days) |
| <i>diazepam injection syringe 5 mg/ml</i> | 3 | |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam) | 2 | GC; QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | GC; QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium) | 1 | GC; QL (120 per 30 days) |
| <i>lorazepam 4 mg/ml vial inner 4 mg/ml</i> (Ativan) | 1 | GC |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan) | 2 | GC; QL (2 per 30 days) |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan) | 4 | QL (2 per 30 days) |
| <i>lorazepam injection syringe 2 mg/ml</i> | 1 | GC; QL (2 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan) | 1 | GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| lorazepam oral tablet 2 mg (Ativan) | 1 | GC; QL (150 per 30 days) |
| oxazepam oral capsule 10 mg, 15 mg, 30 mg | 2 | GC; QL (120 per 30 days) |
| temazepam oral capsule 15 mg, 30 mg (Restoril) | 1 | GC; QL (30 per 30 days) |
| Antibacterials | | |
| Aminoglycosides | | |
| gentamicin injection solution 20 mg/2 ml, 40 mg/ml | 2 | GC |
| gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml | 2 | GC |
| gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml | 2 | GC |
| neomycin oral tablet 500 mg | 2 | GC |
| streptomycin intramuscular recon soln 1 gram | 5 | NM; NDS |
| tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml (Tobi) | 5 | PA BvD; NM; NDS |
| tobramycin inhalation solution for nebulization 300 mg/4 ml (Bethkis) | 5 | PA BvD; NM; NDS |
| tobramycin sulfate injection solution 40 mg/ml | 3 | |
| Antibacterials, Miscellaneous | | |
| chloramphenicol sod succinate intravenous recon soln 1 gram | 2 | GC |
| clindamycin 600 mg/4 ml addvan sdv, outer 600 mg/4 ml | 2 | GC |
| clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg (Cleocin HCl) | 2 | GC |
| clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml | 2 | GC |
| clindamycin pediatric oral recon soln 75 mg/5 ml (clindamycin palmitate hcl) | 3 | |
| clindamycin phosphate injection solution 150 (mg/ml) (6 ml) | 2 | GC |
| clindamycin phosphate injection solution 150 mg/ml (Cleocin) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|---------------------------|---------------------|----------------------------------|
| <i>clindamycin phosphate intravenous solution 300 mg/2 ml, 900 mg/6 ml</i> | 2 | GC | |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> | 2 | GC | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> | (Coly-Mycin M Parenteral) | 5 | NM; NDS |
| <i>daptomycin intravenous recon soln 500 mg</i> | (Cubicin RF) | 5 | NM; NDS |
| FIRVANQ ORAL RECON SOLN 25 MG/ML | 4 | | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> | (Zyvox) | 3 | |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> | (Zyvox) | 5 | NM; NDS |
| <i>linezolid oral tablet 600 mg</i> | (Zyvox) | 3 | |
| <i>methenamine hippurate oral tablet 1 gram</i> | (Hiprex) | 2 | GC |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> | (Metro I.V.) | 3 | |
| <i>metronidazole oral tablet 250 mg, 500 mg</i> | | 2 | GC |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> | (Macrochantin) | 2 | GC; QL (120 per 30 days) |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | (Macrobid) | 2 | GC; QL (60 per 30 days) |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | | 2 | GC |
| <i>trimethoprim oral tablet 100 mg</i> | | 1 | GC |
| <i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i> | | 3 | |
| <i>vancomycin oral capsule 125 mg</i> | (Vancocin) | 3 | QL (56 per 14 days) |
| <i>vancomycin oral capsule 250 mg</i> | (Vancocin) | 3 | QL (112 per 14 days) |
| XIFAXAN ORAL TABLET 200 MG | | 5 | PA; NM; NDS; QL (9 per 30 days) |
| XIFAXAN ORAL TABLET 550 MG | | 5 | PA; NM; NDS; QL (90 per 30 days) |
| Cephalosporins | | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 4 | |
| <i>cefadroxil oral capsule 500 mg</i> | 2 | GC |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | GC |
| <i>cefadroxil oral tablet 1 gram</i> | 3 | |
| <i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i> | 3 | |
| <i>cefazolin injection recon soln 1 gram, 10 gram</i> | 3 | |
| <i>cefazolin injection recon soln 500 mg</i> | 2 | GC |
| <i>cefdinir oral capsule 300 mg</i> | 2 | GC |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 3 | |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | 3 | |
| <i>cefixime oral capsule 400 mg</i> (Suprax) | 4 | |
| <i>cefotaxime injection recon soln 1 gram</i> | 2 | GC |
| <i>cefoxitin intravenous recon soln 1 gram</i> | 3 | |
| <i>cefoxitin intravenous recon soln 10 gram, 2 gram</i> | 4 | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 4 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 4 | |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 2 | GC |
| CEFTAZIDIME 2 GM PIGGYBACK 2 GRAM/50 ML | 3 | |
| <i>ceftazidime injection recon soln 1 gram, 6 gram</i> (Tazicef) | 3 | |
| CEFTAZIDIME INJECTION RECON SOLN 2 GRAM (Tazicef) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------|
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 3 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 2 | GC |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | GC |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 2 | GC |
| <i>cephalexin oral capsule 250 mg, 500 mg</i> | 1 | GC |
| <i>cephalexin oral capsule 750 mg</i> | 2 | GC |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 5 | NM; NDS |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax) | 3 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax) | 3 | |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i> | 2 | GC |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax) | 2 | GC |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 3 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 2 | GC |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML | 5 | NM; NDS; QL (136 per 10 days) |
| DIFICID ORAL TABLET 200 MG | 5 | NM; NDS; QL (20 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400) | 4 | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 4 | |
| Miscellaneous B-Lactam Antibiotics | | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam) | 3 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 5 | PA; NM; LA; NDS |
| <i>ertapenem injection recon soln 1 gram</i> (Invanz) | 3 | |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 3 | |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV) | 3 | |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i> | 3 | |
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 1 | GC |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml</i> | 1 | GC |
| <i>amoxicillin oral suspension for reconstitution 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 2 | GC |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 2 | GC |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | GC |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 3 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin) | 3 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i> | 2 | GC |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin) | 2 | GC |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 3 | |
| <i>ampicillin oral capsule 500 mg</i> | 2 | GC |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i> | 3 | |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn) | 3 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 2 | GC |
| <i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i> | 2 | GC |
| <i>nafcillin injection recon soln 1 gram</i> | 2 | GC |
| <i>nafcillin injection recon soln 10 gram</i> | 5 | NM; NDS |
| <i>nafcillin injection recon soln 2 gram</i> | 2 | GC |
| <i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G) | 3 | |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i> | 2 | GC |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 2 | GC |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 2 | GC |
| <i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium) | 3 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 3 | |
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>ciprofloxacin hcl oral tablet 750 mg</i> | 1 | GC |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i> | 2 | GC |
| <i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> | 3 | |
| <i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro) | 4 | |
| <i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> | 3 | |
| <i>levofloxacin intravenous solution 25 mg/ml</i> | 4 | |
| <i>levofloxacin oral solution 250 mg/10 ml</i> | 3 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | GC |
| <i>moxifloxacin oral tablet 400 mg</i> | 2 | GC |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim 400-80 mg/5 ml iv vial outer, suv 400-80 mg/5 ml</i> | 4 | |
| <i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim) | 2 | GC |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim) | 1 | GC |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS) | 1 | GC |
| Tetracyclines | | |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate) | 3 | |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100) | 3 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>doxycycline hyclate oral tablet 100 mg</i> (LymePak) | 2 | GC |
| <i>doxycycline hyclate oral tablet 20 mg</i> | 2 | GC |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL) | 2 | GC |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox) | 2 | GC |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin (mono)) | 3 | |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy) | 2 | GC |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>mondoxyne nl oral capsule 100 mg</i> (doxycycline monohydrate) | 2 | GC |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 4 | |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil) | 5 | NM; NDS |

Anticancer Agents

Anticancer Agents

| | | |
|--|---|---------------------------------------|
| <i>abiraterone oral tablet 250 mg, 500 mg</i> (Zytiga) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG (paclitaxel protein-bound) | 5 | PA BvD; NM; NDS |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2 | PA BvD; GC |
| ALECENSA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG (pemetrexed disodium) | 5 | NM; NDS |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23) | 5 | PA NSO; NM; NDS |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex) | 1 | GC |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza) | 5 | NM; NDS |
| BALVERSA ORAL TABLET 3 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| BALVERSA ORAL TABLET 4 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| BALVERSA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine) | 5 | PA NSO; NM; NDS |
| <i>bexarotene oral capsule 75 mg</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bexarotene topical gel 1 %</i> (Targretin) | 5 | PA NSO; NM; NDS |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex) | 2 | GC |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | 2 | GC |
| <i>bortezomib injection recon soln 1 mg</i> | 4 | PA NSO |
| <i>bortezomib injection recon soln 2.5 mg</i> | 5 | PA NSO; NM; NDS |
| BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| BOSULIF ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CALQUENCE ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG (vandetanib) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG (vandetanib) | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5 | PA NSO; NM; NDS |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| COTELLIC ORAL TABLET 20 MG | 5 | PA NSO; NM; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 5 | PA BvD; NM; NDS |
| <i>cyclophosphamide intravenous solution 200 mg/ml</i> | 5 | PA BvD; NM; NDS |
| CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG | 4 | PA BvD; ST |
| <i>cyclophosphamide oral capsule 50 mg</i> | 4 | PA BvD; ST |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 3 | PA BvD; ST |
| CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML | 5 | PA NSO; NM; NDS; QL (120 per 28 days) |
| DAURISMO ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| DAURISMO ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>decitabine intravenous recon soln 50 mg</i> (Dacogen) | 5 | NM; NDS |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil) | 5 | PA BvD; NM; NDS |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 4 | PA NSO |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 4 | PA NSO |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 4 | PA NSO |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 4 | PA NSO |
| EMCYT ORAL CAPSULE 140 MG | 5 | NM; NDS |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 5 | PA NSO; NM; NDS |
| ERIVEDGE ORAL CAPSULE 150 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| ERLEADA ORAL TABLET 60 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>erlotinib oral tablet 150 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 4 | |
| <i>etoposide intravenous solution 20 mg/ml</i> (Toposar) | 3 | |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 2 | GC |
| EXKIVITY ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| <i>floxuridine injection recon soln 0.5 gram</i> | 2 | PA BvD; GC |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> | 2 | PA BvD; GC |
| <i>flutamide oral capsule 125 mg</i> (Eulexin) | 3 | |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 5 | NM; NDS |
| GAVRETO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5 | PA NSO; NM; NDS; QL (5 per 21 days) |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea) | 2 | GC |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex) | 2 | GC |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2 | GC |
| <i>imatinib oral tablet 100 mg</i> (Gleevec) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> (Gleevec) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS |
| IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML | 4 | PA NSO; QL (4 per 365 days) |
| INLYTA ORAL TABLET 1 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | 5 | PA NSO; NM; NDS; QL (5 per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IRESSA ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NM; NDS |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS; QL (8 per 21 days) |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG | 5 | PA NSO; NM; NDS; QL (49 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG | 5 | PA NSO; NM; NDS; QL (70 per 28 days) |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA NSO; NM; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2) | 5 | PA NSO; NM; NDS; QL (42 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3) | 5 | PA NSO; NM; NDS; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 5 | PA NSO; NM; NDS |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5 | PA NSO; NM; NDS |
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 1 | GC |
| LEUKERAN ORAL TABLET 2 MG | 5 | NM; NDS |
| <i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i> | 4 | PA NSO |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 5 | PA NSO; NM; NDS |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA NSO; NM; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA NSO; NM; NDS; QL (80 per 28 days) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| LUMAKRAS ORAL TABLET 120 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | PA NSO; NM; NDS |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG | 5 | NM; NDS |
| LYTGOBI ORAL TABLET 4 MG | 5 | PA NSO; NM; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| MATULANE ORAL CAPSULE 50 MG | 5 | NM; NDS |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 2 | GC |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| MEKINIST ORAL TABLET 2 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>mercaptopurine oral tablet 50 mg</i> | 2 | GC |
| <i>methotrexate sodium (pf) injection recon soln 1 gram</i> | 2 | GC |
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i> | 2 | GC |
| <i>methotrexate sodium injection solution 25 mg/ml</i> | 2 | GC |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 2 | PA BvD; ST; GC |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i> | 2 | GC |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| NERLYNX ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron) | 5 | NM; NDS |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (3 per 28 days) |
| NUBEQA ORAL TABLET 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA NSO; NM; LA; NDS |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| ONUREG ORAL TABLET 200 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (14 per 28 days) |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML | 5 | PA NSO; NM; NDS |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML | 5 | PA NSO; NM; NDS |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane) | 5 | PA BvD; NM; NDS |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>pemetrexed disodium intravenous recon soln 750 mg</i> | 5 | NM; NDS |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i> | 5 | NM; NDS |
| <i>pemetrexed intravenous recon soln 1 gram, 100 mg, 500 mg</i> | 5 | NM; NDS |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 5 | NM; NDS |
| QINLOCK ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| REVLIMID ORAL CAPSULE 2.5 MG, 20 MG (lenalidomide) | 5 | PA NSO; NM; LA; NDS; QL (28 per 28 days) |
| RIABNI INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5 | PA NSO; NM; NDS |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NM; NDS |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (224 per 28 days) |
| SCEMBLIX ORAL TABLET 20 MG, 40 MG | 5 | PA NSO; NM; NDS |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 5 | NM; NDS |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| STIVARGA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| <i>sunitinib oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| TABLOID ORAL TABLET 40 MG (thioguanine) | 4 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAGRISO ORAL TABLET 40 MG, 80 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALZENNA ORAL CAPSULE 0.25 MG, 0.5 MG, 0.75 MG, 1 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 2 | GC |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| TASIGNA ORAL CAPSULE 50 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML | 5 | PA NSO; NM; NDS |
| TEPMETKO ORAL TABLET 225 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| TIBSOVO ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG | 4 | |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG | 5 | PA NSO; NM; NDS; QL (5 per 21 days) |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide) | 2 | GC |
| <i>toremifene oral tablet 60 mg</i> (Fareston) | 5 | NM; NDS |
| TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA NSO; NM; NDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 5 | PA NSO; NM; NDS |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | 5 | NM; NDS |
| TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3) | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| TUKYSA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TUKYSA ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| TURALIO ORAL CAPSULE 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib) | 5 | PA NSO; NM; NDS |
| VENCLEXTA ORAL TABLET 10 MG | 3 | PA NSO; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5 | PA NSO; NM; LA; NDS |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| <i>vinorelbine intravenous solution 10 mg/ml</i> (Navelbine) | 3 | |
| <i>vinorelbine intravenous solution 50 mg/5 ml</i> (Navelbine) | 2 | GC |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| VONJO ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| VOTRIENT ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| WELIREG ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA BvD; ST |
| XOSPATA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2) | 5 | PA NSO; NM; NDS; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1) | 5 | PA NSO; NM; NDS; QL (4 per 28 days) |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5 | PA NSO; NM; NDS |
| YONSA ORAL TABLET 125 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 4 | PA NSO |
| ZOLINZA ORAL CAPSULE 100 MG | 5 | NM; NDS |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| ZYKADIA ORAL TABLET 150 MG | 5 | PA NSO; NM; NDS; QL (84 per 28 days) |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG | 5 | PA NSO; NM; NDS |
| Anticonvulsants | | |
| Anticonvulsants | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | 3 | QL (80 per 30 days) |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 3 | QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 3 | QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol) | 2 | GC |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol) | 3 | |
| <i>carbamazepine oral tablet 200 mg</i> (Epilex) | 2 | GC |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2 | GC |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 2 | GC |
| CELONTIN ORAL CAPSULE 300 MG | 4 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi) | 3 | QL (480 per 30 days) |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi) | 3 | QL (60 per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial) | 4 | |
| <i>diazepam rectal kit 2.5 mg</i> (Diastat) | 4 | |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles) | 2 | GC |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER) | 2 | GC |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2 | GC |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 5 | PA NSO; NM; NDS |
| <i>epitol oral tablet 200 mg</i> (carbamazepine) | 2 | GC |
| EPRONTIA ORAL SOLUTION 25 MG/ML | 4 | ST; QL (480 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin) | 3 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin) | 2 | GC |
| <i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol) | 5 | NM; NDS |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol) | 3 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 5 | PA NSO; NM; NDS |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx) | 2 | GC |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 5 | ST; NM; NDS; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 2 MG | 4 | ST; QL (30 per 30 days) |
| FYCOMPA ORAL TABLET 4 MG, 6 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin) | 1 | GC; QL (360 per 30 days) |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin) | 1 | GC; QL (270 per 30 days) |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin) | 2 | GC; QL (2160 per 30 days) |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin) | 2 | GC; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>gabapentin oral tablet 800 mg</i> (Neurontin) | 2 | GC; QL (120 per 30 days) |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat) | 2 | GC; QL (200 per 5 days) |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat) | 2 | GC; QL (1200 per 30 days) |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat) | 2 | GC; QL (60 per 30 days) |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite) | 1 | GC |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 2 | GC |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 3 | |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 2 | GC |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 2 | GC |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 4 | QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal) | 3 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal) | 2 | GC |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 2 | GC |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2 | GC |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125) | 2 | GC |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs) | 2 | GC |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended) | 2 | GC |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | 2 | GC |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i> | 2 | GC |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica) | 2 | GC; QL (90 per 30 days) |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica) | 2 | GC; QL (60 per 30 days) |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica) | 2 | GC; QL (900 per 30 days) |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline) | 2 | GC |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel) | 5 | ST; NM; NDS |
| <i>rufinamide oral tablet 200 mg</i> (Banzel) | 3 | ST |
| <i>rufinamide oral tablet 400 mg</i> (Banzel) | 5 | ST; NM; NDS |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG | 4 | ST; QL (60 per 30 days) |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG | 4 | ST; QL (120 per 30 days) |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine) | 1 | GC |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| SYMPAZAN ORAL FILM 5 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril) | 3 | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax) | 2 | GC |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax) | 1 | GC |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> | 2 | GC |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | GC |
| <i>valproic acid oral capsule 250 mg</i> | 2 | GC |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2) | 5 | NM; NDS |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Sabril) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML (lacosamide) | 3 | QL (200 per 5 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY (150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 4 | ST; QL (56 per 28 days) |
| XCOPRI ORAL TABLET 100 MG, 50 MG | 4 | ST; QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 4 | ST; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 4 | ST |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML | 4 | |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 2 | GC |
| <i>zonisamide oral capsule 50 mg</i> | 2 | GC |
| ZTALMY ORAL SUSPENSION 50 MG/ML | 5 | PA NSO; NM; NDS; QL (1080 per 30 days) |

Antidementia Agents

Antidementia Agents

| | | |
|--|---|-------------------------|
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept) | 1 | GC; QL (30 per 30 days) |
| <i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | 3 | |
| <i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER) | 2 | GC; QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 3 | QL (200 per 30 days) |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>memantine oral capsule, sprinkle, er</i> (Namenda XR) 24hr 14 mg, 21 mg, 28 mg, 7 mg | 2 | ST; GC; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 3 | QL (300 per 30 days) |
| <i>memantine oral tablet 10 mg, 5 mg</i> (Namenda) | 2 | GC; QL (60 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 3 | QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg</i> | 4 | |
| <i>amoxapine oral tablet 50 mg</i> | 2 | GC |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG | 5 | ST; NM; NDS |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i> | 2 | GC |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL) | 2 | GC |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR) | 2 | GC |
| <i>citalopram oral solution 10 mg/5 ml</i> | 3 | QL (600 per 30 days) |
| <i>citalopram oral tablet 10 mg</i> (Celexa) | 1 | GC; QL (120 per 30 days) |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa) | 1 | GC; QL (30 per 30 days) |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil) | 4 | |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin) | 2 | GC |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq) | 2 | GC; QL (30 per 30 days) |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>doxepin oral concentrate 10 mg/ml</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG | 4 | ST; QL (60 per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG | 4 | ST; QL (30 per 30 days) |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta) | 2 | GC; QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 4 | |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro) | 1 | GC |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 4 | ST |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 4 | ST; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac) | 1 | GC |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | GC |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| MARPLAN ORAL TABLET 10 MG | 4 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron) | 2 | GC |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i> | 2 | GC |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2 | GC |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> | 3 | |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nortriptyline oral solution 10 mg/5 ml</i> | 4 | |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil) | 4 | |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil) | 1 | GC |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 2 | GC |
| <i>phenelzine oral tablet 15 mg</i> (Nardil) | 2 | GC |
| <i>protriptyline oral tablet 10 mg, 5 mg</i> | 4 | |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft) | 2 | GC |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft) | 1 | GC |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG | 4 | PA NSO |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3) | 5 | PA NSO; NM; NDS |
| <i>tranlycypromine oral tablet 10 mg</i> (Parnate) | 4 | |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> | 1 | GC |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 4 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR) | 2 | GC; QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR) | 2 | GC; QL (90 per 30 days) |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 2 | GC |
| VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23) | 3 | |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd) | 2 | GC; QL (30 per 30 days) |
| Antidiabetic Agents | | |
| Antidiabetic Agents, Miscellaneous | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose) | 6 | GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| FARXIGA ORAL TABLET 10 MG, 5 MG | 3 | QL (30 per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 3 | QL (30 per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 3 | QL (30 per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | QL (30 per 30 days) |
| KORLYM ORAL TABLET 300 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| <i>metformin oral tablet 1,000 mg</i> | 6 | GC; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> | 6 | GC; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> | 6 | GC; QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> | 6 | GC; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> | 6 | GC; QL (60 per 30 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> | 6 | GC; QL (90 per 30 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML) | 3 | QL (1.5 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML) | 3 | QL (3 per 28 days) |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos) | 6 | GC; QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET) | 2 | GC; QL (90 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i> | 6 | GC; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>repaglinide oral tablet 2 mg</i> | 6 | GC; QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG | 3 | QL (30 per 30 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 5 | PA; NM; NDS; QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 5 | PA; NM; NDS; QL (10.8 per 28 days) |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG | 3 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG | 3 | QL (30 per 30 days) |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG | 3 | QL (60 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3 | QL (2 per 28 days) |
| VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) | 3 | QL (9 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 10-500 MG | 3 | QL (30 per 30 days) |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| Insulins | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|--------------------------------|
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML) | 3 | SI; QL (24 per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 3 | SI; QL (40 per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | SI; QL (30 per 28 days) |
| NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML | 3 | SI; QL (40 per 28 days) |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | (insulin aspart u-100) 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | (insulin asp prt-insulin aspart) 2 | GC; SI; QL (40 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) (insulin asp prt-insulin aspart) | 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (insulin aspart u-100) | 2 | GC; SI; QL (30 per 28 days) |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100) | 2 | GC; SI; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn) | 3 | SI; QL (40 per 28 days) |
| SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn) | 3 | SI; QL (30 per 28 days) |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML | 3 | QL (30 per 30 days) |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | 3 | SI; QL (18 per 28 days) |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | 3 | SI; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | 3 | QL (15 per 28 days) |
| Sulfonylureas | | |
| <i>glimepiride oral tablet 1 mg, 2 mg</i> (Amaryl) | 6 | GC; QL (30 per 30 days) |
| <i>glimepiride oral tablet 4 mg</i> (Amaryl) | 6 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet 10 mg</i> | 6 | GC; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | 6 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL) | 6 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL) | 6 | GC; QL (30 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | 6 | GC; QL (240 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | 6 | GC; QL (120 per 30 days) |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i> (Glynase) | 6 | GC |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> | 6 | GC |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i> | 6 | GC |

Antifungals

Antifungals

| | | |
|---|---|---------------------------|
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 4 | PA BvD |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG (amphotericin b liposome) | 5 | PA BvD; NM; NDS |
| <i>amphotericin b injection recon soln 50 mg</i> | 3 | PA BvD |
| <i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome) | 5 | PA BvD; NM; NDS |
| <i>casprofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas) | 3 | |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan) | 2 | GC; QL (180 per 30 days) |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan) | 2 | GC; QL (19.8 per 30 days) |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 2 | GC |
| <i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole)) | 2 | GC |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | 2 | GC; QL (90 per 30 days) |
| <i>econazole topical cream 1 %</i> | 4 | QL (170 per 30 days) |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i> | 2 | GC |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan) | 3 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan) | 2 | GC |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 2 | GC |
| <i>griseofulvin microsize oral tablet 500 mg</i> | 4 | |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox) | 2 | GC |
| <i>ketoconazole oral tablet 200 mg</i> | 2 | GC |
| <i>ketoconazole topical cream 2 %</i> | 2 | GC; QL (180 per 30 days) |
| <i>ketoconazole topical foam 2 %</i> (Extina) | 3 | ST; QL (100 per 30 days) |
| <i>ketoconazole topical shampoo 2 %</i> | 2 | GC; QL (360 per 30 days) |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 3 | |
| NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG | 5 | PA; NM; NDS |
| NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML) (posaconazole) | 5 | PA; NM; NDS |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin) | 2 | GC; QL (60 per 30 days) |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 2 | GC; QL (900 per 30 days) |
| <i>nystatin oral tablet 500,000 unit</i> | 2 | GC |
| <i>nystatin topical cream 100,000 unit/gram</i> | 2 | GC; QL (60 per 30 days) |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 2 | GC; QL (60 per 30 days) |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc) | 2 | GC; QL (60 per 30 days) |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 2 | GC |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 2 | GC |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin) | 2 | GC; QL (60 per 30 days) |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil) | 5 | PA; NM; NDS |
| <i>terbinafine hcl oral tablet 250 mg</i> | 1 | GC |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV) | 5 | PA BvD; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5 | PA; NM; NDS |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend) | 4 | |
| Antigout Agents | | |
| Antigout Agents, Other | | |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim) | 1 | GC |
| <i>allopurinol oral tablet 300 mg</i> | 1 | GC |
| <i>colchicine oral tablet 0.6 mg</i> (Colcrys) | 4 | PA; QL (120 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric) | 4 | ST; QL (30 per 30 days) |
| MITIGARE ORAL CAPSULE 0.6 MG (colchicine) | 2 | GC; QL (60 per 30 days) |
| <i>probenecid oral tablet 500 mg</i> | 2 | GC |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | 2 | GC |
| Antihistamines | | |
| Antihistamines | | |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | 2 | GC |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | 2 | GC |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | 3 | |
| <i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i> (Diphen) | 3 | |
| <i>hydroxyzine 100 mg/2 ml vial sdv 50 mg/ml</i> | 3 | |
| <i>hydroxyzine hcl intramuscular solution 25 mg/ml</i> | 3 | |
| <i>hydroxyzine hcl intramuscular solution 50 mg/ml</i> | 2 | GC |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | 2 | GC |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief) | 1 | GC |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Anti-Infectives (Skin And Mucous Membrane) | | |
| Anti-Infectives (Skin And Mucous Membrane) | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin) | 4 | |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole) | 4 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 3 | |
| <i>terconazole vaginal suppository 80 mg</i> | 4 | |
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 3 | PA; QL (1.5 per 30 days) |
| <i>dihydroergotamine injection solution 1 mg/ml</i> | 3 | QL (24 per 28 days) |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5 | NM; NDS; QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> | 2 | GC; QL (9 per 30 days) |
| NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG | 3 | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | 3 | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt) | 2 | GC; QL (12 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>rizatriptan oral tablet 5 mg</i> | 2 | GC; QL (12 per 30 days) |
| <i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT) | 2 | GC; QL (12 per 30 days) |
| <i>rizatriptan oral tablet, disintegrating 5 mg</i> | 2 | GC; QL (12 per 30 days) |
| <i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i> (Imitrex) | 3 | QL (12 per 30 days) |
| <i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i> (Imitrex) | 3 | QL (18 per 30 days) |
| <i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex) | 2 | GC; QL (9 per 30 days) |
| <i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex) | 2 | GC; QL (18 per 30 days) |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Refill) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml</i> (Imitrex STATdose Pen) | 3 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 4 | QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex) | 2 | GC; QL (4 per 28 days) |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i> | 4 | QL (4 per 28 days) |
| <i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet) | 3 | QL (9 per 27 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 3 | PA; QL (16 per 30 days) |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig) | 2 | GC; QL (6 per 30 days) |
| <i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i> | 2 | GC; QL (6 per 30 days) |

Antimycobacterials

Antimycobacterials

| | | |
|--|---|---------------------|
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 2 | GC |
| <i>ethambutol oral tablet 100 mg</i> | 2 | GC |
| <i>ethambutol oral tablet 400 mg</i> (Myambutol) | 2 | GC |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 2 | GC |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 1 | GC |
| PRETOMANID ORAL TABLET 200 MG | 4 | QL (30 per 30 days) |
| PRIFTIN ORAL TABLET 150 MG | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| <i>pyrazinamide oral tablet 500 mg</i> | 3 | |
| <i>rifabutin oral capsule 150 mg</i> (Mycobutin) | 4 | |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin) | 4 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> | 2 | GC |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | PA; NM; NDS |
| TRECTOR ORAL TABLET 250 MG | 4 | |
| Antinausea Agents | | |
| Antinausea Agents | | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG | 4 | |
| AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML | 4 | |
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG | 4 | PA BvD |
| <i>aprepitant oral capsule 125 mg</i> | 3 | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i> | 3 | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend) | 3 | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 3 | PA BvD |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine) | 3 | |
| <i>dimenhydrinate injection solution 50 mg/ml</i> | 2 | GC |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 4 | PA; QL (60 per 30 days) |
| <i>droperidol injection solution 2.5 mg/ml</i> | 2 | GC |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ML FINAL CONC.) | 4 | PA BvD; QL (6 per 28 days) |
| <i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant)) | 3 | QL (2 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>granisetron (pf) intravenous solution 100 mcg/ml</i> | 2 | GC |
| <i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i> | 2 | GC |
| <i>granisetron hcl oral tablet 1 mg</i> | 3 | PA BvD |
| <i>meclizine oral tablet 12.5 mg</i> | 2 | GC |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine)) | 2 | GC |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | 2 | GC |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | 1 | GC |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | 2 | GC |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | 3 | PA BvD |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i> | 2 | PA BvD; GC |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> | 2 | PA BvD; GC |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2 | GC |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine) | 2 | GC |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro) | 3 | |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan) | 3 | |
| <i>promethazine injection solution 50 mg/ml</i> (Phenergan) | 3 | |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Promethegan) | 3 | |
| <i>promethazine rectal suppository 50 mg</i> (Promethegan) | 4 | |
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine) | 3 | |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 4 | QL (10 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| Antiparasite Agents | | |
| Antiparasite Agents | | |
| <i>albendazole oral tablet 200 mg</i> | 5 | NM; NDS |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron) | 3 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone) | 2 | GC |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) | 2 | GC |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 2 | GC |
| COARTEM ORAL TABLET 20-120 MG | 4 | |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil) | 2 | GC; QL (90 per 30 days) |
| IMPAVIDO ORAL CAPSULE 50 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol) | 2 | GC |
| KRINTAFEL ORAL TABLET 150 MG | 4 | |
| <i>mefloquine oral tablet 250 mg</i> | 2 | GC |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia) | 5 | NM; NDS |
| <i>paromomycin oral capsule 250 mg</i> (Humatin) | 3 | |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent) | 3 | PA BvD |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam) | 4 | |
| PRIMAQUINE ORAL TABLET 26.3 MG | 4 | |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim) | 5 | PA; NM; NDS |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin) | 2 | PA; GC; QL (42 per 7 days) |
| Antiparkinsonian Agents | | |
| Antiparkinsonian Agents | | |
| <i>amantadine hcl oral capsule 100 mg</i> | 2 | GC |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 1 | GC |
| <i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN) | 5 | PA; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | GC |
| <i>bromocriptine oral capsule 5 mg</i> (Parlodel) | 3 | |
| <i>bromocriptine oral tablet 2.5 mg</i> (Parlodel) | 2 | GC |
| <i>cabergoline oral tablet 0.5 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet) | 2 | GC |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy) | 2 | GC |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 2 | GC |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2 | GC |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150) | 4 | |
| <i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200) | 4 | |
| <i>entacapone oral tablet 200 mg</i> (Comtan) | 3 | |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 5 | PA; NM; NDS; QL (300 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 3 | QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG | 4 | ST; QL (30 per 30 days) |
| OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1) | 4 | ST; QL (60 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, (Mirapex) 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 1 | GC |
| <i>rasagiline oral tablet 0.5 mg, 1 mg (Azilect)</i> | 4 | |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> | 2 | GC |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> | 2 | GC |
| <i>selegiline hcl oral capsule 5 mg</i> | 2 | GC |
| <i>selegiline hcl oral tablet 5 mg</i> | 2 | GC |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 2 | GC |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 1 | GC |
| Antipsychotic Agents | | |
| Antipsychotic Agents | | |
| <i>aripiprazole oral solution 1 mg/ml</i> | 3 | QL (900 per 30 days) |
| <i>aripiprazole oral tablet 10 mg, 15 (Abilify) mg, 20 mg, 30 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>aripiprazole oral tablet 2 mg (Abilify)</i> | 2 | GC; QL (60 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 10 mg</i> | 5 | ST; NM; NDS; QL (90 per 30 days) |
| <i>aripiprazole oral tablet, disintegrating 15 mg</i> | 5 | ST; NM; NDS; QL (60 per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML | 5 | NM; NDS; QL (4.8 per 365 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------------|
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 5 | NM; NDS; QL (3.9 per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 5 | NM; NDS; QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 5 | NM; NDS; QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 5 | NM; NDS; QL (3.2 per 28 days) |
| <i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg | 3 | QL (60 per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>chlorpromazine 25 mg/ml amp</i> 25's,outer 25 mg/ml | 3 | |
| <i>chlorpromazine injection solution</i> 25 mg/ml | 2 | GC |
| <i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml | 4 | |
| <i>chlorpromazine oral tablet</i> 10 mg, 100 mg, 200 mg, 25 mg, 50 mg | 4 | |
| <i>clozapine oral tablet</i> 100 mg (Clozaril) | 2 | GC; QL (270 per 30 days) |
| <i>clozapine oral tablet</i> 200 mg (Clozaril) | 2 | GC; QL (135 per 30 days) |
| <i>clozapine oral tablet</i> 25 mg, 50 mg (Clozaril) | 2 | GC; QL (90 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> 100 mg, 12.5 mg, 25 mg | 4 | ST; QL (90 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> 150 mg | 4 | ST; QL (180 per 30 days) |
| <i>clozapine oral tablet,disintegrating</i> 200 mg | 5 | ST; NM; NDS; QL (120 per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2) | 4 | ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 2 | GC |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 3 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 4 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 4 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 4 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate) | 3 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i> | 2 | GC |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate) | 2 | GC |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml(1ml)</i> | 3 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 3 | |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i> | 2 | GC |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 2 | GC |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | GC |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML | 5 | NM; NDS; QL (3.5 per 180 days) |
| INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML | 5 | NM; NDS; QL (5 per 180 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | NM; NDS; QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | NM; NDS; QL (1 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | NM; NDS; QL (1.5 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 3 | QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | NM; NDS; QL (0.5 per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML | 5 | NM; NDS; QL (0.88 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML | 5 | NM; NDS; QL (1.32 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | NM; NDS; QL (1.75 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML | 5 | NM; NDS; QL (2.63 per 84 days) |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG | 3 | QL (30 per 30 days) |
| LATUDA ORAL TABLET 80 MG | 3 | QL (60 per 30 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | GC |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>molindone oral tablet 10 mg</i> | 2 | GC; QL (240 per 30 days) |
| <i>molindone oral tablet 25 mg</i> | 2 | GC; QL (270 per 30 days) |
| <i>molindone oral tablet 5 mg</i> | 2 | GC; QL (120 per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i> | 3 | QL (30 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa) | 2 | GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>olanzapine oral tablet, disintegrating</i> (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg | 2 | GC; QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr</i> (Invega) 1.5 mg, 3 mg, 9 mg | 4 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr</i> (Invega) 6 mg | 4 | QL (60 per 30 days) |
| <i>perphenazine oral tablet</i> 16 mg, 2 mg, 4 mg, 8 mg | 2 | GC |
| PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG | 5 | NM; NDS; QL (1 per 30 days) |
| <i>pimozide oral tablet</i> 1 mg, 2 mg | 3 | |
| <i>quetiapine oral tablet</i> 100 mg, 200 mg, 25 mg, 50 mg (Seroquel) | 2 | GC; QL (90 per 30 days) |
| <i>quetiapine oral tablet</i> 150 mg | 2 | GC; QL (30 per 30 days) |
| <i>quetiapine oral tablet</i> 300 mg, 400 mg (Seroquel) | 2 | GC; QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr</i> (Seroquel XR) 150 mg, 200 mg, 50 mg | 2 | GC; QL (30 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr</i> (Seroquel XR) 300 mg, 400 mg | 2 | GC; QL (60 per 30 days) |
| REXULTI ORAL TABLET 0.25 MG | 5 | ST; NM; NDS; QL (120 per 30 days) |
| REXULTI ORAL TABLET 0.5 MG | 5 | ST; NM; NDS; QL (60 per 30 days) |
| REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 4 | QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | NM; NDS; QL (2 per 28 days) |
| <i>risperidone oral solution</i> 1 mg/ml (Risperdal) | 2 | GC; QL (480 per 30 days) |
| <i>risperidone oral tablet</i> 0.25 mg | 2 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal) | 2 | GC; QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> (Risperdal) | 2 | GC; QL (120 per 30 days) |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg</i> | 4 | QL (60 per 30 days) |
| <i>risperidone oral tablet, disintegrating 3 mg, 4 mg</i> | 4 | QL (120 per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 5 | ST; NM; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | GC |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | GC |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 5 | ST; NM; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | ST; NM; NDS; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6) | 4 | ST |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon) | 2 | GC; QL (60 per 30 days) |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 3 | QL (6 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG | 5 | NM; NDS; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG | 5 | NM; NDS; QL (1 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| <i>abacavir oral tablet 300 mg</i> (Ziagen) | 2 | GC |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom) | 2 | GC |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir) | 5 | NM; NDS |
| APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir) | 5 | NM; NDS; QL (24 per 365 days) |
| APTIVUS ORAL CAPSULE 250 MG | 5 | NM; NDS |
| <i>atazanavir oral capsule 150 mg</i> | 3 | |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz) | 3 | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5 | NM; NDS |
| <i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i> | 5 | NM; NDS; QL (24 per 365 days) |
| <i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude) | 5 | NM; NDS; QL (24 per 365 days) |
| CIMDUO ORAL TABLET 300-300 MG | 5 | NM; NDS |
| COMPLERA ORAL TABLET 200-25-300 MG | 5 | NM; NDS |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | NM; NDS |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 5 | NM; NDS |
| <i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i> | 3 | |
| DOVATO ORAL TABLET 50-300 MG | 5 | NM; NDS |
| EDURANT ORAL TABLET 25 MG | 5 | NM; NDS |
| <i>efavirenz oral capsule 200 mg</i> (Sustiva) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>efavirenz oral capsule 50 mg</i> (Sustiva) | 2 | GC |
| <i>efavirenz oral tablet 600 mg</i> | 3 | |
| <i>efavirenz-emtricitabin-tenofof oral tablet 600-200-300 mg</i> (Atripla) | 5 | NM; NDS |
| <i>efavirenz-lamivu-tenofof disop oral tablet 400-300-300 mg</i> (Symfi Lo) | 5 | NM; NDS |
| <i>efavirenz-lamivu-tenofof disop oral tablet 600-300-300 mg</i> (Symfi) | 5 | NM; NDS |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 3 | |
| <i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg, 200-300 mg</i> (Truvada) | 5 | NM; NDS |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 4 | |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML) | 4 | |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence) | 5 | NM; NDS |
| EVOTAZ ORAL TABLET 300-150 MG | 5 | NM; NDS |
| <i>fosamprenavir oral tablet 700 mg</i> (Lexiva) | 5 | NM; NDS |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 5 | NM; NDS |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | NM; NDS |
| INTELENCE ORAL TABLET 25 MG | 4 | |
| INVIRASE ORAL TABLET 500 MG | 5 | NM; NDS |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | NM; NDS |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 4 | |
| ISENTRESS ORAL TABLET 400 MG | 5 | NM; NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | NM; NDS |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 4 | |
| JULUCA ORAL TABLET 50-25 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 2 | GC |
| <i>lamivudine oral tablet 100 mg</i> (Epivir HBV) | 2 | GC |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir) | 2 | GC |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir) | 2 | GC |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 4 | |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2 | GC; QL (480 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra) | 3 | QL (300 per 30 days) |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra) | 5 | NM; NDS; QL (120 per 30 days) |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry) | 5 | NM; NDS |
| <i>nevirapine oral suspension 50 mg/5 ml</i> | 4 | |
| <i>nevirapine oral tablet 200 mg</i> | 2 | GC |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i> | 4 | |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> | 3 | |
| NORVIR ORAL POWDER IN PACKET 100 MG | 4 | |
| NORVIR ORAL SOLUTION 80 MG/ML | 4 | |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | NM; NDS |
| PIFELTRO ORAL TABLET 100 MG | 5 | NM; NDS |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 5 | NM; NDS |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 5 | NM; NDS |
| PREZISTA ORAL TABLET 150 MG, 600 MG, 800 MG | 5 | NM; NDS |
| PREZISTA ORAL TABLET 75 MG | 4 | |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------|
| REYATAZ ORAL POWDER IN PACKET 50 MG | 5 | NM; NDS |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5 | NM; NDS |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 2 | GC |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 5 | NM; NDS |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 5 | NM; NDS |
| SELZENTRY ORAL TABLET 25 MG | 3 | |
| SELZENTRY ORAL TABLET 75 MG | 5 | NM; NDS |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 2 | GC |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 5 | NM; NDS |
| SYM TUZA ORAL TABLET 800-150-200-10 MG | 5 | NM; NDS |
| TEMIXYS ORAL TABLET 300-300 MG | 5 | NM; NDS |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 2 | GC |
| TIVICAY ORAL TABLET 10 MG | 4 | |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | NM; NDS |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 4 | |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG | 5 | NM; NDS |
| TRIZIVIR ORAL TABLET 300-150-300 MG (abacavir-lamivudine-zidovudine) | 5 | NM; NDS |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| VEMLIDY ORAL TABLET 25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG | 5 | NM; NDS |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 5 | NM; NDS |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | NM; NDS |
| VOCABRIA ORAL TABLET 30 MG | 4 | |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 2 | GC |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 2 | GC |
| <i>zidovudine oral tablet 300 mg</i> | 2 | GC |
| Antivirals, Miscellaneous | | |
| <i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir) | 4 | PA BvD |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 3 | QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 3 | QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 3 | QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 3 | QL (540 per 180 days) |
| PAXLOVID (EUA) ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG | 4 | QL (30 per 5 days) |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML | 5 | PA; NM; NDS; QL (336 per 28 days) |
| PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML | 5 | PA; NM; NDS; QL (672 per 28 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 4 | QL (60 per 180 days) |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine) | 3 | |
| XOFLUZA 40 MG TAB (80 MG DOSE) 40 MG | 4 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 20 MG, 40 MG | 4 | QL (4 per 180 days) |
| XOFLUZA ORAL TABLET 80 MG | 4 | QL (2 per 180 days) |
| Hcv Antivirals | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| Interferons | | |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 5 | PA NSO; NM; NDS |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | NM; NDS |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 5 | NM; NDS |
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 2 | GC |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 4 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | GC |
| <i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i> | 2 | PA BvD; GC |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 3 | PA BvD |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 3 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude) | 2 | GC |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>lagevrio (eua) oral capsule 200 mg</i> | 4 | QL (40 per 5 days) |
| <i>ribavirin oral capsule 200 mg</i> | 3 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | GC |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex) | 2 | GC |
| <i>valganciclovir oral tablet 450 mg</i> (Valcyte) | 2 | GC |
| Blood Products/Modifiers/Volume Expanders | | |
| Anticoagulants | | |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 3 | |
| ELIQUIS ORAL TABLET 2.5 MG | 3 | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | QL (74 per 30 days) |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox) | 3 | QL (30 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox) | 3 | QL (60 per 30 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox) | 3 | QL (48 per 30 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox) | 3 | QL (18 per 30 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox) | 3 | QL (24 per 30 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox) | 3 | QL (36 per 30 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra) | 5 | NM; NDS; QL (24 per 30 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra) | 3 | QL (15 per 30 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra) | 5 | NM; NDS; QL (12 per 30 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra) | 5 | NM; NDS; QL (18 per 30 days) |
| <i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i> | 2 | GC |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>heparin sodium 1,000 unit/ml vial sdv, outer 1,000 unit/ml</i> | 3 | |
| <i>heparin sodium 10,000 unit/ml vial mdv, outer 10,000 unit/ml</i> | 3 | |
| <i>heparin sodium 5,000 unit/ml vial suv, outer 5,000 unit/ml</i> | 3 | |
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml</i> | 2 | GC |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 2 | GC |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/ml</i> | 3 | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin) | 1 | GC |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1 | GC |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS, DOSE PACK 15 MG (42)- 20 MG (9) | 3 | |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML | 3 | QL (600 per 30 days) |
| XARELTO ORAL TABLET 10 MG, 20 MG | 3 | QL (30 per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | 3 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 5 | PA; NM; NDS |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT | 5 | PA; NM; NDS; QL (30 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT | 5 | PA; NM; NDS; QL (20 per 30 days) |
| LEUKINE INJECTION RECON SOLN 250 MCG | 5 | NM; NDS |
| NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL POWDER IN PACKET 25 MG | 5 | PA; NM; NDS; QL (180 per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROMACTA ORAL TABLET 25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| PROMACTA ORAL TABLET 50 MG, 75 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 3 | PA; QL (4 per 28 days) |
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| Hematologic Agents, Miscellaneous | | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 2 | GC |
| <i>anagrelide oral capsule 1 mg</i> | 2 | GC |
| CABLIVI INJECTION KIT 11 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 4 | |
| <i>protamine intravenous solution 10 mg/ml</i> | 2 | GC |
| SIKLOS ORAL TABLET 100 MG | 4 | PA |
| <i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron) | 2 | GC |
| <i>tranexamic acid oral tablet 650 mg</i> (Lysteda) | 2 | GC |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> | 2 | GC; QL (60 per 30 days) |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 3 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | GC |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 1 | GC |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | GC |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 2 | GC |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient) | 2 | GC; QL (30 per 30 days) |
| Caloric Agents | | |
| Caloric Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 % | 4 | PA BvD |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 % | 4 | PA BvD |
| CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 % | 4 | PA BvD |
| CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | PA BvD |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 % | 4 | PA BvD |
| <i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i> | 2 | PA BvD; GC |
| <i>dextrose 5 % in water (d5w)</i> <i>intravenous parenteral solution</i> | 4 | |
| <i>dextrose 5 % in water (d5w)</i> <i>intravenous piggyback 5 %</i> | 3 | |
| <i>dextrose 5%-water iv soln single use</i> | 3 | |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 % | 4 | PA BvD |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 4 | PA BvD |
| PROCALAMINE 3% INTRAVENOUS PARENTERAL SOLUTION 3 % | 4 | PA BvD |
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 4 | PA BvD |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |

Cardiovascular Agents

Alpha-Adrenergic Agents

| | | |
|---|---|-----------------------------------|
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | GC |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2 | GC; QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2) | 2 | GC; QL (4 per 28 days) |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3) | 2 | GC; QL (8 per 28 days) |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura) | 2 | GC |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera) | 5 | PA; NM; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i> | 2 | GC |
| <i>methyl dopa oral tablet 250 mg, 500 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | GC |
| <i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep) | 2 | GC |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress) | 2 | GC |
| Angiotensin Ii Receptor Antagonists | | |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand) | 6 | GC |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 2 | GC |
| EDARBI ORAL TABLET 40 MG, 80 MG | 3 | |
| EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG | 3 | |
| ENTRESTO ORAL TABLET 24-26 MG | 3 | QL (180 per 30 days) |
| ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG | 3 | QL (60 per 30 days) |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro) | 6 | GC |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide) | 6 | GC |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar) | 6 | GC |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar) | 6 | GC |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar) | 6 | GC |
| <i>olmesartan-amlodipin-hcthiazyd oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 2 | GC |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT) | 6 | GC |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis) | 6 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT) | 2 | GC |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan) | 6 | GC |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 6 | GC |
| Angiotensin-Converting Enzyme Inhibitors | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin) | 6 | GC |
| <i>benazepril oral tablet 5 mg</i> | 6 | GC |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT) | 6 | GC |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | 6 | GC |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 6 | GC |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec) | 6 | GC |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i> | 2 | GC |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic) | 6 | GC |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | 6 | GC |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | GC |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | 6 | GC |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril) | 6 | GC |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 6 | GC |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | 6 | GC |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 6 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril) | 6 | GC |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic) | 6 | GC |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace) | 6 | GC |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 6 | GC |
| <i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i> | 2 | GC |
| Antiarrhythmic Agents | | |
| <i>amiodarone oral tablet 100 mg, 400 mg</i> (Pacerone) | 2 | GC |
| <i>amiodarone oral tablet 200 mg</i> (Pacerone) | 1 | GC |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace) | 3 | |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn) | 2 | GC |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | 2 | GC |
| <i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2 %), 50 mg/5 ml (1 %)</i> | 1 | GC |
| <i>lidocaine hcl 1% 50 mg/5 ml vial sdv, p/f 10 mg/ml (1 %)</i> (Xylocaine-MPF) | 2 | GC |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 2 | GC |
| MULTAQ ORAL TABLET 400 MG | 3 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone) | 2 | GC |
| <i>procainamide injection solution 100 mg/ml, 500 mg/ml</i> | 2 | GC |
| <i>procainamide intravenous syringe 100 mg/ml</i> | 2 | GC |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR) | 3 | |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>quinidine gluconate oral tablet extended release 324 mg</i> | 3 | |
| <i>quinidine sulfate oral tablet 200 mg</i> | 1 | GC |
| <i>quinidine sulfate oral tablet 300 mg</i> | 2 | GC |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 2 | GC |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin) | 1 | GC |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100) | 2 | GC |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50) | 2 | GC |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | 2 | GC |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 2 | GC |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac) | 2 | GC |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg) | 1 | GC |
| <i>labetalol intravenous solution 5 mg/ml</i> | 2 | GC |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 2 | GC |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 2 | GC |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1 | GC |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i> | 2 | GC |
| <i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> | 2 | GC |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor) | 1 | GC |
| <i>metoprolol tartrate oral tablet 25 mg</i> | 1 | GC |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic) | 3 | |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>propranolol intravenous solution 1 mg/ml</i> | 2 | GC |
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA) | 2 | GC |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 2 | GC |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | GC |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 2 | GC |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol) | 2 | GC |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol) | 2 | GC |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine) | 2 | GC |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | GC |
| Calcium-Channel Blocking Agents | | |
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl) | 2 | GC |
| <i>diltiazem 25 mg/5 ml vial sdv,inner 5 mg/ml</i> | 3 | |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i> | 2 | GC |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 4 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT) | 2 | GC |
| <i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER) | 2 | GC |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT) | 2 | GC |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem) | 2 | GC |
| <i>diltiazem hcl oral tablet 90 mg</i> | 2 | GC |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2 | GC |
| <i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl) | 2 | GC |
| <i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2 | GC |
| <i>verapamil intravenous syringe 2.5 mg/ml</i> | 2 | GC |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM) | 3 | |
| <i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verelan) | 2 | GC |
| <i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i> (Verelan) | 4 | |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 1 | GC |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR) | 2 | GC |
| Cardiovascular Agents, Miscellaneous | | |
| CORLANOR ORAL SOLUTION 5 MG/5 ML | 3 | QL (600 per 30 days) |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 3 | QL (60 per 30 days) |
| <i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 2 | GC |
| <i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin) | 2 | GC |
| <i>digoxin 250 mcg tablet 250 mcg (0.25 mg)</i> (Digitek) | 2 | GC |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i> | 2 | GC |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek) | 2 | GC |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr) | 3 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> | 2 | GC; QL (4 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q) | 3 | QL (4 per 30 days) |
| <i>epinephrine injection solution 1 mg/ml</i> (Adrenalin) | 1 | GC |
| <i>hydralazine injection solution 20 mg/ml</i> | 2 | GC |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | GC |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| <i>metyrosine oral capsule 250 mg</i> (Demser) | 5 | NM; NDS |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i> (Ranexa) | 2 | GC; QL (60 per 30 days) |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i> (Ranexa) | 2 | GC; QL (120 per 30 days) |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant) | 5 | PA; NM; NDS; QL (18 per 30 days) |
| Dihydropyridines | | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc) | 1 | GC |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 6 | GC |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i> | 6 | GC |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor) | 6 | GC |
| <i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge) | 6 | GC |
| <i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT) | 2 | GC |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i> | 2 | GC |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | 3 | |
| <i>nifedipine oral capsule 10 mg, 20 mg</i> | 2 | GC |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> | 2 | GC |
| Diuretics | | |
| <i>amiloride oral tablet 5 mg</i> | 2 | GC |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | 2 | GC |
| <i>bumetanide 2.5 mg/10 ml vial mdv, inner 0.25 mg/ml</i> | 3 | |
| <i>bumetanide injection solution 0.25 mg/ml</i> | 4 | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | GC |
| <i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV) | 2 | GC |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | GC |
| <i>furosemide injection solution 10 mg/ml</i> | 2 | GC |
| <i>furosemide injection syringe 10 mg/ml</i> | 1 | GC |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | 2 | GC |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix) | 1 | GC |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | GC |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 1 | GC |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | GC |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone) | 1 | GC |
| <i>toremide oral tablet 10 mg, 100 mg, 5 mg</i> | 2 | GC |
| <i>toremide oral tablet 20 mg</i> (Soanz) | 2 | GC |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | GC |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide) | 1 | GC |
| Dyslipidemics | | |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet) | 2 | GC |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet) | 2 | GC; QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i> | 2 | GC |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor) | 6 | GC; QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran) | 2 | GC |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 2 | GC |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol) | 3 | |
| <i>colesevelam oral tablet 625 mg</i> (WelChol) | 2 | GC |
| <i>colestipol oral packet 5 gram</i> (Colestid) | 3 | |
| <i>colestipol oral tablet 1 gram</i> (Colestid) | 2 | GC |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia) | 2 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10) | 6 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20) | 6 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40) | 6 | GC; QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80) | 6 | GC; QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 67 mg</i> | 2 | GC |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor) | 2 | GC |
| <i>fenofibrate nanocrystallized oral tablet 160 mg</i> | 2 | GC |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | 2 | GC |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL) | 2 | GC |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid) | 1 | GC |
| JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG | 3 | QL (30 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | GC |
| NEXLETOL ORAL TABLET 180 MG | 3 | QL (30 per 30 days) |
| NEXLIZET ORAL TABLET 180-10 MG | 3 | QL (30 per 30 days) |
| <i>niacin oral tablet 500 mg</i> (Niacor) | 1 | GC |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | 2 | GC |
| <i>niacor oral tablet 500 mg</i> (niacin) | 2 | GC |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza) | 2 | ST; GC; QL (120 per 30 days) |
| PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML | 3 | QL (2 per 28 days) |
| <i>pravastatin oral tablet 10 mg, 80 mg</i> | 6 | GC |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | 6 | GC; QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine-aspartame) | 2 | GC |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 3 | QL (7 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 3 | QL (6 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 3 | QL (6 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor) | 6 | GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor) | 6 | GC; QL (30 per 30 days) |
| <i>simvastatin oral tablet 5 mg, 80 mg</i> | 6 | GC; QL (30 per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl) | 2 | GC; QL (240 per 30 days) |
| VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl) | 2 | GC; QL (120 per 30 days) |
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna) | 3 | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra) | 2 | GC |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 3 | PA; QL (30 per 30 days) |
| Vasodilators | | |
| BIDIL ORAL TABLET 20-37.5 MG (isosorbide-hydralazine) | 3 | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 2 | GC |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose) | 2 | GC |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | GC |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1 | GC |
| <i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil) | 2 | GC |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (nitroglycerin) | 2 | GC |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | GC |
| <i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i> | 2 | GC |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat) | 2 | GC |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2 | GC |
| Central Nervous System Agents | | |
| Central Nervous System Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera) | 3 | QL (60 per 30 days) |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera) | 3 | QL (30 per 30 days) |
| AUBAGIO ORAL TABLET 14 MG, 7 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| AUSTEDO ORAL TABLET 12 MG, 9 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | PA; NM; NDS; QL (15 per 30 days) |
| <i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit) | 2 | PA BvD; GC |
| <i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i> | 2 | GC |
| COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML (glatiramer) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML (glatiramer) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra) | 2 | PA; GC; QL (60 per 30 days) |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi) | 2 | GC; QL (180 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 15 mg</i> (Zenzedi) | 4 | QL (90 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi) | 4 | QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 5 mg</i> (Zenzedi) | 2 | GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> 10 mg, 15 mg, 5 mg (Adderall XR) | 2 | GC; QL (30 per 30 days) |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr</i> 20 mg, 25 mg, 30 mg (Adderall XR) | 2 | GC; QL (60 per 30 days) |
| <i>dextroamphetamine-amphetamine oral tablet</i> 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg (Adderall) | 2 | GC; QL (60 per 30 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (Tecfidera) | 5 | PA; NM; NDS; QL (14 per 7 days) |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 120 mg (14)- 240 mg (46) (Tecfidera) | 5 | PA; NM; NDS |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec)</i> 240 mg (Tecfidera) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i> fingolimod oral capsule</i> 0.5 mg (Gilenya) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>flumazenil intravenous solution</i> 0.1 mg/ml | 2 | GC |
| GILENYA ORAL CAPSULE 0.25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| GILENYA ORAL CAPSULE 0.5 MG (fingolimod) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe</i> 20 mg/ml (Copaxone) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe</i> 40 mg/ml (Copaxone) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe</i> 20 mg/ml (glatiramer) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe</i> 40 mg/ml (glatiramer) | 5 | PA; NM; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr</i> 1 mg, 2 mg, 3 mg, 4 mg (Intuniv ER) | 2 | GC; QL (30 per 30 days) |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML | 5 | PA; NM; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule</i> 150 mg, 300 mg, 600 mg | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| <i>lithium carbonate oral tablet 300 mg</i> | 2 | GC |
| <i>lithium carbonate oral tablet</i> (Lithobid) <i>extended release 300 mg</i> | 2 | GC |
| <i>lithium carbonate oral tablet</i> <i>extended release 450 mg</i> | 2 | GC |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS |
| MAYZENT ORAL TABLET 0.25 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS) | 4 | PA |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS) | 5 | PA; NM; NDS |
| <i>methylphenidate hcl oral capsule, er</i> <i>biphasic 30-70 10 mg, 20 mg, 40 mg,</i> <i>50 mg, 60 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule, er</i> <i>biphasic 30-70 30 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 10 mg, 20 mg, 40 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>methylphenidate hcl oral capsule,er</i> (Ritalin LA) <i>biphasic 50-50 30 mg</i> | 2 | GC; QL (60 per 30 days) |
| <i>methylphenidate hcl oral capsule,er</i> <i>biphasic 50-50 60 mg</i> | 2 | GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin) | 2 | GC; QL (900 per 30 days) |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin) | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i> | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER) | 2 | GC; QL (90 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 54 mg (bx rating)</i> | 3 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta) | 3 | QL (30 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta) | 3 | QL (60 per 30 days) |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i> | 3 | QL (60 per 30 days) |
| OCREVUS INTRAVENOUS SOLUTION 30 MG/ML | 5 | PA; NM; NDS; QL (20 per 180 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NM; NDS |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML | 5 | PA; NM; NDS |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 2 | GC; QL (60 per 30 days) |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | QL (60 per 30 days) |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 3 | |
| TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine) | 5 | PA; NM; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Contraceptives | | |
| Contraceptives | | |
| afirmelle oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad) | 2 | GC |
| altavera (28) oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad) | 2 | GC |
| alyacen 1/35 (28) oral tablet 1-35 mg-mcg (norethindrone-ethin estradiol) | 2 | GC |
| alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg | 2 | GC |
| amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| apri oral tablet 0.15-0.03 mg (desogestrel-ethinyl estradiol) | 2 | GC |
| aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg | 2 | GC |
| ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| aubra eq oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad) | 2 | GC |
| aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg (norethindrone ac-eth estradiol) | 2 | GC |
| aurovela 1/20 (21) oral tablet 1-20 mg-mcg (norethindrone ac-eth estradiol) | 2 | GC |
| aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4) (norethindrone-e.estradiol-iron) | 2 | GC |
| aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron) | 2 | GC |
| aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) (norethindrone-e.estradiol-iron) | 1 | GC |
| aviane oral tablet 0.1-20 mg-mcg (levonorgestrel-ethinyl estrad) | 2 | GC |
| ayuna oral tablet 0.15-0.03 mg (levonorgestrel-ethinyl estrad) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>balziva (28) oral tablet 0.4-35 mcg</i> | | 2 | GC |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | | 2 | GC |
| <i>camila oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | | 2 | GC |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | GC |
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | GC |
| <i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | GC |
| <i>cyred eq oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | (norethindrone-ethin estradiol) | 2 | GC |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 | GC |
| <i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>deblitane oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28)) | 2 | GC |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> | (Apri) | 2 | GC |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> | (Jasmiel (28)) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> | (Syeda) | 2 | GC |
| <i>elinest oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | GC |
| ELLA ORAL TABLET 30 MG | | 4 | QL (6 per 365 days) |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | (etonogestrel-ethinyl estradiol) | 3 | QL (1 per 28 days) |
| <i>emoquette oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>errin oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>estarylla oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> | (Kelnor 1/35 (28)) | 2 | GC |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> | (Kelnor 1-50 (28)) | 2 | GC |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> | (EluRyng) | 2 | GC; QL (1 per 28 days) |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>femynor oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>hailey oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>heather oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (levonorgestrel-ethinyl estrad) | 2 | GC; QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------------------------------|------------------|----------------------------|
| <i>isibloom oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estradiol) | 2 | GC; QL (91 per 84 days) |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>jencycla oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>juleber oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>kalliga oral tablet 0.15-0.03 mg</i> | (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | (LoJaimiess) | 2 | GC; QL (91 per 84 days) |
| <i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia) | 2 | GC; QL (91 per 84 days) |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | (norethindrone ac-eth estradiol) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------------|------------------|----------------------------|
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>larissia oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | (Afirmelle) | 2 | GC |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | (Altavera (28)) | 2 | GC |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia) | 2 | GC; QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (Enpresse) | 2 | GC |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lillow (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lojaimiess oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | (norgestrel-ethinyl estradiol) | 2 | GC |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>lutra (28) oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>lyleq oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>lyza oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>mili oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>mono-linyah oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> | (Camila) | 1 | GC |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> | (Aurovela 1.5/30 (21)) | 2 | GC |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> | (Aurovela 1/20 (21)) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i> | (Merzee) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1-20 (28)) | 1 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1.5/30 (28)) | 2 | GC |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (Tri-Legest Fe) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (Tri-Lo-Estarylla) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (Tri-Estarylla) | 2 | GC |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> | (Femynor) | 2 | GC |
| <i>norlyda oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | 2 | GC |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | GC |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | GC |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | GC |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>orsythia oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | 2 | GC |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i> | 2 | GC |
| <i>pirmella oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2 | GC |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>previfem oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol) | 2 | GC |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (levonorgestrel-ethinyl estrad) | 2 | GC; QL (91 per 84 days) |
| <i>sharobel oral tablet 0.35 mg</i> (norethindrone (contraceptive)) | 1 | GC |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (1 norgest/e.estradiol-e.estrad) | 2 | GC; QL (91 per 84 days) |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>syeda oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 1 | GC |
| <i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | (norethindrone-e.estradiol-iron) | 2 | GC |
| <i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | (levonorg-eth estrad triphasic) | 2 | GC |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (norgestimate-ethinyl estradiol) | 1 | GC |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>tulana oral tablet 0.35 mg</i> | (norethindrone (contraceptive)) | 1 | GC |
| <i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i> | | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------------|------------------|----------------------------|
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | | 2 | GC |
| <i>vestura (28) oral tablet 3-0.02 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | (levonorgestrel-ethinyl estrad) | 2 | GC |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (desog-e.estradiol/e.estradiol) | 2 | GC |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | | 2 | GC |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i> | (norgestimate-ethinyl estradiol) | 2 | GC |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i> | | 2 | GC |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | | 3 | QL (3 per 28 days) |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i> | | 2 | GC; QL (3 per 28 days) |
| <i>zarah oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i> | (ethynodiol diac-eth estradiol) | 2 | GC |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> | (drospirenone-ethinyl estradiol) | 2 | GC |

Dental And Oral Agents

| Dental And Oral Agents | | | |
|---|---------------------------|---|----|
| <i>cevimeline oral capsule 30 mg</i> | (Evoxac) | 2 | GC |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Paroex Oral Rinse) | 1 | GC |
| <i>denta 5000 plus dental cream 1.1 %</i> | (fluoride (sodium)) | 1 | GC |
| <i>dentagel dental gel 1.1 %</i> | (fluoride (sodium)) | 1 | GC |
| <i>fluoride (sodium) dental solution 0.2 %</i> | (PreviDent) | 1 | GC |
| <i>oralone dental paste 0.1 %</i> | (triamcinolone acetone) | 2 | GC |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> | (chlorhexidine gluconate) | 1 | GC |
| <i>perio gard mucous membrane mouthwash 0.12 %</i> | (chlorhexidine gluconate) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine)) | 2 | GC |
| <i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium)) | 1 | GC |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Fluoridex Sensitivity Relief) | 1 | GC |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone) | 2 | GC |

Dermatological Agents

Dermatological Agents, Other

| | | |
|--|---|----------------------|
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2 | GC |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 2 | GC |
| <i>acyclovir topical ointment 5 %</i> (Zovirax) | 4 | QL (30 per 30 days) |
| ALCOHOL 70% SWABS (Alcohol Pads) | 1 | GC |
| ALCOHOL PADS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | GC |
| ALCOHOL PREP SWABS TOPICAL PADS, MEDICATED (alcohol swabs) | 1 | GC |
| <i>ammonium lactate topical cream 12 %</i> | 2 | GC |
| <i>ammonium lactate topical lotion 12 %</i> (Skin Treatment) | 2 | GC |
| BD SINGLE USE SWAB (alcohol swabs) | 1 | GC |
| <i>calcipotriene scalp solution 0.005 %</i> | 3 | QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005 %</i> (Dovonex) | 3 | QL (120 per 30 days) |
| <i>calcipotriene topical ointment 0.005 %</i> | 3 | QL (120 per 30 days) |
| CARETOUCH ALCOHOL 70% PREP PAD (alcohol swabs) | 1 | GC |
| CURITY ALCOHOL PREPS 2 PLY,MEDIUM (alcohol swabs) | 1 | GC |
| DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs) | 1 | GC |
| EASY COMFORT ALCOHOL 70% PAD (alcohol swabs) | 1 | GC |
| EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED (alcohol swabs) | 1 | GC |
| <i>fluorouracil topical cream 0.5 %</i> (Carac) | 5 | NM; NDS |
| <i>fluorouracil topical cream 5 %</i> (Efudex) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>fluorouracil topical solution 2 %</i> | 2 | GC |
| <i>fluorouracil topical solution 5 %</i> | 4 | |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs) PADS | 1 | GC |
| <i>imiquimod topical cream in packet 5 %</i> | 2 | GC; QL (24 per 30 days) |
| IV ANTISEPTIC WIPES (alcohol swabs) | 1 | GC |
| KENDALL ALCOHOL 70% PREP (alcohol swabs) PAD | 1 | GC |
| KLISYRI TOPICAL OINTMENT IN PACKET 1 % | 3 | QL (5 per 5 days) |
| <i>methoxsalen oral capsule, liqd- filled, rapid rel 10 mg</i> | 5 | NM; NDS |
| PANRETIN TOPICAL GEL 0.1 % | 5 | NM; NDS; QL (180 per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | 2 | GC |
| PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS | 1 | GC |
| PURE COMFORT ALCOHOL 70% (alcohol swabs) PADS | 1 | GC |
| RA ISOPROPYL ALCOHOL 70% (alcohol swabs) WIPES | 1 | GC |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 4 | QL (180 per 30 days) |
| SURE COMFORT ALCOHOL (alcohol swabs) PREP PADS | 1 | GC |
| SURE-PREP ALCOHOL PREP (alcohol swabs) PADS | 1 | GC |
| TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS | 1 | GC |
| TRUE COMFORT PRO ALCOHOL (alcohol swabs) PADS | 1 | GC |
| ULTILET ALCOHOL STERL (alcohol swabs) SWAB | 1 | GC |
| VALCHLOR TOPICAL GEL 0.016 % | 5 | NM; NDS |
| WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE | 1 | GC |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical solution 1 %</i> (Cleocin T) | 2 | GC; QL (180 per 30 days) |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ) | 2 | GC |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac) | 2 | GC |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol) | 2 | GC |
| <i>erythromycin with ethanol topical gel 2 %</i> (Erygel) | 4 | QL (180 per 30 days) |
| <i>erythromycin with ethanol topical solution 2 %</i> | 2 | GC; QL (180 per 30 days) |
| <i>gentamicin topical cream 0.1 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>gentamicin topical ointment 0.1 %</i> | 2 | GC; QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan) | 2 | GC |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan) | 2 | GC |
| <i>metronidazole topical gel 1 %</i> (Metrogel) | 4 | |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion) | 4 | |
| <i>mupirocin topical ointment 2 %</i> (Centany) | 1 | GC; QL (220 per 30 days) |
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i> | 2 | GC |
| <i>rosadan topical cream 0.75 %</i> (metronidazole) | 2 | GC |
| <i>selenium sulfide topical lotion 2.5 %</i> | 2 | GC |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD) | 2 | GC |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine) | 4 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron) | 3 | |
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone) | 2 | GC |
| <i>alclometasone topical cream 0.05 %</i> | 2 | GC |
| <i>alclometasone topical ointment 0.05 %</i> | 2 | GC |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 2 | GC |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 2 | GC |
| <i>betamethasone valerate topical cream 0.1 %</i> | 2 | GC |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 2 | GC |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 2 | GC |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 2 | GC |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 2 | GC |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 3 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2 | GC |
| <i>clobetasol scalp solution 0.05 %</i> | 2 | GC |
| <i>clobetasol topical cream 0.05 %</i> | 2 | GC |
| <i>clobetasol topical gel 0.05 %</i> | 2 | GC |
| <i>clobetasol topical ointment 0.05 %</i> (Temovate) | 2 | GC |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex) | 3 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 2 | GC |
| <i>desoximetasone topical cream 0.25 %</i> (Topicort) | 2 | GC; QL (120 per 30 days) |
| <i>desoximetasone topical ointment 0.25 %</i> (Topicort) | 3 | QL (120 per 30 days) |
| EUCRISA TOPICAL OINTMENT 2 % | 3 | |
| <i>fluocinolone topical cream 0.01 %</i> | 2 | GC |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar) | 2 | GC |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar) | 2 | GC |
| <i>fluocinonide topical cream 0.05 %</i> | 2 | GC |
| <i>fluocinonide topical solution 0.05 %</i> | 2 | GC |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------|
| <i>fluticasone propionate topical cream 0.05 %</i> | 2 | GC |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 2 | GC |
| <i>halobetasol propionate topical cream 0.05 %</i> | 2 | GC |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 2 | GC |
| <i>hydrocortisone 2.5% cream 2.5 %</i> | 1 | GC |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 3 | QL (120 per 30 days) |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort) | 1 | GC |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC) | 1 | GC |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | GC |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC)) | 1 | GC |
| <i>hydrocortisone topical ointment 2.5 %</i> | 1 | GC |
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 2 | GC |
| <i>mometasone topical cream 0.1 %</i> | 2 | GC |
| <i>mometasone topical ointment 0.1 %</i> | 2 | GC |
| <i>mometasone topical solution 0.1 %</i> | 2 | GC |
| <i>pimecrolimus topical cream 1 %</i> (Elidel) | 4 | QL (100 per 30 days) |
| <i>prednicarbate topical ointment 0.1 %</i> | 2 | GC |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | GC |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2 | GC |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic) | 3 | QL (100 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %</i> | 1 | GC |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm) | 1 | GC |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | 2 | GC |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | GC |
| Dermatological Retinoids | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>adapalene topical cream 0.1 %</i> (Differin) | 4 | |
| <i>adapalene topical gel 0.1 %</i> (Differin) | 2 | GC |
| ALTRENO TOPICAL LOTION 0.05 % | 4 | PA |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac) | 3 | |
| TAZORAC TOPICAL CREAM 0.05 % | 4 | |
| <i>tretinoin topical cream 0.025 %</i> (Avita) | 2 | PA; GC |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A) | 2 | PA; GC |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A) | 3 | PA |
| <i>tretinoin topical gel 0.025 %</i> (Avita) | 3 | PA |
| <i>tretinoin topical gel 0.05 %</i> (Atralin) | 4 | PA |
| Scabicides And Pediculicides | | |
| <i>malathion topical lotion 0.5 %</i> (Ovide) | 4 | |
| <i>permethrin topical cream 5 %</i> (Elimite) | 2 | GC |
| Devices | | |
| Devices | | |
| 1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| 1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE INS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | 2 | GC |
| ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|-----------------------------------|----------------------------|----|
| ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16" | 2 | GC | |
| ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic, safety) | 2 | GC |
| ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2" | 2 | GC | |
| ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64" | 2 | GC | |
| ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" | 2 | GC | |
| BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16" | 2 | GC | |
| BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC | |
| BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64" | 2 | GC | |
| BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1" | 2 | GC | |
| BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8" | (insulin syringe-needle u-100) | 2 | GC |
| BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2" | 2 | GC | |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" | 2 | GC | |
| BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" | (Comfort EZ Insulin Syringe) | 2 | GC |
| BD INSULIN SYRINGE 1 ML W/O NEEDLE 1 ML | (insulin syringe needleless) | 2 | GC |
| BD LUER-LOK SYRINGE 1 ML 1 ML | (BD Insulin Syringe Slip Tip) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | 2 | GC |
| BD SAFETYGLIDE NEEDLE NEEDLE 27 X 5/8 " | 2 | GC |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" | 2 | GC |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | 2 | GC |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | GC |
| BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | GC |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100) | 2 | GC |
| BORDERED GAUZE 2"X2" 2 X 2 " | (gauze bandage) | 1 | GC |
| CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16" | (Advocate Syringes) | 2 | GC |
| CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|--|----------------------------|
| CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16" | 2 | GC |
| CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16" | 2 | GC |
| CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |
| CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4" | (pen needle, diabetic) 2 | GC |
| COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16" | | 2 | GC |
| COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX1/2" 1 ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16 u-100) | 2 | GC |
| COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3" | 2 | GC |
| COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6" | 2 | GC |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 2 | GC |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 2 | GC |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16" | 2 | GC |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16" | 2 | GC |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32" | 2 | GC |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4" | 2 | GC |
| COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16" | 2 | GC |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage) 2 " | 1 | GC |
| CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 " | 1 | GC |
| CURITY GUAZE PADS 1'S(12 (gauze bandage) PLY) 2 X 2 " | 1 | GC |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 " | 1 | GC |
| DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 " | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 " | 1 | GC |
| DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |
| DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2" | 2 | GC |
| DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 GAUGE u-100) X 1/2" | 2 | GC |
| DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64" | 2 | GC |
| DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| DROPLET INS SYR 1 ML (insulin syringe-needle 29GX12.5MM 1 ML 29 GAUGE X u-100) 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64" | 2 | GC |
| DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64" | 2 | GC |
| DROPLET PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2" | 2 | GC |
| DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| DROPLET PEN NEEDLE 31GX1/4" (pen needle, diabetic) 31 GAUGE X 1/4" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| DROPLET PEN NEEDLE 32GX1/4" (pen needle, diabetic) 32 GAUGE X 1/4" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX3/16" 32 GAUGE X 3/16" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/16" 32 GAUGE X 5/16" | 2 | GC |
| DROPLET PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32" | 2 | GC |
| DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | GC |
| DROPSAFE PEN NEEDLE (pen needle, diabetic, safety) 31GX3/16" 31 GAUGE X 3/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|--------------------------------|----------------------------|----|
| DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | GC | |
| DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16" | | 2 | GC |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16" | | 2 | GC |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH FLIPILOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | 2 | GC |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH LUER LOK INSUL 1 ML 1 ML (insulin syringe needleless) | 2 | GC |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EASY TOUCH PEN NEEDLE (pen needle, diabetic) 32GX5/32 32 GAUGE X 5/32" | 2 | GC |
| EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16" | 2 | GC |
| EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16" | 2 | GC |
| EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | GC |
| EASY TOUCH SYR 0.5 ML 28G (insulin syringe-needle 12.7MM 1/2 ML 28 GAUGE X 1/2" u-100) | 2 | GC |
| EASY TOUCH SYR 0.5 ML 29G (insulin syringe-needle 12.7MM 0.5 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" | 2 | GC |
| EASY TOUCH SYR 1 ML 28G (insulin syringe-needle 12.7MM 1 ML 28 GAUGE X 1/2" u-100) | 2 | GC |
| EASY TOUCH SYR 1 ML 29G (insulin syringe-needle 12.7MM 1 ML 29 GAUGE X 1/2" u-100) | 2 | GC |
| EASY TOUCH UNI-SLIP SYR 1 ML 1 ML (insulin syringe needleless) | 2 | GC |
| EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4" | 2 | GC |
| EQL INSULIN 0.3 ML SYRINGE (Ultra Comfort Insulin SHORT NEEDLE 0.3 ML 30 Syringe) | 2 | GC |
| EQL INSULIN 0.5 ML SYRINGE (Lite Touch Insulin SHORT NEEDLE 1/2 ML 30 Syringe) GAUGE | 2 | GC |
| EQL INSULIN 1 ML SYRINGE (Lite Touch Insulin SHORT NEEDLE 1 ML 30 GAUGE Syringe) X 7/16" | 2 | GC |
| EXEL INSULIN SYRINGE 27G-1 (insulin syringe-needle ML 1 ML 27 GAUGE X 1/2" u-100) | 2 | GC |
| FIFTY50 INS 0.5 ML 31GX5/16" (Advocate Syringes) SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| FIFTY50 INS SYR 1 ML (Advocate Syringes) 31GX5/16" SHORT NEEDLE 1 ML 31 GAUGE X 5/16" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|--|----------------------------|
| FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE | (Lite Touch Insulin Syringe) 2 | GC |
| FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) 2 | GC |
| FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) 2 | GC |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " | (gauze bandage) 1 | GC |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE | (insulin syringe-needle u-100) 2 | GC |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" | (insulin syringe-needle u-100) 2 | GC |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE | 2 | GC |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30 | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| HEALTHWISE INS 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16 u-100) | 2 | GC |
| HEALTHWISE INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16 u-100) | 2 | GC |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16" | 2 | GC |
| HEALTHWISE PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16" | 2 | GC |
| HEALTHWISE PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | GC |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 4MM 32G 32 GAUGE X 5/32" | 2 | GC |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 5MM 31G 31 GAUGE X 3/16" | 2 | GC |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 6MM 31G 31 GAUGE X 1/4" | 2 | GC |
| HEALTHY ACCENTS PENTIP (pen needle, diabetic) 8MM 31G 31 GAUGE X 5/16" | 2 | GC |
| HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2" | 2 | GC |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic) 29G 29 GAUGE X 1/2" | 2 | GC |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | GC |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16" | 2 | GC |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4" | 2 | GC |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16" | 2 | GC |
| INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN | 3 | |
| INSULIN SYR 0.3 ML 30GX5/16" (Advocate Syringes) 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| INSULIN SYR 0.3 ML (UltiCare Insuln Syr(half 31GX1/4(1/2) 0.3 ML 31 GAUGE X unit)) 1/4" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| INSULIN SYRIN 0.3 ML 30GX1/2" (Comfort EZ Insulin Syringe) SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin Syringe) 1/2 ML 28 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML 29GX1/2" (Advocate Syringes) (OTC) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin Syringe) SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRIN 0.5 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| INSULIN SYRINGE 0.5 ML (Easy Touch Insulin Syringe) 27GX1/2" 1/2 ML 27 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle u-100) 29 GAUGE | 2 | GC |
| INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin Syringe) 31GX1/4 0.3 ML 31 GAUGE X 1/4" | 2 | GC |
| INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle u-100) 29 | 2 | GC |
| INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin Syringe) 31GX1/4 1/2 ML 31 GAUGE X 1/4" | 2 | GC |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE | 2 | GC |
| INSULIN SYRINGE 1 ML (BD Eclipse Luer-Lok) 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2" | 2 | GC |
| INSULIN SYRINGE 1 ML (Advocate Syringes) 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16" | 2 | GC |
| INSULIN SYRINGE 1 ML (Sure Comfort Insulin Syringe) 31GX1/4" 1 ML 31 GAUGE X 1/4" | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe) | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes) | 2 | GC |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| LISCO SPONGES 100/BAG 2 X 2 " | 1 | GC |
| LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE (insulin syringe-needle u-100) | 2 | GC |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16" (insulin syringe-needle u-100) | 2 | GC |
| LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE | 2 | GC |
| LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16" | | 2 | GC |
| MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16" | | 2 | GC |
| MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2" | | 2 | GC |
| MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2" | | 2 | GC |
| MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" | | 2 | GC |
| MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16" | 2 | GC |
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16" | 2 | GC |
| MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (1st Tier Unifine Pentips) | 2 | GC |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (BD Ultra-Fine Micro Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles) | 2 | GC |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle) | 2 | GC |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles) | 2 | GC |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles) | 2 | GC |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC) 1 ML (insulin syringes (disposable)) | 2 | GC |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2" | 2 | GC |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| NOVOFINE 30 NEEDLE | 2 | GC |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6" | 2 | GC |
| NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5" | 2 | GC |
| OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| OMNIPOD CLASSIC PDM KIT(GEN 3) | 3 | QL (1 per 365 days) |
| OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE | 3 | |
| OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PDM KIT (GEN 4) | 3 | QL (1 per 365 days) |
| OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE | 3 | |
| PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16" (AboutTime Pen Needle) | 2 | GC |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus) | 2 | GC |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4" (1st Tier Unifine Pentips) | 2 | GC |
| PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PENTIPS PEN NEEDLE 6MM 31G (pen needle, diabetic) 31 GAUGE X 1/4" | 2 | GC |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16" | 2 | GC |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32" | 2 | GC |
| PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" | 2 | GC |
| PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100) | 2 | GC |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100) | 2 | GC |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100) | 2 | GC |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100) | 2 | GC |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100) | 2 | GC |
| PRO COMFORT PEN NDL (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16" | 2 | GC |
| PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4" | 2 | GC |
| PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32" | 2 | GC |
| PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16" | 2 | GC |
| PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100) | 2 | GC |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16" | 2 | GC |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32" | 2 | GC |
| RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort Touch Pen Needle) | 2 | GC |
| RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64" | 2 | GC |
| RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64" | 2 | GC |
| RELI ON 31G X 1/4" NEEDLES 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF) | 2 | GC |
| RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF) | 2 | GC |
| RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64" (BD Veo Insulin Syringe UF) | 2 | GC |
| RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29 (Lite Touch Insulin Syringe) | 2 | GC |
| RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16" | 2 | GC |
| RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| RELION PEN NEEDLES 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2" | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2" | 2 | GC |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2" | 2 | GC |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" | 2 | GC |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 2 | GC |
| SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16" | 2 | GC |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16" | 2 | GC |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16" | 2 | GC |
| SM STERILE PADS 2" X 2" 2"X2", (gauze bandage) STERILE 2 X 2 " | 1 | GC |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4" | 2 | GC |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| NEEDLES, INSULIN DISP., (insulin syringe-needle SAFETY u-100) | 2 | GC |
| SURE COMFORT 0.5 ML (insulin syringe-needle SYRINGE 0.5 ML 30 GAUGE X u-100) 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | 2 | GC |
| SURE COMFORT 1 ML SYRINGE (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------|------------------|----------------------------|
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| SURE COMFORT 31G PEN NEEDLE 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| SURE COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | GC |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2" | 2 | GC |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16" | 2 | GC |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64" | 2 | GC |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16" | 2 | GC |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64" (insulin syringe-needle u-100) | 2 | GC |
| TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8" | 2 | GC |
| TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (Advocate Syringes) | 2 | GC |
| TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8" (Thinpro Insulin Syringe) | 2 | GC |
| TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8" (insulin syringe-needle u-100) | 2 | GC |
| TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8" (insulin syringe-needle u-100) | 2 | GC |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100) | 2 | GC |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8" | 2 | GC |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100) | 2 | GC |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8" | 2 | GC |
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16" | 2 | GC |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|----------------------------|
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16" | | 2 | GC |
| TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------------------------------|------------------|----------------------------|
| TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULT CFT 0.3 ML 30GX5/16" (1/2) 1/2 UNIT 0.3 ML 30 GAUGE X 5/16" | | 2 | GC |
| ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" | (insulin syr/ndl u100 half mark) | 2 | GC |
| ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|-----------------------------------|----------------------------|----|
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16" | 2 | GC | |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16" | 2 | GC | |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2" | 2 | GC | |
| ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2" | 2 | GC | |
| ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32" | 2 | GC | |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2" | 2 | GC | |
| ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2" | 2 | GC | |
| ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16" | 2 | GC | |
| ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16" | 2 | GC | |
| ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4" | 2 | GC | |
| ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16" | 2 | GC | |
| ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4" | 2 | GC | |
| ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16" | 2 | GC | |
| ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16" | 2 | GC | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-------------------------------------|----------------------------|
| ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULTILET PEN NEEDLE 29 GAUGE | 2 | GC |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" | (pen needle, diabetic) 2 | GC |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE | (insulin syringe-needle u-100) 2 | GC |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) 2 | GC |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) 2 | GC |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2" | 2 | GC |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16" | 2 | GC |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16" | 2 | GC |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" | (pen needle, diabetic) 2 | GC |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" | (pen needle, diabetic) 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2 | GC |
| ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-----------------------------------|------------------|----------------------------|
| ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2 | GC |
| ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2" | (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16" | (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE PENTIPS NEEDLES 29G 29 GAUGE | 2 | GC |
| UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16" | 2 | GC |
| UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16" | 2 | GC |
| UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32" | 2 | GC |
| UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16" | 2 | GC |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2 | GC |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" (pen needle, diabetic) | 2 | GC |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic) | 2 | GC |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic) | 2 | GC |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic) | 2 | GC |
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 " | 1 | GC |
| V-GO 20 DEVICE | 3 | |
| V-GO 30 DEVICE | 3 | |
| V-GO 40 DEVICE | 3 | |

Enzyme Replacement/Modifiers

Enzyme Replacement/Modifiers

| | | |
|--|---|----------------------------------|
| CERDELGA ORAL CAPSULE 84 MG | 5 | PA; NM; NDS |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 3 | |
| GALAFOLD ORAL CAPSULE 123 MG | 5 | PA; NM; NDS; QL (14 per 28 days) |
| <i>javygtor oral tablet,soluble 100 mg</i> (sapropterin) | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>miglustat oral capsule 100 mg</i> (Zavesca) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 5 mg</i> (Orfadin) | 5 | PA; NM; NDS |
| ORFADIN ORAL CAPSULE 20 MG | 5 | PA; NM; NDS |
| ORFADIN ORAL SUSPENSION 4 MG/ML | 5 | PA; NM; NDS |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML | 5 | PA; NM; NDS |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 5 | PA BvD; NM; NDS |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor) | 5 | PA; NM; NDS |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 5 | PA; NM; LA; NDS |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT | 3 | |
| Eye, Ear, Nose, Throat Agents | | |
| Eye, Ear, Nose, Throat Agents, Miscellaneous | | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 2 | GC |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 4 | |
| <i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i> | 2 | GC; QL (30 per 25 days) |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy) | 2 | GC; QL (30 per 25 days) |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 2 | GC |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| <i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl) | 2 | GC |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 5 | PA; NM; NDS; QL (60 per 28 days) |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | GC |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i> | 2 | GC; QL (30 per 28 days) |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i> | 2 | GC; QL (15 per 10 days) |
| <i>levofloxacin ophthalmic (eye) drops 1.5 %</i> | 4 | |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf) | 2 | GC |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Clear Eyes Once Daily Allergy) | 4 | |
| <i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine) | 2 | GC |
| Eye, Ear, Nose, Throat Anti-Infectives Agents | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 2 | GC |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> | 3 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 2 | GC |
| <i>bleph-10 ophthalmic (eye) drops 10 %</i> (sulfacetamide sodium) | 2 | GC |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan) | 2 | GC |
| <i>ciprofloxacin-dexamethasone otic (ear) drops, suspension 0.3-0.1 %</i> (Ciprodex) | 3 | QL (7.5 per 7 days) |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 2 | GC; QL (3.5 per 4 days) |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid) | 3 | |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> (gentamicin) | 2 | GC |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 2 | GC |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 4 | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox) | 2 | GC |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 4 | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC) | 3 | |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin) | 3 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2 | GC |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol) | 2 | GC |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | 2 | GC |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | 4 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | GC |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | 2 | GC |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc) | 2 | GC |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin) | 2 | GC |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox) | 2 | GC |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | 2 | GC |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>polymyxin b sulf-trimethoprim</i> (Polytrim) <i>ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1 | GC |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | 2 | GC |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | 2 | GC |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | 2 | GC |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex) | 2 | GC |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex) | 2 | GC |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 3 | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 4 | |
| ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 % | 3 | |
| Eye, Ear, Nose, Throat Anti-Inflammatory Agents | | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % | 3 | ST; QL (10 per 25 days) |
| BROMSITE OPHTHALMIC (EYE) DROPS 0.075 % | 3 | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | 2 | GC |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 2 | GC |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol) | 3 | |
| EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 3 | QL (8.3 per 14 days) |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 4 | QL (50 per 25 days) |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil) | 3 | |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 2 | GC |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1 | GC; QL (16 per 30 days) |
| ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 % | 3 | |
| INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | QL (5.6 per 14 days) |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular) | 2 | GC; QL (10 per 25 days) |
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 % | 3 | QL (3.5 per 14 days) |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 % | 3 | QL (5 per 16 days) |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax) | 4 | QL (10 per 13 days) |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> | 4 | QL (34 per 30 days) |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte) | 4 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | 2 | GC |
| PROLENSA OPHTHALMIC (EYE) DROPS 0.07 % | 3 | |
| RESTASIS MULTIDOSE OPHTHALMIC (EYE) DROPS 0.05 % | 3 | QL (5.5 per 28 days) |
| RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % (cyclosporine) | 2 | GC; QL (60 per 30 days) |
| XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION | 3 | ST; QL (32 per 30 days) |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 % | 3 | QL (60 per 30 days) |
| Gastrointestinal Agents | | |
| Antiulcer Agents And Acid Suppressants | | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 2 | GC |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Nexium) | 2 | GC; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i> (Nexium) | 2 | GC; QL (60 per 30 days) |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i> | 2 | GC |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV) | 2 | GC |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | 1 | GC |
| <i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i> | 2 | GC |
| <i>famotidine intravenous solution 10 mg/ml</i> | 2 | GC |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller) | 1 | GC |
| <i>famotidine oral tablet 40 mg</i> (Pepcid) | 1 | GC |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid 24Hr) | 1 | GC; QL (30 per 30 days) |
| <i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid) | 1 | GC; QL (60 per 30 days) |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec) | 2 | GC |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 2 | GC |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | 1 | GC |
| <i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i> (Zegerid) | 4 | ST; QL (30 per 30 days) |
| <i>pantoprazole intravenous recon soln 40 mg</i> (Protonix) | 2 | GC |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix) | 1 | GC; QL (30 per 30 days) |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix) | 1 | GC; QL (60 per 30 days) |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex) | 2 | GC; QL (30 per 30 days) |
| <i>sucralfate oral tablet 1 gram</i> (Carafate) | 2 | GC |
| Gastrointestinal Agents, Other | | |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu) | 5 | PA; NM; NDS |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom) | 3 | |
| <i>dicyclomine oral capsule 10 mg</i> | 2 | GC |
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 3 | |
| <i>dicyclomine oral tablet 20 mg</i> | 2 | GC |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil) | 2 | GC |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 5 | PA; NM; NDS |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose) | 2 | GC |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul) | 2 | GC |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte) | 2 | GC |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose) | 2 | GC |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 | QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM | 3 | QL (34 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 5 GRAM | 3 | QL (30 per 30 days) |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide)) | 2 | GC |
| <i>lubiprostone oral capsule 24 mcg, 8 mcg</i> (Amitiza) | 3 | QL (60 per 30 days) |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 4 | |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | 2 | GC |
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | 2 | GC |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 2 | GC |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan) | 1 | GC |
| MOVANTI ORAL TABLET 12.5 MG, 25 MG | 3 | QL (30 per 30 days) |
| OCALIVA ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------------|
| <i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl) | 5 | NM; NDS |
| <i>sodium polystyrene sulfonate oral powder</i> | 2 | GC |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> | 3 | |
| <i>ursodiol oral capsule 300 mg</i> | 2 | GC |
| <i>ursodiol oral tablet 250 mg</i> (URSO 250) | 2 | GC |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte) | 2 | GC |
| XERMELO ORAL TABLET 250 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML | 3 | |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes) | 3 | |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes) | 3 | |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln) | 2 | GC |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> | 2 | GC |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 3 | |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM (sodium,potassium,mag sulfates) | 3 | |
| SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM | 3 | |
| Phosphate Binders | | |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 2 | GC |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 2 | GC |
| PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML | 4 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela) | 5 | NM; NDS |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela) | 2 | GC |
| <i>sevelamer hcl oral tablet 400 mg</i> | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 3 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | GC |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz) | 2 | GC |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG | 3 | |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 2 | GC |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | GC |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL) | 2 | GC |
| <i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i> | 2 | GC |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA) | 2 | GC |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol) | 2 | GC |
| <i>tropium oral tablet 20 mg</i> | 2 | GC |
| Genitourinary Agents, Miscellaneous | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral) | 1 | GC; QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart) | 2 | GC |
| <i>finasteride oral tablet 5 mg</i> (Proscar) | 1 | GC |
| <i>tamsulosin oral capsule 0.4 mg</i> (Flomax) | 1 | GC |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 1 | GC |
| <i>tiopronin oral tablet 100 mg</i> (Thiola) | 5 | NM; NDS |
| Heavy Metal Antagonists | | |
| Heavy Metal Antagonists | | |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 90 mg</i> (Jadenu) | 3 | PA |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| <i>deferiasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 1,000 mg</i> (Ferriprox (2 times a day)) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 500 mg</i> (Ferriprox) | 5 | PA; NM; NDS |
| FERRIPROX (2 TIMES A DAY) ORAL TABLET 1,000 MG (deferiprone) | 5 | PA; NM; NDS |
| FERRIPROX ORAL SOLUTION 100 MG/ML | 5 | PA; NM; NDS |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs) | 5 | PA; NM; NDS |
| <i>trientine oral capsule 250 mg</i> (Syprine) | 5 | PA; NM; NDS; QL (240 per 30 days) |

Hormonal Agents, Stimulant/Replacement/Modifying

Androgens

| | | |
|--|---|----------------------------|
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 3 | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin) | 2 | GC |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone) | 2 | PA; GC |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 2 | PA; GC |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 2 | PA; GC; QL (5 per 28 days) |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo) | 4 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel) | 4 | PA; QL (150 per 30 days) |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel) | 4 | PA; QL (300 per 30 days) |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i> | 4 | PA; QL (180 per 30 days) |
| XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML | 3 | PA; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| Estrogens And Antiestrogens | | |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | GC |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | GC; QL (8 per 28 days) |
| DUAVEE ORAL TABLET 0.45-20 MG | 3 | |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace) | 1 | GC |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti) | 2 | GC; QL (8 per 28 days) |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 2 | GC; QL (4 per 28 days) |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace) | 2 | GC |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm) | 4 | QL (18 per 28 days) |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen) | 2 | GC |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz) | 2 | GC |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 4 | QL (1 per 84 days) |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | GC |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol) | 2 | GC |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2 | GC; QL (8 per 28 days) |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet) | 2 | GC |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| PREMARIN INJECTION RECON SOLN 25 MG | 3 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG | 3 | |
| PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens) | 3 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 3 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 3 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3 | |
| <i>raloxifene oral tablet 60 mg</i> (Evista) | 2 | GC |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol) | 4 | QL (18 per 28 days) |
| Glucocorticoids/Mineralocorticoids | | |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan) | 2 | GC |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i> | 2 | GC |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 2 | GC |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 1 | GC |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i> | 2 | GC |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 2 | GC |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef) | 2 | GC |
| <i>methylprednisolone 200 mg/5 ml mdv 40 mg/ml</i> (Depo-Medrol) | 2 | GC |
| <i>methylprednisolone 80 mg/ml vl sdv 80 mg/ml</i> (Depo-Medrol) | 3 | |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------------------|
| <i>methylprednisolone acetate injection</i> (Depo-Medrol) <i>suspension 80 mg/ml</i> | 2 | GC |
| <i>methylprednisolone oral tablet 16</i> (Medrol) <i>mg, 4 mg, 8 mg</i> | 2 | GC |
| <i>methylprednisolone oral tablet 32 mg</i> | 2 | GC |
| <i>methylprednisolone oral tablets,dose</i> (Medrol (Pak)) <i>pack 4 mg</i> | 2 | GC |
| <i>methylprednisolone sodium succ</i> <i>injection recon soln 125 mg, 40 mg</i> | 2 | GC |
| <i>methylprednisolone sodium succ</i> (Solu-Medrol) <i>intravenous recon soln 1,000 mg</i> | 3 | |
| <i>prednisolone 15 mg/5 ml soln d/f 15</i> <i>mg/5 ml (3 mg/ml)</i> | 2 | PA BvD; GC |
| <i>prednisolone oral solution 15 mg/5</i> <i>ml</i> | 2 | PA BvD; GC |
| <i>prednisolone sodium phosphate oral</i> <i>solution 25 mg/5 ml (5 mg/ml)</i> | 3 | PA BvD |
| <i>prednisolone sodium phosphate oral</i> (Pediapred) <i>solution 5 mg base/5 ml (6.7 mg/5</i> <i>ml)</i> | 2 | PA BvD; GC |
| <i>prednisone oral solution 5 mg/5 ml</i> | 3 | PA BvD |
| <i>prednisone oral tablet 1 mg, 10 mg,</i> <i>2.5 mg, 20 mg, 5 mg, 50 mg</i> | 1 | PA BvD; GC |
| <i>prednisone oral tablets,dose pack 10</i> <i>mg, 10 mg (48 pack), 5 mg, 5 mg (48</i> <i>pack)</i> | 2 | GC |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 100 MG/2 ML | 4 | |
| <i>triamcinolone acetate injection</i> (Kenalog) <i>suspension 40 mg/ml</i> | 3 | |
| Pituitary | | |
| ACTHAR INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML | 5 | PA; NM; NDS; QL (35 per 28 days) |
| <i>desmopressin injection solution 4</i> (DDAVP) <i>mcg/ml</i> | 4 | |
| <i>desmopressin nasal spray with pump</i> <i>10 mcg/spray (0.1 ml)</i> | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP) | 2 | GC |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 5 | NM; NDS |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot) | 5 | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG | 5 | PA NSO; NM; NDS |
| NORDITROPIN FLEXPLO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5 | PA; NM; NDS |
| <i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i> | 3 | |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin) | 3 | |
| <i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin) | 5 | NM; NDS |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 3 | |
| ORGOVYX ORAL TABLET 120 MG | 5 | PA NSO; NM; NDS |
| ORLISSA ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (28 per 28 days) |
| ORLISSA ORAL TABLET 200 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; NM; NDS |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5 | PA; NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--|
| SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 120 MG/0.5 ML | 5 | PA NSO; NM; NDS; QL (0.5 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML | 5 | PA NSO; NM; NDS; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML | 5 | PA NSO; NM; NDS; QL (0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA; NM; NDS |
| SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML | 5 | PA; NM; NDS |
| Progestins | | |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera) | 2 | GC; QL (1 per 84 days) |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera) | 2 | GC; QL (1 per 84 days) |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera) | 1 | GC |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i> | 2 | GC |
| <i>norethindrone acetate oral tablet 5 mg</i> (Aygestin) | 2 | GC |
| <i>progesterone intramuscular oil 50 mg/ml</i> | 2 | GC |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium) | 2 | GC |
| Thyroid And Antithyroid Agents | | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1 | GC |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | GC |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel) | 2 | GC |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 1 | GC |
| <i>propylthiouracil oral tablet 50 mg</i> | 2 | GC |
| Immunological Agents | | |
| Immunological Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 5 | PA; NM; NDS |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5 | PA; NM; NDS |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 5 | PA; NM; NDS |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 5 | NM; NDS |
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 2 | PA BvD; GC |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 2 | PA BvD; GC |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 5 | PA; NM; NDS |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5 | PA; NM; NDS |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML | 5 | PA; NM; NDS |
| <i>cyclosporine intravenous solution</i> (Sandimmune) <i>250 mg/5 ml</i> | 2 | PA BvD; GC |
| <i>cyclosporine modified oral capsule</i> (Gengraf) <i>100 mg, 25 mg</i> | 2 | PA BvD; GC |
| <i>cyclosporine modified oral capsule</i> <i>50 mg</i> | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml | 3 | PA BvD |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune) | 3 | PA BvD |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML | 5 | PA; NM; NDS |
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 5 | PA; NM; NDS |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 5 | PA; NM; NDS |
| <i>everolimus (immunosuppressive) oral</i> (Zortress) <i>tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 5 | PA BvD; NM; NDS |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA BvD; NM; NDS |
| GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML | 5 | PA; NM; NDS |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 5 | PA BvD; NM; NDS |
| GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 % | 5 | PA BvD; NM; NDS |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML) | 5 | PA BvD; NM; NDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified) | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified) | 3 | PA BvD |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML | 5 | PA; NM; NDS |
| <i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i> | 5 | PA; NM; NDS |
| KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS |
| KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava) | 2 | GC |
| <i>mycophenolate mofetil (hcl)</i> <i>intravenous recon soln 500 mg</i> (CellCept Intravenous) | 2 | PA BvD; GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>mycophenolate mofetil oral capsule</i> (CellCept) 250 mg | 2 | PA BvD; GC |
| <i>mycophenolate mofetil oral suspension for reconstitution</i> (CellCept) 200 mg/ml | 5 | PA BvD; NM; NDS |
| <i>mycophenolate mofetil oral tablet</i> (CellCept) 500 mg | 2 | PA BvD; GC |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 5 | PA BvD; NM; NDS |
| OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA BvD; NM; NDS |
| OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG | 5 | PA; NM; NDS |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG | 5 | PA; NM; NDS |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 5 | PA; NM; NDS |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML | 5 | PA; NM; NDS |
| OTEZLA ORAL TABLET 30 MG | 5 | PA; NM; NDS |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 5 | PA; NM; NDS |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 5 | PA BvD; NM; NDS |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 4 | PA BvD |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 4 | PA BvD; ST |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 3 | |
| REZUROCK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS |
| RIDAURA ORAL CAPSULE 3 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>sirolimus oral solution 1 mg/ml</i> (Rapamune) | 5 | PA BvD; NM; NDS |
| <i>sirolimus oral tablet 0.5 mg, 1 mg</i> (Rapamune) | 3 | PA BvD |
| <i>sirolimus oral tablet 2 mg</i> (Rapamune) | 5 | PA BvD; NM; NDS |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML | 5 | PA; NM; NDS |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 360 MG/2.4 ML (150 MG/ML) | 5 | PA; NM; NDS |
| STELARA INTRAVENOUS SOLUTION 130 MG/26 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 5 | PA; NM; NDS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i> (Prograf) | 2 | PA BvD; GC |
| <i>tacrolimus oral capsule 5 mg</i> (Prograf) | 3 | PA BvD |
| TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML | 5 | PA; NM; NDS |
| TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML | 5 | PA; NM; NDS |
| TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML | 5 | PA; NM; LA; NDS |
| XELJANZ ORAL SOLUTION 1 MG/ML | 5 | PA; NM; NDS |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 5 | PA; NM; NDS |
| Vaccines | | |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3 | |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 3 | |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 3 | |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | 3 | |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML | 3 | |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML | 3 | |
| DENGVAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML | 3 | QL (3 per 365 days) |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 3 | PA BvD |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 3 | PA BvD |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 3 | QL (1.5 per 365 days) |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 3 | QL (1.5 per 365 days) |
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 3 | |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 3 | PA BvD |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 3 | |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 3 | |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 3 | |
| JYNNEOS (PF)(STOCKPILE) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5 | 3 | |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 3 | |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 3 | |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 3 | |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 3 | |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 3 | |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 3 | |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 3 | |
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML, 15LF-48MCG-62DU -10 MCG/0.5ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML | 3 | PA BvD |
| PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML | 3 | |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML) | 3 | |
| QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML | 3 | |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 3 | PA BvD |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 3 | PA BvD |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 3 | |
| ROTATEQ VACCINE ORAL SOLUTION 2 ML | 3 | |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 3 | QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR (tetanus-diphtheria SUSPENSION 2-2 LF UNIT/0.5 ML toxoids-td) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------------------------------|-----------------------|
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 3 | |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 3 | |
| TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 3 | |
| TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML, 2.4 MCG/0.5 ML | 3 | QL (1.5 per 365 days) |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 3 | |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 3 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 3 | |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | (typhoid vi polysacch vaccine) | 3 |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | 3 | |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 3 | QL (2 per 365 days) |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 3 | |
| Inflammatory Bowel Disease Agents | | |
| Inflammatory Bowel Disease Agents | | |
| <i>alosetron oral tablet 0.5 mg</i> | (Lotronex) | 3 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| <i>alosetron oral tablet 1 mg</i> (Lotronex) | 5 | NM; NDS |
| <i>balsalazide oral capsule 750 mg</i> (Colazal) | 2 | GC |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i> | 4 | |
| DIPENTUM ORAL CAPSULE 250 MG | 5 | ST; NM; NDS |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema) | 3 | |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol) | 4 | |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso) | 4 | |
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda) | 4 | QL (120 per 30 days) |
| <i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD) | 4 | |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa) | 3 | |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine) | 2 | GC |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4 | |
| UCERIS RECTAL FOAM 2 MG/ACTUATION | 3 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate oral solution 70 mg/75 ml</i> | 3 | QL (300 per 28 days) |
| <i>alendronate oral tablet 10 mg, 5 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>alendronate oral tablet 35 mg</i> | 1 | GC; QL (4 per 28 days) |
| <i>alendronate oral tablet 70 mg</i> (Fosamax) | 1 | GC; QL (4 per 28 days) |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i> | 2 | GC; QL (3.7 per 28 days) |
| <i>calcitriol intravenous solution 1 mcg/ml</i> | 2 | GC |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol) | 2 | GC |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol) | 3 | |
| <i>cinacalcet oral tablet 30 mg</i> (Sensipar) | 3 | QL (60 per 30 days) |
| <i>cinacalcet oral tablet 60 mg</i> (Sensipar) | 5 | NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------|
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar) | 5 | NM; NDS; QL (120 per 30 days) |
| FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML) | 3 | PA; QL (2.4 per 28 days) |
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | 4 | QL (3 per 84 days) |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> | 2 | GC; QL (3 per 84 days) |
| <i>ibandronate oral tablet 150 mg</i> (Boniva) | 2 | GC; QL (1 per 28 days) |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 5 | PA; NM; NDS; QL (2 per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar) | 4 | |
| <i>paricalcitol oral capsule 4 mcg</i> | 4 | |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 3 | QL (1 per 180 days) |
| RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG | 3 | QL (60 per 30 days) |
| <i>risedronate oral tablet 150 mg</i> (Actonel) | 2 | GC; QL (1 per 28 days) |
| <i>risedronate oral tablet 30 mg, 5 mg</i> | 4 | QL (30 per 30 days) |
| <i>risedronate oral tablet 35 mg</i> (Actonel) | 2 | GC; QL (4 per 28 days) |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i> | 2 | GC; QL (4 per 28 days) |
| <i>risedronate oral tablet,delayed release (dr/ec) 35 mg</i> (Atelvia) | 4 | QL (4 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 3 | PA; QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 5 | PA; NM; NDS |
| <i>zoledronic acid intravenous recon soln 4 mg</i> | 4 | |
| <i>zoledronic acid intravenous solution 4 mg/5 ml</i> | 2 | GC |
| <i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast) | 3 | QL (100 per 300 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------------|
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 5 | PA; NM; NDS |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane) | 5 | PA; NM; NDS |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 2 | GC |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem) | 2 | GC |
| ELMIRON ORAL CAPSULE 100 MG | 4 | QL (90 per 30 days) |
| ENDARI ORAL POWDER IN PACKET 5 GRAM | 5 | PA; NM; NDS; QL (180 per 30 days) |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML | 5 | PA; NM; NDS |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML | 3 | |
| <i>hydroxyzine pamoate oral capsule 100 mg</i> | 2 | GC |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril) | 1 | GC |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i> | 3 | |
| <i>leucovorin calcium injection solution 10 mg/ml</i> | 3 | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 2 | GC |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor) | 2 | GC |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor) | 4 | |
| <i>mesna intravenous solution 100 mg/ml</i> (Mesnex) | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------------------|
| MESNEX ORAL TABLET 400 MG | 5 | NM; NDS |
| OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML | 5 | PA; NM; NDS |
| <i>pyridostigmine bromide oral syrup</i> (Mestinon) <i>60 mg/5 ml</i> | 4 | |
| <i>pyridostigmine bromide oral tablet</i> <i>30 mg</i> | 4 | |
| <i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i> | 2 | GC |
| RECTIV RECTAL OINTMENT 0.4 % (W/W) | 4 | QL (30 per 30 days) |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (56 per 28 days) |
| TYBOST ORAL TABLET 150 MG | 4 | QL (30 per 30 days) |
| ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 0.6 MG/0.6 ML | 3 | |
| ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML | 3 | |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 2 | GC |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 2 | GC |
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 2 | GC |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | 3 | |
| AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide) | 2 | GC |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>brimonidine-timolol ophthalmic (eye) (Combigan) drops 0.2-0.5 %</i> | 3 | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 2 | GC |
| <i>dorzolamide ophthalmic (eye) drops (Trusopt) 2 %</i> | 2 | GC |
| <i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i> | 2 | GC |
| <i>latanoprost ophthalmic (eye) drops (Xalatan) 0.005 %</i> | 1 | GC; QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i> | 1 | GC |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 3 | QL (2.5 per 25 days) |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 4 %</i> | 2 | GC |
| <i>pilocarpine hcl ophthalmic (eye) (Isopto Carpine) drops 2 %</i> | 2 | GC |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 % | 3 | QL (2.5 per 25 days) |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 % | 3 | QL (2.5 per 25 days) |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 % | 3 | |
| <i>timolol maleate ophthalmic (eye) (Timoptic) drops 0.25 %, 0.5 %</i> | 1 | GC |
| <i>timolol maleate ophthalmic (eye) gel (Timoptic-XE) forming solution 0.25 %, 0.5 %</i> | 3 | |
| <i>travoprost ophthalmic (eye) drops (Travatan Z) 0.004 %</i> | 4 | QL (2.5 per 25 days) |

Replacement Preparations

Replacement Preparations

| | | |
|---|---|----|
| <i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i> | 2 | GC |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 3 | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 3 | |
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 % | 4 | |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride) | 2 | GC |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride) | 2 | GC |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride) | 2 | GC |
| <i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i> | 2 | GC |
| <i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i> | 2 | GC |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i> | 2 | GC |
| <i>magnesium sulfate injection syringe 4 meq/ml</i> | 2 | GC |
| NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE 148 INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION | 4 | |
| <i>potassium chloride intravenous solution 2 meq/ml</i> | 1 | PA BvD; GC |
| <i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i> | 2 | PA BvD; GC |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 2 | GC |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>potassium chloride oral tablet extended release 10 meq, 20 meq</i> (K-Tab) | 2 | GC |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8) | 2 | GC |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10) | 2 | GC |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15) | 2 | GC |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20) | 2 | GC |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | 2 | GC |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 2 | GC |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15) | 2 | GC |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5) | 2 | GC |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 3 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 4 | |
| <i>sodium chloride 0.9 % intravenous piggyback</i> | 2 | GC |
| <i>sodium chloride 0.9% solution viaflex, single use</i> | 2 | GC |
| Respiratory Tract Agents | | |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE (fluticasone propion-salmeterol) | 2 | GC; QL (60 per 30 days) |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | 3 | QL (12 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|--------------------------------------|---------------------|-------------------------------------|
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 3 | QL (30 per 30 days) | |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE | (fluticasone furoate- vilanterol) | 3 | QL (60 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i> | (Pulmicort) | 3 | PA BvD; QL (120 per 30 days) |
| <i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i> | (Pulmicort) | 3 | PA BvD; QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 50 MCG/ACTUATION | | 3 | QL (60 per 30 days) |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 250 MCG/ACTUATION | | 3 | QL (120 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION | (fluticasone propionate) | 3 | QL (12 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 220 MCG/ACTUATION | (fluticasone propionate) | 3 | QL (24 per 30 days) |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 44 MCG/ACTUATION | (fluticasone propionate) | 3 | QL (21.2 per 30 days) |
| SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION | (budesonide-formoterol) | 3 | QL (30.6 per 30 days) |
| Antileukotrienes | | | |
| <i>montelukast oral tablet 10 mg</i> | (Singulair) | 1 | GC |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> | (Singulair) | 1 | GC |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> | (Accolate) | 4 | |
| Bronchodilators | | | |
| <i>albuterol 5 mg/ml solution 5 mg/ml</i> | | 2 | PA BvD; GC; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Proventil HFA) | 2 | GC; QL (17 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> | 2 | GC; QL (13.4 per 30 days) |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> | 2 | GC; QL (36 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i> | 2 | PA BvD; GC; QL (360 per 30 days) |
| <i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i> | 2 | PA BvD; GC; QL (120 per 30 days) |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 2 | GC |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i> | 2 | GC |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION | 3 | QL (60 per 30 days) |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION | 4 | QL (25.8 per 28 days) |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION | 3 | QL (10.7 per 30 days) |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 3 | QL (8 per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | PA BvD; GC; QL (312.5 per 30 days) |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 2 | PA BvD; GC; QL (540 per 30 days) |
| <i>metaproterenol oral syrup 10 mg/5 ml</i> | 1 | GC |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------------------|
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG | 3 | QL (30 per 30 days) |
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 3 | QL (4 per 30 days) |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | QL (4 per 28 days) |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 3 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 3 | |
| <i>theophylline oral tablet extended release 12 hr 300 mg, 450 mg</i> | 3 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 2 | GC |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG | 3 | QL (60 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i> | 2 | GC |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 2 | PA BvD; GC |
| CINQAIR INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA; NM; NDS |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 2 | PA BvD; GC |
| DALIRESP ORAL TABLET 250 (roflumilast) MCG | 3 | QL (28 per 28 days) |
| DALIRESP ORAL TABLET 500 (roflumilast) MCG | 3 | QL (30 per 30 days) |
| ESBRIET ORAL CAPSULE 267 MG | 5 | PA; NM; NDS; QL (270 per 30 days) |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| KALYDECO ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML | 5 | PA; NM; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG | 5 | PA; NM; NDS; QL (56 per 28 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (270 per 30 days) |
| <i>pirfenidone oral tablet 534 mg</i> | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV 1,000 MG (+/-)/20 ML | 5 | PA BvD; NM; NDS |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA BvD; NM; NDS |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> (Daliresp) | 2 | GC; QL (30 per 30 days) |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 5 | PA; NM; NDS; QL (56 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------------|
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N) | 5 | PA; NM; NDS; QL (84 per 28 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 5 | PA; NM; NDS |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML | 5 | PA; NM; NDS |

Skeletal Muscle Relaxants

Skeletal Muscle Relaxants

| | | |
|--|---|----|
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | GC |
| <i>chlorzoxazone oral tablet 500 mg</i> | 3 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 1 | GC |
| <i>dantrolene oral capsule 100 mg, 50 mg</i> | 4 | |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 4 | |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 2 | GC |
| <i>revonto intravenous recon soln 20 mg</i> (dantrolene) | 2 | GC |
| <i>tizanidine oral tablet 2 mg</i> | 2 | GC |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex) | 2 | GC |

Sleep Disorder Agents

Sleep Disorder Agents

| | | |
|--|---|----------------------------------|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil) | 2 | PA; GC; QL (30 per 30 days) |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 3 | QL (30 per 30 days) |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta) | 2 | GC; QL (30 per 30 days) |
| HETLIOZ ORAL CAPSULE 20 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>modafinil oral tablet 100 mg</i> (Provigil) | 2 | PA; GC; QL (30 per 30 days) |
| <i>modafinil oral tablet 200 mg</i> (Provigil) | 2 | PA; GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------------------|
| SUNOSI ORAL TABLET 150 MG, 75 MG | 4 | PA; QL (30 per 30 days) |
| XYREM ORAL SOLUTION 500 MG/ML | 5 | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 2 | GC; QL (30 per 30 days) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 1 | GC; QL (30 per 30 days) |

Vasodilating Agents

Vasodilating Agents

| | | |
|---|---|--------------------------------------|
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension)) | 2 | PA; GC; QL (60 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 1 | PA; GC; QL (90 per 30 days) |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq) | 2 | PA; GC; QL (60 per 30 days) |
| TRACLEER ORAL TABLET 125 MG, 62.5 MG (bosentan) | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |
| UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 200 MCG | 5 | PA; NM; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 5 | PA; NM; NDS |

Vitamins And Minerals

Vitamins And Minerals

| | | |
|--|---|----|
| <i>bal-care dha combo pack 27-1-430 mg</i> | 2 | GC |
|--|---|----|

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> | 2 | GC |
| <i>calcium pnv oral capsule 28-1-250 mg</i> | 2 | GC |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i> | 2 | GC |
| <i>completenate tablet chew 29 mg iron-1 mg</i> | 2 | GC |
| <i>dothelle dha oral capsule 35-1-200 mg</i> | 2 | GC |
| <i>extra-virt plus dha oral capsule 29 mg iron-1.25 mg-55 mg</i> | 2 | GC |
| <i>folivane-ob capsule 85-1 mg</i> | 2 | GC |
| <i>hemenatal ob + dha oral combo pack 28 mg iron-6 mg iron-1 mg</i> | 2 | GC |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i> | 2 | GC |
| <i>marnatal-f capsule 60 mg iron-1 mg</i> | 2 | GC |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>mynatal advance oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>mynatal capsule 65 mg iron- 1 mg</i> | 2 | GC |
| <i>mynatal oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>mynatal plus captab 65 mg iron- 1 mg</i> | 2 | GC |
| <i>mynatal-z captab 65 mg iron- 1 mg</i> | 2 | GC |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i> | 2 | GC |
| <i>newgen tablet 32-1,000 mg-mcg</i> | 2 | GC |
| <i>niva-plus tablet 27 mg iron- 1 mg</i> | 2 | GC |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i> | 2 | GC |
| <i>o-cal prenatal tablet 15 mg iron-1,000 mcg</i> | 2 | GC |
| <i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i> | 2 | GC |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|--|----------------------------------|----------------------------|----|
| <i>pnv-ferrous fumarate-docu-fa oral tablet 29 mg iron- 1 mg-25 mg</i> | 2 | GC | |
| <i>pnv-omega softgel 28-1-300 mg</i> | 2 | GC | |
| <i>pnv-vp-u oral capsule 106.5-1 mg</i> | 2 | GC | |
| <i>pr natal 400 combo pack 29-1-400 mg</i> | 2 | GC | |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i> | 2 | GC | |
| <i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i> | 2 | GC | |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i> | 2 | GC | |
| <i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i> | 2 | GC | |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i> | 2 | GC | |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i> | 2 | GC | |
| <i>prenatabs fa tablet 29-1 mg</i> | 2 | GC | |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i> | 2 | GC | |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | GC | |
| <i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i> | 2 | GC | |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> | (pnv,calcium 72-iron,carb-folic) | 2 | GC |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> | (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>prenatal-u capsule 106.5-1 mg</i> | | 2 | GC |
| <i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i> | (pnv,calcium 72-iron-folic acid) | 2 | GC |
| <i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i> | | 2 | GC |
| <i>purefe ob plus capsule 106 mg iron- 1 mg</i> | | 2 | GC |
| <i>purefe plus capsule 106 mg iron- 1 mg</i> | | 2 | GC |
| <i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i> | | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | GC |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i> | 2 | GC |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i> | 2 | GC |
| <i>taron-c dha capsule 35-1-200 mg</i> | 2 | GC |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i> | 2 | GC |
| <i>triveen-duo dha combo pack 29-1-400 mg</i> | 2 | GC |
| <i>triveen-prx rnf oral capsule 26-1.2-55-300 mg</i> | 2 | GC |
| <i>vena-bal dha oral combo pack,tablet and cap,dr 27-1-430 mg</i> | 2 | GC |
| <i>vinate care chewable tablet 40 mg iron- 1 mg</i> | 2 | GC |
| <i>vinate gt oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>vinate ii oral tablet 29 mg iron- 1 mg</i> | 2 | GC |
| <i>vinate ultra oral tablet 90-1-50 mg</i> | 2 | GC |
| <i>virt-c dha softgel (rx) 35-1-200 mg</i> | 2 | GC |
| <i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i> | 2 | GC |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i> | 2 | GC |
| <i>virt-pn oral tablet 27-1 mg</i> | 2 | GC |
| <i>virt-pn plus softgel (rx) 28-1-300 mg</i> | 2 | GC |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i> | 2 | GC |
| <i>vitafol nano tablet 18 mg iron- 1 mg</i> | 2 | GC |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i> | 2 | GC |
| <i>viva dha oral capsule 28 mg iron-1 mg -200 mg</i> | 2 | GC |
| <i>vol-nate oral tablet 28 mg iron- 1 mg</i> | 2 | GC |
| <i>vp-ch plus oral capsule 29 mg iron-1 mg -50 mg-265 mg</i> | 2 | GC |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>vp-pnv-dha softgel (rx) 28 mg iron- 1 mg-200 mg</i> | 2 | GC |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i> | 2 | GC |
| <i>zatean-pn plus softgel 28-1-300 mg</i> | 2 | GC |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i> | 2 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

| | | |
|------------------------------------|----------|--|
| 1 | | |
| 1ST TIER UNIFINE PENTIPS | | |
| | 105 | |
| 1ST TIER UNIFINE PENTIPS PLUS..... | 105 | |
| A | | |
| abacavir..... | 63, 64 | |
| abacavir-lamivudine..... | 64 | |
| abacavir-lamivudine-zidovudine | | |
| | 64 | |
| ABELCET..... | 49 | |
| abiraterone..... | 24 | |
| ABOUTTIME PEN NEEDLE | | |
| | 105, 106 | |
| ABRAXANE..... | 24 | |
| acamprosate..... | 15 | |
| acarbose | 44 | |
| accutane | 100 | |
| acebutolol..... | 79 | |
| acetaminophen-codeine..... | 10 | |
| acetazolamide | 169 | |
| acetazolamide sodium..... | 169 | |
| acetic acid..... | 143 | |
| acetylcysteine | 175 | |
| acitretin | 100 | |
| ACTEMRA | 157 | |
| ACTEMRA ACTPEN | 157 | |
| ACTHAR..... | 154 | |
| ACTHIB (PF)..... | 161 | |
| ACTIMMUNE | 168 | |
| acyclovir | 69, 100 | |
| acyclovir sodium | 69 | |
| ADACEL(TDAP | | |
| ADOLESN/ADULT)(PF) | | |
| | 161, 162 | |
| adapalene | 105 | |
| adefovir..... | 69 | |
| ADEMPAS | 178 | |
| adrucil | 24 | |
| ADVAIR DISKUS | 172 | |
| ADVAIR HFA | 172 | |
| ADVOCATE PEN NEEDLE | | |
| | 106 | |
| ADVOCATE SYRINGES .. | 106 | |
| afirmelle..... | 91 | |
| AJOVY AUTOINJECTOR... | 52 | |
| AJOVY SYRINGE..... | 52 | |
| AKYNZEO | | |
| (FOSNETUPITANT)..... | 54 | |
| AKYNZEO (NETUPITANT) | 54 | |
| ala-cort..... | 102 | |
| albendazole..... | 56 | |
| albuterol sulfate | 173, 174 | |
| alclometasone | 102 | |
| ALCOHOL PADS..... | 100 | |
| ALCOHOL PREP PADS.... | 101 | |
| ALCOHOL PREP SWABS. | 100 | |
| ALCOHOL SWABS..... | 100 | |
| ALCOHOL WIPES | 101 | |
| ALECENSA..... | 24 | |
| alendronate | 166 | |
| alfuzosin..... | 150 | |
| ALIMTA..... | 24 | |
| aliskiren..... | 86 | |
| allopurinol | 51 | |
| alosetron..... | 165, 166 | |
| ALPHAGAN P..... | 169 | |
| alprazolam..... | 16 | |
| ALREX..... | 145 | |
| altavera (28) | 91 | |
| ALTRENO..... | 105 | |
| ALUNBRIG | 24, 25 | |
| alyacen 1/35 (28) | 91 | |
| alyacen 7/7/7 (28) | 91 | |
| alyq..... | 178 | |
| amabelz..... | 152 | |
| amantadine hcl | 56 | |
| AMBISOME..... | 49 | |
| ambrisentan | 178 | |
| amethia | 91 | |
| amiloride | 83 | |
| amiloride-hydrochlorothiazide | | |
| | 83 | |
| AMINOSYN-PF 7 % | | |
| (SULFITE-FREE)..... | 74 | |
| amiodarone..... | 78 | |
| amitriptyline | 42 | |
| amlodipine | 82 | |
| amlodipine-atorvastatin..... | 84 | |
| amlodipine-benazepril | 82 | |
| amlodipine-olmesartan..... | 82 | |
| amlodipine-valsartan..... | 82 | |
| amlodipine-valsartan-hcthiazid | | |
| | 82 | |
| ammonium lactate | 100 | |
| amoxapine | 42 | |
| amoxicillin | 21 | |
| amoxicillin-pot clavulanate .. | 21, | |
| 22 | | |
| amphotericin b..... | 49 | |
| amphotericin b liposome | 49 | |
| ampicillin | 22 | |
| ampicillin sodium | 22 | |
| ampicillin-sulbactam..... | 22 | |
| anagrelide..... | 73 | |
| anastrozole | 25 | |
| ANORO ELLIPTA..... | 174 | |
| apomorphine..... | 56 | |
| apraclonidine | 142 | |
| aprepitant | 54 | |
| APRETUDE..... | 64 | |

| | | | | | |
|-------------------------------|----------|------------------------------|-----|--------------------------------|------|
| apri..... | 91 | azathioprine | 157 | BD ULTRA-FINE NANO PEN | |
| APTIOM..... | 37 | azathioprine sodium..... | 157 | NEEDLE..... | 108 |
| APTIVUS..... | 64 | azelastine..... | 142 | BD ULTRA-FINE ORIG PEN | |
| aranelle (28) | 91 | azithromycin..... | 20 | NEEDLE..... | 108 |
| ARCALYST..... | 157 | AZOPT | 169 | BD ULTRA-FINE SHORT | |
| aripiprazole..... | 58 | aztreonam..... | 21 | PEN NEEDLE..... | 108 |
| ARISTADA | 59 | azurette (28) | 92 | BD VEO INSULIN SYR | |
| ARISTADA INITIO | 58 | B | | (HALF UNIT) | 108 |
| armodafinil | 177 | bacitracin..... | 143 | BD VEO INSULIN SYRINGE | |
| ARNUITY ELLIPTA | 173 | bacitracin-polymyxin b | 143 | UF..... | 109 |
| ascomp with codeine..... | 10 | baclofen..... | 177 | BELSOMRA..... | 177 |
| asenapine maleate | 59 | bal-care dha | 178 | benazepril..... | 77 |
| ashlyna | 91 | bal-care dha essential | 179 | benazepril-hydrochlorothiazide | |
| aspirin-dipyridamole | 73 | balsalazide..... | 166 | | 77 |
| ASSURE ID DUO-SHIELD | 106 | BALVERSA..... | 25 | BENDEKA | 25 |
| ASSURE ID INSULIN | | balziva (28) | 92 | BENLYSTA..... | 157 |
| SAFETY..... | 106, 107 | BCG VACCINE, LIVE (PF) | 162 | benztropine..... | 57 |
| ASSURE ID PEN NEEDLE | 106, | BD ALCOHOL SWABS | 100 | BESREMI..... | 157 |
| 107 | | BD AUTOSHIELD DUO PEN | | betaine..... | 168 |
| atazanavir | 64 | NEEDLE..... | 107 | betamethasone acet,sod phos | 153 |
| atenolol | 79 | BD ECLIPSE LUER-LOK.. | 107 | betamethasone dipropionate | 102, |
| atenolol-chlorthalidone | 79 | BD INSULIN SYRINGE.... | 107 | 103 | |
| atomoxetine | 87 | BD INSULIN SYRINGE | | betamethasone valerate | 103 |
| atorvastatin | 84 | (HALF UNIT) | 107 | betamethasone, augmented... | 103 |
| atovaquone | 56 | BD INSULIN SYRINGE SLIP | | BETASERON | 87 |
| atovaquone-proguanil | 56 | TIP..... | 107 | betaxolol | 79 |
| atropine | 142 | BD INSULIN SYRINGE U-500 | | bethanechol chloride | 150 |
| ATROVENT HFA..... | 174 | | 107 | bexarotene | 25 |
| AUBAGIO | 87 | BD INSULIN SYRINGE | | BEXSERO | 162 |
| aubra eq..... | 91 | ULTRA-FINE..... | 107 | bicalutamide | 25 |
| aurovela 1.5/30 (21)..... | 91 | BD NANO 2ND GEN PEN | | BICILLIN L-A | 22 |
| aurovela 1/20 (21)..... | 91 | NEEDLE | 108 | BIDIL | 86 |
| aurovela 24 fe..... | 91 | BD SAFETYGLIDE INSULIN | | BIKTARVY | 64 |
| aurovela fe 1.5/30 (28)..... | 91 | SYRINGE | 108 | bisoprolol fumarate..... | 79 |
| aurovela fe 1-20 (28)..... | 91 | BD SAFETYGLIDE NEEDLE | | bisoprolol-hydrochlorothiazide | |
| AUSTEDO..... | 87 | | 108 | | 79 |
| AUVELITY | 42 | BD SAFETYGLIDE SYRINGE | | bleomycin | 25 |
| aviane..... | 91 | | 108 | bleph-10 | 143 |
| AVONEX..... | 87 | BD ULTRA-FINE MICRO | | blisovi 24 fe..... | 92 |
| ayuna..... | 91 | PEN NEEDLE..... | 108 | blisovi fe 1.5/30 (28)..... | 92 |
| AYVAKIT | 25 | BD ULTRA-FINE MINI PEN | | blisovi fe 1/20 (28) | 92 |
| azacitidine | 25 | NEEDLE | 108 | BOOSTRIX TDAP..... | 162 |

| | | | | | |
|-----------------------------------|----------|-----------------------------------|--------|--------------------------------|-------------|
| BORDERED GAUZE | 109 | CALQUENCE | | ceftriaxone | 20 |
| bortezomib | 25 | (ACALABRUTINIB MAL) | | cefuroxime axetil | 20 |
| BORTEZOMIB | 25 | | 26 | cefuroxime sodium | 20 |
| BOSULIF | 25 | camila | 92 | celecoxib | 13 |
| BRAFTOVI | 25 | candesartan | 76 | CELONTIN | 37 |
| BREO ELLIPTA | 173 | candesartan-hydrochlorothiazid | | cephalexin | 20 |
| BREZTRI AEROSPHERE.. | 174 | | 76 | CERDELGA | 141 |
| briellyn | 92 | CAPLYTA | 59 | cevimeline | 99 |
| BRILINTA | 73 | CAPRELSA | 26 | chateal eq (28) | 92 |
| brimonidine | 169 | captopril | 77 | chloramphenicol sod succinate | |
| brimonidine-timolol | 170 | carbamazepine | 37 | | 17 |
| BRIVIACT | 37 | carbidopa-levodopa | 57 | chlordiazepoxide hcl | 16 |
| bromocriptine | 57 | carbidopa-levodopa-entacapone | | chlorhexidine gluconate | 99 |
| BROMSITE | 145 | | 57 | chloroquine phosphate | 56 |
| BRUKINSA | 25 | CAREFINE PEN NEEDLE | 109 | chlorothiazide sodium | 83 |
| budesonide | 166, 173 | CARETOUCH ALCOHOL | | chlorpromazine | 59 |
| bumetanide | 83 | PREP PAD | 100 | chlorthalidone | 83 |
| buprenorphine hcl | 10, 15 | CARETOUCH INSULIN | | chlorzoxazone | 177 |
| buprenorphine-naloxone | 15 | SYRINGE | 110 | cholestyramine (with sugar) .. | 84 |
| bupropion hcl | 42 | CARETOUCH PEN NEEDLE | | cholestyramine light | 84 |
| bupropion hcl (smoking deter) | | | 109 | ciclopirox | 49 |
| | 15 | carglumic acid | 147 | cilostazol | 73 |
| bupirone | 168 | carteolol | 170 | CIMDUO | 64 |
| butalbital-acetaminophen-caff | 10 | cartia xt | 80 | cimetidine hcl | 146 |
| butalbital-aspirin-caffeine | 10 | carvedilol | 79 | CIMZIA | 157 |
| C | | casprofungin | 49 | CIMZIA POWDER FOR | |
| CABENUVA | 64 | CAYSTON | 21 | RECONST | 157 |
| cabergoline | 57 | caziant (28) | 92 | cinacalcet | 166, 167 |
| CABLIVI | 73 | cefaclor | 18, 19 | CINQAIR | 175 |
| CABOMETYX | 25 | cefadroxil | 19 | CINRYZE | 71 |
| cabotegravir | 64 | cefazolin | 19 | ciprofloxacin | 23 |
| caffeine citrate | 87 | cefazolin in dextrose (iso-os) .. | 19 | ciprofloxacin hcl | 22, 23, 143 |
| calcipotriene | 100 | cefdinir | 19 | ciprofloxacin in 5 % dextrose | 23 |
| calcitonin (salmon) | 166 | cefepime | 19 | ciprofloxacin-dexamethasone | |
| calcitriol | 166 | cefixime | 19 | | 143 |
| calcium acetate(phosphat bind) | | cefotaxime | 19 | citalopram | 42 |
| | 149 | cefoxitin | 19 | clarithromycin | 20 |
| calcium chloride | 170 | cefpodoxime | 19 | CLENPIQ | 149 |
| calcium pnv | 179 | cefprozil | 19 | CLICKFINE PEN NEEDLE | 110 |
| CALQUENCE | 26 | ceftazidime | 19 | clindamycin hcl | 17 |
| | | CEFTAZIDIME | 19 | clindamycin in 5 % dextrose . | 17 |
| | | CEFTAZIDIME IN D5W | 19 | clindamycin pediatric | 17 |

| | | |
|--|---|--|
| clindamycin phosphate17, 18, 52, 102 | clotrimazole-betamethasone .. 49 | cyclophosphamide 26 |
| clindamycin-benzoyl peroxide 102 | clozapine 59 | CYCLOPHOSPHAMIDE..... 26 |
| CLINIMIX 5%/D15W SULFITE FREE 74 | c-nate dha 179 | cyclosporine 157, 158 |
| CLINIMIX 4.25%/D10W SULF FREE..... 74 | COARTEM 56 | cyclosporine modified.. 157, 158 |
| CLINIMIX 4.25%/D5W SULFIT FREE..... 74 | codeine sulfate..... 10 | cyproheptadine 51 |
| CLINIMIX 5%- D20W(SULFITE-FREE)... 74 | codeine-butalbital-asa-caff 10 | CYRAMZA..... 26 |
| CLINIMIX 6%-D5W (SULFITE-FREE)..... 74 | colchicine 51 | cyred eq..... 92 |
| CLINIMIX 8%- D10W(SULFITE-FREE)... 74 | colesevelam 84 | CYSTARAN143 |
| CLINIMIX 8%- D14W(SULFITE-FREE)... 74 | colestipol..... 84 | D |
| CLINIMIX E 2.75%/D5W SULF FREE 74 | colistin (colistimethate na) 18 | d5 % and 0.9 % sodium chloride170 |
| CLINIMIX E 4.25%/D10W SUL FREE 74 | COMBIVENT RESPIMAT 174 | d5 %-0.45 % sodium chloride170 |
| CLINIMIX E 4.25%/D5W SULF FREE 74 | COMETRIQ..... 26 | dalfampridine 87 |
| CLINIMIX E 5%/D15W SULFIT FREE..... 74 | COMFORT EZ INSULIN SYRINGE 110, 111, 112 | DALIRESP175 |
| CLINIMIX E 5%/D20W SULFIT FREE..... 74 | COMFORT EZ PEN NEEDLES 110, 111 | danazol.....151 |
| CLINIMIX E 8%-D10W SULFITEFREE 74 | COMFORT TOUCH PEN NEEDLE 112 | dantrolene177 |
| CLINIMIX E 8%-D14W SULFITEFREE 75 | COMPLERA 64 | DANYELZA..... 26 |
| clobazam 37 | completenate 179 | dapsone 53 |
| clobetasol 103 | compro 54 | DAPTACEL (DTAP PEDIATRIC) (PF)162 |
| clobetasol-emollient..... 103 | constulose..... 147 | daptomycin..... 18 |
| clomipramine..... 42 | COPAXONE 87 | dasetta 1/35 (28) 92 |
| clonazepam..... 16 | COPIKTRA..... 26 | dasetta 7/7/7 (28) 92 |
| clonidine 75 | CORLANOR..... 81 | DAURISMO 26 |
| clonidine hcl 75 | CORTROPHIN GEL 154 | daysee 92 |
| clopidogrel 73 | COSENTYX 157 | deblitane..... 92 |
| clorazepate dipotassium 16 | COSENTYX (2 SYRINGES) 157 | decitabine 26 |
| clotrimazole..... 49 | COSENTYX PEN (2 PENS)157 | deferasirox 150, 151 |
| | COTELIC 26 | deferiprone151 |
| | CREON..... 141 | DELSTRIGO 64 |
| | cromolyn 142, 148, 175 | DENGVAXIA (PF)162 |
| | cryselle (28)..... 92 | denta 5000 plus..... 99 |
| | CURAD GAUZE PAD 112 | dentagel..... 99 |
| | CURITY ALCOHOL SWABS 100 | DERMACEA112 |
| | CURITY GAUZE..... 112 | DERMACEA NON-WOVEN113 |
| | cyclafem 1/35 (28)..... 92 | DESCOVY..... 64 |
| | cyclafem 7/7/7 (28)..... 92 | desipramine 42 |
| | cyclobenzaprine 177 | desmopressin 154, 155 |
| | cyclopentolate..... 143 | desog-e.estradiol/e.estradiol .. 92 |
| | | desogestrel-ethinyl estradiol.. 92 |

| | | | | | |
|--------------------------------|----------|----------------------------------|----------|--------------------------------|---------------|
| desoximetasone | 103 | donepezil | 41 | EASY COMFORT INSULIN | |
| desvenlafaxine succinate | 42 | DOPTELET (10 TAB PACK)71 | | SYRINGE | 115, 116 |
| dexamethasone | 153 | DOPTELET (15 TAB PACK)71 | | EASY COMFORT PEN | |
| dexamethasone sodium phos | | DOPTELET (30 TAB PACK)71 | | NEEDLES..... | 115 |
| (pf) | 153 | dorzolamide..... | 170 | EASY GLIDE INSULIN | |
| dexamethasone sodium | | dorzolamide-timolol | 170 | SYRINGE | 116 |
| phosphate | 145, 153 | dothelle dha | 179 | EASY GLIDE PEN NEEDLE | |
| dexmethylphenidate | 87 | dotti..... | 152 | | 116 |
| dextroamphetamine sulfate.... | 87 | DOVATO..... | 64 | EASY TOUCH..... | 117, 118 |
| dextroamphetamine- | | doxazosin | 75 | EASY TOUCH ALCOHOL | |
| amphetamine | 88 | doxepin | 42 | PREP PADS | 100 |
| dextrose 10 % in water (d10w) | | doxorubicin | 26 | EASY TOUCH FLIPLOCK | |
| | 75 | doxorubicin, peg-liposomal... 27 | | INSULIN..... | 117 |
| dextrose 5 % in water (d5w).. | 75 | doxy-100 | 23 | EASY TOUCH FLIPLOCK | |
| DIACOMIT..... | 37 | doxycycline hyclate | 23, 24 | SYRINGE | 116 |
| diazepam | 16, 38 | doxycycline monohydrate | 24 | EASY TOUCH INSULIN | |
| diazepam intensol | 16 | DRIZALMA SPRINKLE..... | 43 | SAFETY SYR..... | 116 |
| diazoxide | 168 | dronabinol | 54 | EASY TOUCH INSULIN | |
| diclofenac potassium..... | 13 | droperidol..... | 54 | SYRINGE | 116, 117, 118 |
| diclofenac sodium..... | 13, 145 | DROPLET INSULIN | | EASY TOUCH LUER LOCK | |
| diclofenac-misoprostol..... | 13 | SYR(HALF UNIT)..... | 113 | INSULIN..... | 117 |
| dicloxacillin..... | 22 | DROPLET INSULIN | | EASY TOUCH PEN NEEDLE | |
| dicyclomine | 148 | SYRINGE | 113, 114 | | 117 |
| didanosine | 64 | DROPLET MICRON PEN | | EASY TOUCH SAFETY PEN | |
| DIFICID..... | 20 | NEEDLE | 114 | NEEDLE..... | 118 |
| difluprednate | 145 | DROPLET PEN NEEDLE.. | 114 | EASY TOUCH | |
| digitek | 81 | DROPSAFE ALCOHOL PREP | | SHEATHLOCK INSULIN | |
| digox | 81 | PADS | 100 | | 116, 117 |
| digoxin | 81 | DROPSAFE PEN NEEDLE | 114, | EASY TOUCH UNI-SLIP...118 | |
| dihydroergotamine..... | 52 | 115 | | ec-naproxen..... | 13 |
| diltiazem hcl | 80 | drospirenone-ethinyl estradiol | | econazole | 49 |
| dilt-xr | 80 | | 92, 93 | EDARBI | 76 |
| dimenhydrinate | 54 | DROXIA..... | 73 | EDARBYCLOR..... | 76 |
| dimethyl fumarate..... | 88 | droxidopa | 75 | EDURANT | 64 |
| DIPENTUM | 166 | DUAVEE..... | 152 | efavirenz | 64, 65 |
| diphenhydramine hcl..... | 51 | duloxetine..... | 43 | efavirenz-emtricitabin-tenofov | |
| diphenoxylate-atropine..... | 148 | DUPIXENT PEN..... | 158 | | 65 |
| dipyridamole | 73 | DUPIXENT SYRINGE | 158 | efavirenz-lamivu-tenofov disop | |
| disopyramide phosphate..... | 78 | dutasteride | 150 | | 65 |
| disulfiram | 15 | E | | EGRIFTA SV..... | 155 |
| divalproex | 38 | EASY COMFORT ALCOHOL | | ELIGARD..... | 27 |
| dofetilide | 78 | PAD | 100 | ELIGARD (3 MONTH)..... | 27 |

| | | | | | |
|--|--------|---|---------|---------------------------------------|-----|
| ELIGARD (4 MONTH)..... | 27 | eplerenone | 86 | EYSUVIS | 145 |
| ELIGARD (6 MONTH)..... | 27 | EPRONTIA..... | 38 | ezetimibe..... | 84 |
| elimest..... | 93 | ERBITUX | 27 | ezetimibe-simvastatin | 84 |
| ELIQUIS..... | 70 | ergoloid | 41 | F | |
| ELIQUIS DVT-PE TREAT 30D START..... | 70 | ERIVEDGE..... | 27 | falmina (28)..... | 93 |
| ELLA..... | 93 | ERLEADA..... | 27 | fanciclovir | 69 |
| ELMIRON | 168 | erlotinib..... | 27 | famotidine | 147 |
| eluryng | 93 | errin | 93 | famotidine (pf) | 147 |
| EMCYT | 27 | ertapenem..... | 21 | famotidine (pf)-nacl (iso-os)..... | 147 |
| EMEND | 54 | ery pads..... | 102 | FANAPT..... | 59 |
| EMGALITY PEN..... | 52 | erythromycin | 21, 143 | FARXIGA..... | 45 |
| EMGALITY SYRINGE..... | 52 | erythromycin ethylsuccinate. 20, 21 | | FARYDAK | 27 |
| emoquette..... | 93 | erythromycin with ethanol .. | 102 | FASENRA | 176 |
| EMSAM..... | 43 | ESBRIET | 175 | FASENRA PEN | 175 |
| emtricitabine..... | 65 | escitalopram oxalate | 43 | febuxostat..... | 51 |
| emtricitabine-tenofovir (tdf) .. | 65 | esomeprazole magnesium .. | 146, | felbamate..... | 38 |
| EMTRIVA | 65 | 147 | | FEMRING | 152 |
| enalapril maleate..... | 77 | esomeprazole sodium..... | 147 | femynor..... | 93 |
| enalaprilat..... | 77 | estarylla..... | 93 | fenofibrate..... | 84 |
| enalapril-hydrochlorothiazide | 77 | estradiol..... | 152 | fenofibrate micronized..... | 84 |
| ENBREL..... | 158 | estradiol valerate..... | 152 | fenofibrate nanocrystallized .. | 84 |
| ENBREL MINI | 158 | estradiol-norethindrone acet | 152 | fenofibric acid (choline)..... | 84 |
| ENBREL SURECLICK..... | 158 | eszopiclone..... | 177 | fentanyl | 10 |
| ENDARI | 168 | ethambutol..... | 53 | fentanyl citrate..... | 10 |
| endocet..... | 10 | ethosuximide | 38 | FERRIPROX..... | 151 |
| ENGERIX-B (PF)..... | 162 | ethynodiol diac-eth estradiol . | 93 | FERRIPROX (2 TIMES A DAY) | 151 |
| ENGERIX-B PEDIATRIC (PF) | 162 | etodolac..... | 13 | fesoterodine..... | 150 |
| enoxaparin..... | 70 | etonogestrel-ethinyl estradiol | 93 | FETZIMA | 43 |
| enpresse..... | 93 | ETOPOPHOS..... | 27 | FIASP FLEXTOUCH U-100 INSULIN..... | 47 |
| enskyce | 93 | etoposide | 27 | FIASP PENFILL U-100 INSULIN..... | 47 |
| entacapone..... | 57 | etravirine | 65 | FIASP U-100 INSULIN | 47 |
| entecavir..... | 69 | EUCRISA | 103 | finasteride | 150 |
| ENTRESTO | 76 | everolimus (antineoplastic) ... | 27 | fingolimod..... | 88 |
| enulose | 148 | everolimus (immunosuppressive) | 158 | FINTEPLA..... | 38 |
| EPCLUSA..... | 69 | EVOTAZ | 65 | FIRVANQ..... | 18 |
| EPIDIOLEX..... | 38 | EVRYSDI..... | 168 | FLEBOGAMMA DIF..... | 158 |
| epinastine | 143 | EXEL INSULIN..... | 118 | flecainide..... | 78 |
| epinephrine..... | 81, 82 | exemestane | 27 | FLOVENT DISKUS..... | 173 |
| epitol | 38 | EXKIVITY..... | 27 | FLOVENT HFA..... | 173 |
| EPIVIR HBV | 65 | extra-virt plus dha..... | 179 | | |

floxuridine 28
 fluconazole 49
 fluconazole in nacl (iso-osm) 49
 flucytosine 49
 fludrocortisone 153
 flumazenil 88
 flunisolide 145
 fluocinolone 103
 fluocinolone acetonide oil ... 145
 fluocinonide 103
 fluocinonide-emollient 103
 fluoride (sodium) 99
 fluorometholone 145
 fluorouracil 28, 100, 101
 fluoxetine 43
 fluphenazine decanoate 60
 fluphenazine hcl 60
 flurbiprofen 13
 flurbiprofen sodium 146
 flutamide 28
 fluticasone propionate .. 104, 146
 fluvastatin 85
 fluvoxamine 43
 folivane-ob 179
 fondaparinux 70
 FORTEO 167
 fosamprenavir 65
 fosaprepitant 54
 foscarnet 68
 fosinopril 77
 fosinopril-hydrochlorothiazide
 77
 fosphenytoin 38
 FOTIVDA 28
 FREESTYLE PRECISION . 119
 FULPHILA 71
 fulvestrant 28
 furosemide 83
 FUZEON 65
 fyavolv 152
 FYCOMPA 38

G
 gabapentin 38, 39
 GALAFOLD 141
 galantamine 41
 GAMIFANT 158
 GAMMAGARD LIQUID ... 158
 GAMMAGARD S-D (IGA < 1
 MCG/ML) 158
 GAMMAPLEX 158
 GAMMAPLEX (WITH
 SORBITOL) 158
 GARDASIL 9 (PF) 162
 gatifloxacin 143
 GATTEX 30-VIAL 148
 GAUZE PAD 119
 gavilyte-c 149
 gavilyte-g 149
 gavilyte-n 149
 GAVRETO 28
 gemfibrozil 85
 generlac 148
 gengraf 158, 159
 gentak 143
 gentamicin 17, 102, 143
 gentamicin sulfate (ped) (pf) . 17
 gentamicin sulfate (pf) 17
 GENVOYA 65
 GILENYA 88
 GILOTRIF 28
 glatiramer 88
 glatopa 88
 glimepiride 48
 glipizide 48
 glipizide-metformin 48, 49
 glyburide 49
 glyburide micronized 49
 glyburide-metformin 49
 glycopyrrolate 148
 glydo 14
 GLYXAMBI 45
 granisetron (pf) 55
 granisetron hcl 55

GRANIX 72
 griseofulvin microsize 50
 guanfacine 75, 88
 GVOKE 168
 GVOKE HYPOPEN 2-PACK
 168
 GVOKE PFS 1-PACK
 SYRINGE 168
H
 HAEGARDA 72
 hailey 93
 hailey 24 fe 93
 hailey fe 1.5/30 (28) 93
 hailey fe 1/20 (28) 93
 halobetasol propionate 104
 haloperidol 60
 haloperidol decanoate 60
 haloperidol lactate 60
 HARVONI 69
 HAVRIX (PF) 162
 HEALTHWISE INSULIN
 SYRINGE 119, 120
 HEALTHWISE PEN NEEDLE
 120
 HEALTHY ACCENTS
 UNIFINE PENTIP 120
 heather 93
 hemenatal ob + dha 179
 heparin (porcine) 70, 71
 heparin, porcine (pf) 71
 HERCEPTIN HYLECTA 28
 HERZUMA 28
 HETLIOZ 177
 HIBERIX (PF) 163
 HUMIRA 159
 HUMIRA PEN 159
 HUMIRA PEN CROHNS-UC-
 HS START 159
 HUMIRA PEN PSOR-
 UVEITS-ADOL HS 159
 HUMIRA (CF) 159

| | | | | | |
|---|---------------|--|---|---|----------|
| HUMIRA(CF) PEDI CROHNS STARTER..... | 159 | imipramine hcl..... | 43 | INVELTYS..... | 146 |
| HUMIRA(CF) PEN..... | 159 | imiquimod..... | 101 | INVIRASE..... | 65 |
| HUMIRA(CF) PEN CROHNS- UC-HS..... | 159 | IMJUDO..... | 29 | IPOL..... | 163 |
| HUMIRA(CF) PEN PEDIATRIC UC..... | 159 | IMLYGIC..... | 29 | ipratropium bromide | 143, 174 |
| HUMIRA(CF) PEN PSOR-UV- ADOL HS..... | 159 | IMOVAX RABIES VACCINE (PF)..... | 163 | ipratropium-albuterol..... | 174 |
| HUMULIN R U-500 (CONC) INSULIN..... | 47 | IMPAVIDO..... | 56 | irbesartan..... | 76 |
| HUMULIN R U-500 (CONC) KWIKPEN..... | 47 | INBRIJA..... | 57 | irbesartan-hydrochlorothiazide | 76 |
| hydralazine..... | 82 | incassia..... | 93 | IRESSA..... | 29 |
| hydrochlorothiazide..... | 83 | INCONTROL ALCOHOL PADS..... | 101 | ISENTRESS..... | 65 |
| hydrocodone-acetaminophen. | 11 | INCONTROL PEN NEEDLE | 120 | ISENTRESS HD..... | 65 |
| hydrocodone-ibuprofen..... | 11 | INCRELEX..... | 155 | isibloom..... | 94 |
| hydrocortisone | 104, 153, 166 | indapamide..... | 83 | ISOLYTE S PH 7.4..... | 171 |
| hydrocortisone butyrate..... | 104 | indomethacin..... | 14 | ISOLYTE-P IN 5 % DEXTROSE..... | 171 |
| hydrocortisone valerate..... | 104 | INFANRIX (DTAP) (PF).... | 163 | ISOLYTE-S..... | 170 |
| hydrocortisone-acetic acid... 143 | | influximab..... | 159 | isoniazid..... | 53 |
| hydromorphone..... | 11 | INLYTA..... | 29 | isosorbide dinitrate..... | 86 |
| hydromorphone (pf)..... | 11 | INPEN (FOR HUMALOG) BLUE..... | 120 | isosorbide mononitrate..... | 86 |
| hydroxychloroquine..... | 56 | INPEN (NOVOLOG OR FIASP) BLUE..... | 120 | isosorbide-hydralazine..... | 86 |
| hydroxyurea..... | 28 | INQOVI..... | 29 | isradipine..... | 82 |
| hydroxyzine hcl..... | 51 | INREBIC..... | 29 | itraconazole..... | 50 |
| hydroxyzine pamoate..... | 168 | INSULIN SYR/NDL U100 HALF MARK..... | 120 | IV PREP WIPES..... | 101 |
| I | | INSULIN SYRINGE..... | 108 | ivermectin..... | 56 |
| ibandronate..... | 167 | INSULIN SYRINGE MICROFINE..... | 107 | IXIARO (PF)..... | 163 |
| IBRANCE..... | 28 | INSULIN SYRINGE NEEDLELESS..... | 107 | J | |
| ibu..... | 13 | INSULIN SYRINGE-NEEDLE U-100..... | 107, 109, 118, 119, 120, 121, 128, 132 | jaimiess..... | 94 |
| ibuprofen..... | 13 | INSUPEN..... | 122 | JAKAFI..... | 29 |
| ibuprofen-famotidine..... | 13 | INTELENCE..... | 65 | jantoven..... | 71 |
| icatibant..... | 82 | INTRALIPID..... | 75 | JARDIANCE..... | 45 |
| iclevia..... | 93 | INTRON A..... | 69 | jasmiel (28)..... | 94 |
| ICLUSIG..... | 28 | INVEGA HAFYERA..... | 60 | javygtor..... | 141 |
| IDHIFA..... | 28 | INVEGA SUSTENNA | 60, 61 | JEMPERLI..... | 29 |
| ifosfamide..... | 28 | INVEGA TRINZA..... | 61 | jencycla..... | 94 |
| ILEVRO..... | 146 | | | JENTADUETO..... | 45 |
| imatinib..... | 28 | | | JENTADUETO XR..... | 45 |
| IMBRUVICA..... | 28, 29 | | | jinteli..... | 152 |
| imipenem-cilastatin..... | 21 | | | juleber..... | 94 |

| | | | | | |
|-----------------------------------|---------|---------------------------------|--------------|--------------------------------|----------|
| junel fe 1/20 (28) | 94 | lanreotide | 155 | LINZESS | 148 |
| junel fe 24 | 94 | lansoprazole | 147 | liothyronine | 156 |
| JUXTAPID..... | 85 | lapatinib | 30 | LISCO..... | 122 |
| JYNNEOS (PF)(STOCKPILE) | | larin 1.5/30 (21)..... | 94 | lisinopril..... | 77 |
| | 163 | larin 1/20 (21)..... | 94 | lisinopril-hydrochlorothiazide | 77 |
| K | | larin 24 fe..... | 95 | LITE TOUCH INSULIN PEN | |
| kalliga | 94 | larin fe 1.5/30 (28)..... | 95 | NEEDLES..... | 122 |
| KALYDECO..... | 176 | larin fe 1/20 (28)..... | 95 | LITE TOUCH INSULIN | |
| kariva (28)..... | 94 | larissia..... | 95 | SYRINGE | 122, 123 |
| kelnor 1/35 (28)..... | 94 | latanoprost..... | 170 | lithium carbonate | 88, 89 |
| kelnor 1-50 (28)..... | 94 | LATUDA..... | 61 | LIVALO | 85 |
| KERENDIA | 86 | leflunomide | 159 | lojaimiess | 95 |
| KESIMPTA PEN..... | 88 | lenalidomide..... | 30 | LOKELMA..... | 148 |
| ketoconazole..... | 50 | LENVIMA..... | 30 | LONSURF | 30 |
| ketorolac | 14, 146 | lessina | 95 | loperamide | 148 |
| KEVZARA..... | 159 | letrozole | 30 | lopinavir-ritonavir..... | 66 |
| KEYTRUDA..... | 29 | leucovorin calcium | 168 | lorazepam..... | 16, 17 |
| KIMMTRAK..... | 29 | LEUKERAN | 30 | LORBRENA..... | 30 |
| KINRIX (PF)..... | 163 | LEUKINE | 72 | loryna (28)..... | 95 |
| KISQALI | 29, 30 | leuprolide | 30 | losartan | 76 |
| KISQALI FEMARA CO-PACK | | leuprolide (3 month) | 30 | losartan-hydrochlorothiazide . | 76 |
| | 29 | levetiracetam | 39 | LOTEMAX..... | 146 |
| KLISYRI..... | 101 | levobunolol..... | 170 | LOTEMAX SM..... | 146 |
| klor-con m10 | 171 | levocarnitine..... | 168 | loteprednol etabonate..... | 146 |
| klor-con m15 | 171 | levocarnitine (with sugar).... | 168 | lovastatin..... | 85 |
| klor-con m20 | 171 | levocetirizine | 51 | low-ogestrel (28) | 95 |
| KLOXXADO | 15 | levofloxacin..... | 23, 143, 144 | loxapine succinate | 61 |
| KORLYM | 45 | levofloxacin in d5w | 23 | lo-zumandimine (28) | 95 |
| KOSELUGO | 30 | levonest (28)..... | 95 | lubiprostone..... | 148 |
| kosher prenatal plus iron | 179 | levonorgestrel-ethinyl estrad . | 95 | LUMAKRAS | 30 |
| KRINTAFEL..... | 56 | levonorg-eth estrad triphasic . | 95 | LUMIGAN..... | 170 |
| kurvelo (28)..... | 94 | levora-28 | 95 | LUPRON DEPOT | 155 |
| KYNMOBI..... | 57 | levothyroxine..... | 156 | LUPRON DEPOT (3 MONTH) | |
| L | | LEXIVA | 66 | | 30, 155 |
| l norgest/e.estradiol-e.estrad .. | 94 | lidocaine..... | 15 | LUPRON DEPOT (4 MONTH) | |
| labetalol..... | 79 | lidocaine (pf) | 14, 78 | | 30 |
| lacosamide..... | 39 | lidocaine hcl | 14 | LUPRON DEPOT (6 MONTH) | |
| lactulose | 148 | lidocaine viscous | 15 | | 31 |
| lagevrio (eua) | 70 | lidocaine-prilocaine | 15 | lutera (28)..... | 95 |
| lamivudine..... | 66 | lillow (28) | 95 | LYBALVI..... | 61 |
| lamivudine-zidovudine..... | 66 | linezolid | 18 | lyleq..... | 95 |
| lamotrigine | 39 | linezolid in dextrose 5%..... | 18 | lyllana | 152 |

| | | | | | |
|------------------------------|-----|--------------------------------|---------|--------------------------------|-------------|
| LYNPARZA | 31 | MAXICOMFORT SAFETY | | methylprednisolone sodium succ | 154 |
| LYSODREN | 31 | PEN NEEDLE | 124 | | 154 |
| LYTGOBI..... | 31 | MAYZENT | 89 | metoclopramide hcl | 148 |
| lyza | 95 | MAYZENT STARTER(FOR | | metolazone | 83 |
| M | | 1MG MAINT) | 89 | metoprolol succinate | 79 |
| MAGELLAN INSULIN | | MAYZENT STARTER(FOR | | metoprolol ta-hydrochlorothiaz | 79 |
| SAFETY SYRNG..... | 123 | 2MG MAINT) | 89 | | 79 |
| MAGELLAN SYRINGE | 123 | meclizine | 55 | metoprolol tartrate | 79 |
| magnesium sulfate | 171 | medroxyprogesterone..... | 156 | metronidazole..... | 18, 52, 102 |
| magnesium sulfate in d5w... | 171 | mefenamic acid..... | 14 | metronidazole in nacl (iso-os) | 18 |
| magnesium sulfate in water . | 171 | mefloquine | 56 | metyrosine..... | 82 |
| malathion | 105 | megestrol..... | 31, 156 | mexiletine | 78 |
| maprotiline | 43 | MEKINIST..... | 31 | miconazole-3 | 50 |
| maraviroc | 66 | MEKTOVI..... | 31 | MICRODOT INSULIN PEN | |
| MARGENZA | 31 | meloxicam..... | 14 | NEEDLE..... | 124 |
| marlissa (28)..... | 96 | memantine..... | 42 | microgestin fe 1/20 (28)..... | 96 |
| marnatal-f..... | 179 | MENACTRA (PF)..... | 163 | midodrine | 76 |
| MARPLAN | 43 | MENQUADFI (PF)..... | 163 | miglustat | 142 |
| MATULANE | 31 | MENVEO A-C-Y-W-135-DIP | | mili | 96 |
| matzim la..... | 81 | (PF)..... | 163 | mimvey | 152 |
| MAVENCLAD (10 TABLET | | mercaptapurine | 31 | MINI ULTRA-THIN II..... | 124 |
| PACK) | 89 | meropenem..... | 21 | minitran..... | 86 |
| MAVENCLAD (4 TABLET | | merzee..... | 96 | minocycline..... | 24 |
| PACK) | 89 | mesalamine..... | 166 | minoxidil..... | 86 |
| MAVENCLAD (5 TABLET | | mesna | 168 | mirtazapine..... | 43 |
| PACK) | 89 | MESNEX..... | 169 | misoprostol..... | 147 |
| MAVENCLAD (6 TABLET | | metaproterenol..... | 174 | MITIGARE | 51 |
| PACK) | 89 | metformin..... | 45 | mitoxantrone | 31 |
| MAVENCLAD (7 TABLET | | methadone | 11 | M-M-R II (PF)..... | 163 |
| PACK) | 89 | methadose | 11 | m-natal plus..... | 179 |
| MAVENCLAD (8 TABLET | | methenamine hippurate | 18 | modafinil..... | 177 |
| PACK) | 89 | methimazole | 156 | moexipril..... | 77 |
| MAVENCLAD (9 TABLET | | methocarbamol | 177 | molindone | 61 |
| PACK) | 89 | methotrexate sodium..... | 31 | mometasone | 104, 146 |
| MAXICOMFORT II PEN | | methotrexate sodium (pf) | 31 | mondoxyne nl..... | 24 |
| NEEDLE..... | 123 | methoxsalen | 101 | MONOJECT INSULIN | |
| MAXICOMFORT INSULIN | | methscopolamine | 148 | SAFETY SYRING | 125 |
| SYRINGE | 123 | methylropa..... | 75 | MONOJECT INSULIN | |
| MAXI-COMFORT INSULIN | | methylphenidate hcl..... | 89, 90 | SYRINGE | 124, 125 |
| SYRINGE | 123 | methylprednisolone..... | 154 | MONOJECT SYRINGE..... | 124 |
| MAXI-COMFORT INSULIN | | methylprednisolone acetate | 153, | MONOJECT ULTRA | |
| SYRINGE | 124 | 154 | | COMFORT INSULIN | 137 |

| | | | | | |
|---------------------------------|---------|---------------------------------|---------|------------------------------|--------|
| mono-lynyah | 96 | neomycin-polymyxin-hc | 144 | nortriptyline..... | 43, 44 |
| montelukast | 173 | neo-polycin..... | 144 | NORVIR | 66 |
| morphine | 11 | neo-polycin hc | 144 | NOVOFINE 30 | 125 |
| MORPHINE..... | 11 | NERLYNX..... | 31 | NOVOFINE 32 | 125 |
| morphine concentrate..... | 11 | NEULASTA..... | 72 | NOVOFINE PLUS | 125 |
| MOVANTIK..... | 148 | NEULASTA ONPRO..... | 72 | NOVOLIN 70/30 U-100 | |
| moxifloxacin | 23, 144 | NEUPRO | 58 | INSULIN..... | 47 |
| MULTAQ | 78 | nevirapine..... | 66 | NOVOLIN 70-30 FLEXPEN U- | |
| mupirocin | 102 | newgen..... | 179 | 100..... | 47 |
| MVASI | 31 | NEXLETOL..... | 85 | NOVOLIN N FLEXPEN | 47 |
| mycophenolate mofetil..... | 160 | NEXLIZET | 85 | NOVOLIN N NPH U-100 | |
| mycophenolate mofetil (hcl) | 159 | niacin | 85 | INSULIN..... | 47 |
| mynatal | 179 | niacor | 85 | NOVOLIN R FLEXPEN | 47 |
| mynatal advance | 179 | nicardipine..... | 82 | NOVOLIN R REGULAR U- | |
| mynatal plus | 179 | NICOTROL | 15 | 100 INSULN | 47 |
| mynatal-z | 179 | nifedipine | 82, 83 | NOVOLOG FLEXPEN U-100 | |
| mynate 90 plus | 179 | nikki (28)..... | 96 | INSULIN..... | 47 |
| MYRBETRIQ | 150 | nilutamide | 31 | NOVOLOG MIX 70-30 U-100 | |
| N | | NINLARO..... | 31 | INSULN..... | 47 |
| nabumetone | 14 | nitazoxanide | 56 | NOVOLOG MIX 70- | |
| nafcillin | 22 | nitisinone..... | 142 | 30FLEXPEN U-100..... | 48 |
| nafcillin in dextrose iso-osm . | 22 | nitrofurantoin macrocrystal ... | 18 | NOVOLOG PENFILL U-100 | |
| naloxone..... | 15 | nitrofurantoin monohyd/m-cryst | | INSULIN..... | 48 |
| naltrexone..... | 15 | | 18 | NOVOLOG U-100 INSULIN | |
| naproxen | 14 | nitroglycerin | 86 | ASPART | 48 |
| naratriptan | 52 | niva-plus | 179 | NOVOTWIST..... | 125 |
| NATACYN | 144 | NIVESTYM..... | 72 | NOXAFIL..... | 50 |
| nateglinide..... | 45 | nizatidine..... | 147 | NUBEQA..... | 31 |
| NATPARA..... | 167 | NORDITROPIN FLEXPRO | 155 | NUCALA..... | 176 |
| NAYZILAM | 39 | norethindrone (contraceptive) | 96 | NULOJIX | 160 |
| nebivolol | 79 | norethindrone acetate | 156 | NUPLAZID..... | 61 |
| necon 0.5/35 (28)..... | 96 | norethindrone ac-eth estradiol | | NURTEC ODT..... | 52 |
| nefazodone | 43 | | 96, 152 | NUTRILIPID | 75 |
| neomycin..... | 17 | norethindrone-e.estradiol-iron | 96 | nyamyc | 50 |
| neomycin-bacitracin-poly-hc | 144 | norgestimate-ethinyl estradiol | 96 | nylia 1/35 (28)..... | 97 |
| neomycin-bacitracin-polymyxin | | norlyda | 96 | nylia 7/7/7 (28)..... | 97 |
| | 144 | NORMOSOL-M IN 5 % | | nymyo | 97 |
| neomycin-polymyxin b gu .. | 102 | DEXTROSE..... | 171 | nystatin | 50 |
| neomycin-polymyxin b- | | nortrel 0.5/35 (28)..... | 96 | nystatin-triamcinolone | 50 |
| dexameth | 144 | nortrel 1/35 (21)..... | 97 | nystop | 50 |
| neomycin-polymyxin- | | nortrel 1/35 (28)..... | 97 | NYVEPRIA | 72 |
| gramicidin | 144 | nortrel 7/7/7 (28)..... | 97 | | |

| | | |
|---|---------------|--|
| O | | |
| obstetrix dha..... | 179 | |
| o-cal prenatal..... | 179 | |
| OCALIVA..... | 148 | |
| OCREVUS..... | 90 | |
| OCTAGAM..... | 160 | |
| octreotide acetate..... | 155 | |
| ODEFSEY..... | 66 | |
| ODOMZO..... | 32 | |
| OFEV..... | 176 | |
| ofloxacin..... | 144 | |
| OGIVRI..... | 32 | |
| olanzapine..... | 61, 62 | |
| olmesartan..... | 76 | |
| olmesartan-amlodipin-hcthiazid | 76 | |
| olmesartan-hydrochlorothiazide | 76 | |
| olopatadine..... | 143 | |
| OLUMIANT..... | 160 | |
| omega-3 acid ethyl esters..... | 85 | |
| omeprazole..... | 147 | |
| omeprazole-sodium bicarbonate | 147 | |
| OMNIPOD 5 G6 INTRO KIT (GEN 5)..... | 125 | |
| OMNIPOD 5 G6 PODS (GEN 5)..... | 125 | |
| OMNIPOD CLASSIC PDM KIT(GEN 3)..... | 126 | |
| OMNIPOD CLASSIC PODS (GEN 3)..... | 126 | |
| OMNIPOD DASH INTRO KIT (GEN 4)..... | 126 | |
| OMNIPOD DASH PDM KIT (GEN 4)..... | 126 | |
| OMNIPOD DASH PODS (GEN 4)..... | 126 | |
| ondansetron..... | 55 | |
| ondansetron hcl..... | 55 | |
| ondansetron hcl (pf)..... | 55 | |
| ONTRUZANT..... | 32 | |
| ONUREG..... | 32 | |
| OPDIVO..... | 32 | |
| OPDUALAG..... | 32 | |
| OPSUMIT..... | 178 | |
| oralone..... | 99 | |
| ORENCIA..... | 160 | |
| ORENCIA (WITH MALTOSE) | 160 | |
| ORENCIA CLICKJECT..... | 160 | |
| ORFADIN..... | 142 | |
| ORGOVYX..... | 155 | |
| ORLISSA..... | 155 | |
| ORKAMBI..... | 176 | |
| orsythia..... | 97 | |
| oseltamivir..... | 68 | |
| OSMOLEX ER..... | 58 | |
| OTEZLA..... | 160 | |
| OTEZLA STARTER..... | 160 | |
| oxandrolone..... | 151 | |
| oxazepam..... | 17 | |
| oxcarbazepine..... | 39 | |
| OXLUMO..... | 169 | |
| oxybutynin chloride..... | 150 | |
| oxycodone..... | 11, 12 | |
| oxycodone-acetaminophen.... | 12 | |
| OXYCONTIN..... | 12 | |
| oxymorphone..... | 12 | |
| OZEMPIC..... | 45 | |
| P | | |
| pacerone..... | 78 | |
| paclitaxel protein-bound..... | 32 | |
| paliperidone..... | 62 | |
| PALYNZIQ..... | 142 | |
| PANRETIN..... | 101 | |
| pantoprazole..... | 147 | |
| paricalcitol..... | 167 | |
| paroex oral rinse..... | 99 | |
| paromomycin..... | 56 | |
| paroxetine hcl..... | 44 | |
| PAXLOVID (EUA)..... | 68 | |
| PEDIARIX (PF)..... | 163 | |
| PEDVAX HIB (PF)..... | 163 | |
| PEGASYS..... | 69 | |
| peg-electrolyte soln..... | 149 | |
| PEMAZYRE..... | 32 | |
| pemetrexed..... | 32 | |
| pemetrexed disodium..... | 32 | |
| PEN NEEDLE..... | 119, 126, 128 | |
| PEN NEEDLE, DIABETIC | 112, | |
| 124, 126, 128 | | |
| PEN NEEDLE, DIABETIC, SAFETY..... | 129 | |
| penicillamine..... | 151 | |
| penicillin g potassium..... | 22 | |
| penicillin g procaine..... | 22 | |
| penicillin v potassium..... | 22 | |
| PENTACEL (PF)..... | 163 | |
| pentamidine..... | 56 | |
| PENTIPS..... | 126, 127 | |
| pentoxifylline..... | 73 | |
| perindopril erbumine..... | 77 | |
| periogard..... | 99 | |
| permethrin..... | 105 | |
| perphenazine..... | 62 | |
| perphenazine-amitriptyline.... | 44 | |
| PERSERIS..... | 62 | |
| pfizerpen-g..... | 22 | |
| phenelzine..... | 44 | |
| phenobarbital..... | 39 | |
| phenylephrine hcl..... | 76 | |
| phenytoin..... | 39 | |
| phenytoin sodium..... | 40 | |
| phenytoin sodium extended... | 39 | |
| philith..... | 97 | |
| PHOSLYRA..... | 149 | |
| PIFELTRO..... | 66 | |
| pilocarpine hcl..... | 100, 170 | |
| pimecrolimus..... | 104 | |
| pimozide..... | 62 | |
| pimtree (28)..... | 97 | |
| pindolol..... | 79 | |
| pioglitazone..... | 45 | |
| pioglitazone-metformin..... | 45 | |
| PIP PEN NEEDLE..... | 127 | |

| | | | | | |
|--------------------------------|----------|--------------------------------|-----|---------------------------------|----------|
| piperacillin-tazobactam | 22 | PREHEVBRIO (PF) | 164 | prochlorperazine edisylate | 55 |
| PIQRAY | 32 | PREMARIN | 153 | prochlorperazine maleate | 55 |
| pirfenidone | 176 | PREMPHASE | 153 | proctosol hc | 104 |
| pirmella | 97 | PREMPRO | 153 | proctozone-hc | 104 |
| piroxicam | 14 | prena1 true | 180 | PRODIGY INSULIN | |
| PLASMA-LYTE 148..... | 171 | prenaissance | 180 | SYRINGE | 127 |
| PLASMA-LYTE A..... | 171 | prenaissance plus | 180 | progesterone | 156 |
| PLEGRIDY | 90 | prenatabs fa | 180 | progesterone micronized | 156 |
| pnv 29-1 | 179 | prenatal 19..... | 180 | PROGRAF..... | 160 |
| pnv-dha + docusate | 179 | prenatal 19 (with docusate) . | 180 | PROLASTIN-C..... | 176 |
| pnv-ferrous fumarate-docu-fa | | prenatal low iron..... | 180 | PROLENSA | 146 |
| | 180 | prenatal plus | 180 | PROLIA..... | 167 |
| pnv-omega..... | 180 | prenatal plus (calcium carb) | 179 | PROMACTA | 72 |
| pnv-vp-u..... | 180 | prenatal vitamin plus low iron | | promethazine | 51, 55 |
| podofilox | 101 | | 180 | promethegan..... | 55 |
| polycin | 144 | prenatal-u | 180 | propafenone..... | 78 |
| polymyxin b sulfate | 18 | preplus | 180 | proparacaine | 143 |
| polymyxin b sulf-trimethoprim | | pretab | 180 | propranolol..... | 80 |
| | 145 | PRETOMANID..... | 53 | propranolol-hydrochlorothiazid | |
| POMALYST | 32 | prevalite | 85 | | 80 |
| portia 28 | 97 | PREVENT DROPSAFE PEN | | propylthiouracil | 156 |
| posaconazole | 50 | NEEDLE | 127 | PROQUAD (PF)..... | 164 |
| potassium chloride..... | 171, 172 | previfem..... | 97 | PROSOL 20 % | 75 |
| potassium chloride-0.45 % nacl | | PREVYMIS | 68 | protamine | 73 |
| | 172 | PREZCOBIX..... | 66 | protriptyline..... | 44 |
| potassium citrate | 172 | PREZISTA..... | 66 | PULMOZYME..... | 142 |
| pr natal 400..... | 180 | PRIFTIN | 53 | PURE COMFORT ALCOHOL | |
| pr natal 400 ec | 180 | PRIMAQUINE..... | 56 | PADS | 101 |
| pr natal 430..... | 180 | primidone | 40 | PURE COMFORT PEN | |
| pr natal 430 ec | 180 | PRIORIX (PF)..... | 164 | NEEDLE..... | 127, 128 |
| PRALUENT PEN..... | 85 | PRIVIGEN..... | 160 | purefe ob plus..... | 180 |
| pramipexole..... | 58 | PRO COMFORT ALCOHOL | | purefe plus..... | 180 |
| prasugrel | 73 | PADS..... | 101 | PURIXAN..... | 32 |
| pravastatin | 85 | PRO COMFORT INSULIN | | pyrazinamide | 54 |
| prazosin..... | 76 | SYRINGE | 127 | pyridostigmine bromide | 169 |
| prednicarbate | 104 | PRO COMFORT PEN | | pyrimethamine..... | 56 |
| prednisolone | 154 | NEEDLE | 127 | Q | |
| prednisolone acetate..... | 146 | probenecid..... | 51 | QINLOCK | 32 |
| prednisolone sodium phosphate | | probenecid-colchicine | 51 | QUADRACEL (PF) | 164 |
| | 146, 154 | procainamide | 78 | quetiapine..... | 62 |
| prednisone | 154 | PROCALAMINE 3% | 75 | quinapril..... | 78 |
| pregabalin..... | 40 | prochlorperazine | 55 | quinapril-hydrochlorothiazide | 78 |

| | | | | | |
|--------------------------|--------|------------------------------|----------|--------------------------------|-----|
| quinidine gluconate..... | 79 | riluzole | 90 | selenium sulfide..... | 102 |
| quinidine sulfate | 79 | rimantadine..... | 68 | SELZENTRY | 67 |
| quinine sulfate | 56 | risedronate..... | 167 | SEMGLEE(INSULIN | |
| QULIPTA | 52 | RISPERDAL CONSTA..... | 62 | GLARGINE-YFGN)..... | 48 |
| R | | risperidone..... | 62, 63 | SEMGLEE(INSULIN GLARG- | |
| RABAVERT (PF)..... | 164 | ritonavir..... | 67 | YFGN)PEN..... | 48 |
| rabeprazole | 147 | RITUXAN HYCELA | 33 | se-natal 19 chewable..... | 181 |
| raloxifene | 153 | rivastigmine..... | 42 | SEREVENT DISKUS..... | 174 |
| ramipril | 78 | rivastigmine tartrate | 42 | SEROSTIM..... | 155 |
| ranolazine..... | 82 | rizatriptan | 52, 53 | sertraline | 44 |
| rasagiline | 58 | r-natal ob..... | 180 | setlakin..... | 97 |
| RASUVO (PF) | 160 | ROCKLATAN | 170 | sevelamer carbonate | 149 |
| RAVICTI | 148 | roflumilast..... | 176 | sevelamer hcl..... | 149 |
| RAYALDEE | 167 | ropinirole..... | 58 | sf 5000 plus..... | 100 |
| reclipsen (28)..... | 97 | rosadan | 102 | sharobel..... | 97 |
| RECOMBIVAX HB (PF) ... | 164 | rosuvastatin | 85 | SHINGRIX (PF)..... | 164 |
| RECTIV | 169 | ROTARIX..... | 164 | SIGNIFOR | 155 |
| RELENZA DISKHALER | 68 | ROTATEQ VACCINE | 164 | SIKLOS | 73 |
| RELEUKO..... | 72 | ROZLYTREK..... | 33 | sildenafil (pulm.hypertension) | |
| RELION NEEDLES | 128 | RUBRACA | 33 | | 178 |
| RELION PEN NEEDLES... | 128 | rufinamide | 40 | silver sulfadiazine | 102 |
| repaglinide..... | 45, 46 | RUKOBIA | 67 | SIMBRINZA..... | 170 |
| REPATHA PUSHTRONEX . | 85 | RUXIENCE | 33 | simliya (28) | 97 |
| REPATHA SURECLICK | 85 | RYBELSUS | 46 | simpesse..... | 97 |
| REPATHA SYRINGE..... | 85 | RYBREVANT | 33 | simvastatin | 86 |
| RESTASIS | 146 | RYDAPT | 33 | sirolimus | 161 |
| RESTASIS MULTIDOSE .. | 146 | S | | SIRTURO | 54 |
| RETACRIT | 73 | SAFESNAP INSULIN | | SKY SAFETY PEN NEEDLE | |
| RETEVMO | 32 | SYRINGE | 128, 129 | | 129 |
| RETROVIR..... | 66 | SAFETY PEN NEEDLE.... | 129 | SKYRIZI..... | 161 |
| REVLIMID | 33 | sajazir..... | 82 | sodium chloride 0.45 % | 172 |
| revonto | 177 | SANTYL..... | 101 | sodium chloride 0.9 % | 172 |
| REXULTI | 62 | sapropterin..... | 142 | sodium fluoride-pot nitrate... | 100 |
| REYATAZ..... | 67 | SAVELLA | 90 | sodium phenylbutyrate..... | 149 |
| REZUROCK | 160 | SCSEMBLIX | 33 | sodium polystyrene sulfonate | |
| RHOPRESSA..... | 170 | scopolamine base..... | 55 | | 149 |
| RIABNI..... | 33 | SECUADO..... | 63 | sodium,potassium,mag sulfates | |
| ribavirin..... | 70 | SECURESAFE PEN NEEDLE | | | 149 |
| RIDAURA | 160 | | 129 | SOLIQUA 100/33 | 48 |
| rifabutin..... | 54 | select-ob | 181 | SOLTAMOX | 33 |
| rifampin..... | 54 | select-ob (folic acid) | 181 | SOLU-CORTEF ACT-O-VIAL | |
| rilpivirine | 67 | selegiline hcl..... | 58 | (PF)..... | 154 |

| | | | | | |
|-------------------------------|-----|--------------------------------|----------|--------------------------------|-----|
| SOMATULINE DEPOT | 156 | SUPREP BOWEL PREP KIT | | tamoxifen | 34 |
| SOMAVERT | 156 | | 149 | tamsulosin | 150 |
| sorafenib | 33 | SURE COMFORT ALCOHOL | | tarina 24 fe | 98 |
| sorine | 80 | PREP PADS | 101 | tarina fe 1-20 eq (28) | 98 |
| sotalol | 80 | SURE COMFORT INS. SYR. | | taron-c dha | 181 |
| sotalol af..... | 80 | U-100 | 129 | taron-prex prenatal-dha..... | 181 |
| SPIRIVA RESPIMAT | 175 | SURE COMFORT INSULIN | | TASCENSO ODT | 90 |
| SPIRIVA WITH | | SYRINGE | 129, 130 | TASIGNA..... | 34 |
| HANDIHALER..... | 175 | SURE COMFORT PEN | | tazarotene | 105 |
| spironolactone | 83 | NEEDLE..... | 130 | TAZORAC..... | 105 |
| SPRAVATO..... | 44 | SURE COMFORT SAFETY | | taztia xt | 81 |
| sprintec (28) | 97 | PEN NEEDLE..... | 129 | TAZVERIK..... | 34 |
| SPRITAM | 40 | SURE-FINE PEN NEEDLES | | TDVAX | 164 |
| SPRYCEL..... | 33 | | 130 | TECHLITE INSULIN | |
| sps (with sorbitol) | 149 | SURE-JECT INSULIN | | SYRINGE | 131 |
| sronyx | 97 | SYRINGE | 130, 131 | TECHLITE INSULN | |
| ssd..... | 102 | SURE-PREP ALCOHOL PREP | | SYR(HALF UNIT)..... | 131 |
| stavudine | 67 | PADS | 101 | TECHLITE PEN NEEDLE.. | 132 |
| STELARA..... | 161 | SUTAB | 149 | TECVAYLI..... | 34 |
| STERILE PADS..... | 129 | syeda..... | 98 | TEFLARO | 20 |
| STIOLTO RESPIMAT | 175 | SYMBICORT..... | 173 | telmisartan..... | 76 |
| STIVARGA | 33 | SYMDEKO..... | 176 | telmisartan-hydrochlorothiazid | |
| STRENSIQ | 142 | SYMLINPEN 120 | 46 | | 77 |
| streptomycin..... | 17 | SYMLINPEN 60 | 46 | temazepam | 17 |
| STRIBILD..... | 67 | SYMPAZAN..... | 40 | TEMIXYS..... | 67 |
| STRIVERDI RESPIMAT ... | 175 | SYMPTUZA | 67 | TENIVAC (PF) | 165 |
| subvenite | 40 | SYNAREL..... | 156 | tenofovir disoproxil fumarate | 67 |
| sucralfate | 147 | SYNJARDY..... | 46 | TEPMETKO | 34 |
| sulfacetamide sodium..... | 145 | SYNJARDY XR..... | 46 | terazosin | 150 |
| sulfacetamide sodium (acne) | 102 | SYNRIBO | 33 | terbinafine hcl..... | 50 |
| sulfacetamide-prednisolone. | 145 | T | | terbutaline | 175 |
| sulfadiazine | 23 | TABLOID..... | 33 | terconazole | 52 |
| sulfamethoxazole-trimethoprim | | TABRECTA..... | 33 | TERUMO INSULIN SYRINGE | |
| | 23 | tacrolimus..... | 104, 161 | | 132 |
| sulfasalazine | 166 | tadalafil (pulm. hypertension) | | testosterone | 151 |
| sulindac | 14 | | 178 | testosterone cypionate..... | 151 |
| sumatriptan..... | 53 | TAFINLAR..... | 34 | testosterone enanthate | 151 |
| sumatriptan succinate..... | 53 | TAGRISO | 34 | TETANUS,DIPHThERIA TOX | |
| sumatriptan-naproxen | 53 | TAKHZYRO..... | 169 | PED(PF)..... | 165 |
| sunitinib | 33 | TALTZ AUTOINJECTOR . | 161 | tetrabenazine | 91 |
| SUNOSI..... | 178 | TALTZ SYRINGE | 161 | tetracycline..... | 24 |
| | | TALZENNA | 34 | THALOMID | 169 |

| | | | | | |
|-------------------------------|----------|---------------------------------|--------|----------------------|----------|
| theophylline..... | 175 | travoprost..... | 170 | TROPHAMINE 10 %..... | 75 |
| THINPRO INSULIN SYRINGE | | TRAZIMERA..... | 34 | trosipium..... | 150 |
| | 132, 133 | trazodone..... | 44 | TRUE COMFORT ALCOHOL | |
| thioridazine..... | 63 | TRECATOR..... | 54 | PADS..... | 101 |
| thiothixene..... | 63 | TRELEGY ELLIPTA..... | 175 | TRUE COMFORT INSULIN | |
| tiadylt er..... | 81 | TRELSTAR..... | 34 | SYRINGE..... | 133 |
| tiagabine..... | 40 | tretinoin..... | 105 | TRUE COMFORT PEN | |
| TIBSOVO..... | 34 | tretinoin (antineoplastic)..... | 34 | NEEDLE..... | 133, 134 |
| TICE BCG..... | 34 | tri femynor..... | 98 | TRUE COMFORT PRO | |
| TICOVAC..... | 165 | triamcinolone acetonide..... | 100, | ALCOHOL PADS..... | 101 |
| tigecycline..... | 24 | 104, 154 | | TRUE COMFORT PRO INS | |
| timolol maleate..... | 80, 170 | triamterene-hydrochlorothiazid | | SYRINGE..... | 133, 134 |
| tiopronin..... | 150 | | 83, 84 | TRUEPLUS INSULIN | 134, 135 |
| TIVDAK..... | 34 | trientine..... | 151 | TRUEPLUS PEN NEEDLE. | 134 |
| TIVICAY..... | 67 | tri-estarylla..... | 98 | TRULICITY..... | 46 |
| TIVICAY PD..... | 67 | trifluoperazine..... | 63 | TRUMENBA..... | 165 |
| tizanidine..... | 177 | trifluridine..... | 145 | TRUSELTIQ..... | 34 |
| tobramycin..... | 17, 145 | trihexyphenidyl..... | 58 | TRUXIMA..... | 35 |
| tobramycin in 0.225 % nacl... | 17 | TRIJARDY XR..... | 46 | TUKYSA..... | 35 |
| tobramycin sulfate..... | 17 | TRIKAFTA..... | 177 | tulana..... | 98 |
| tobramycin-dexamethasone. | 145 | tri-legest fe..... | 98 | TURALIO..... | 35 |
| tolterodine..... | 150 | tri-lynyah..... | 98 | TWINRIX (PF)..... | 165 |
| TOPCARE CLICKFINE..... | 133 | tri-lo-estarylla..... | 98 | tyblume..... | 98 |
| TOPCARE ULTRA | | tri-lo-marzia..... | 98 | TYBOST..... | 169 |
| COMFORT..... | 133 | tri-lo-mili..... | 98 | TYMLOS..... | 167 |
| topiramate..... | 40 | tri-lo-sprintec..... | 98 | TYPHIM VI..... | 165 |
| toposar..... | 34 | trimethoprim..... | 18 | TYSABRI..... | 161 |
| toremifene..... | 34 | tri-mili..... | 98 | U | |
| torse mide..... | 83 | trimipramine..... | 44 | UBRELVY..... | 53 |
| TOUJEO MAX U-300 | | TRINTELLIX..... | 44 | UCERIS..... | 166 |
| SOLOSTAR..... | 48 | tri-nymyo..... | 98 | UDENYCA..... | 73 |
| TOUJEO SOLOSTAR U-300 | | tri-previfem (28)..... | 98 | ULTICARE..... | 135, 136 |
| INSULIN..... | 48 | tri-sprintec (28)..... | 98 | ULTICARE INSULIN | |
| TRACLEER..... | 178 | TRIUMEQ..... | 67 | SYRINGE..... | 135 |
| TRADJENTA..... | 46 | TRIUMEQ PD..... | 67 | ULTICARE INSULN | |
| tramadol..... | 12 | triveen-duo dha..... | 181 | SYR(HALF UNIT)..... | 135 |
| tramadol-acetaminophen..... | 12 | triveen-prx rnf..... | 181 | ULTICARE PEN NEEDLE. | 135 |
| trandolapril..... | 78 | trivora (28)..... | 98 | ULTICARE SAFETY PEN | |
| trandolapril-verapamil..... | 78 | tri-vylibra..... | 98 | NEEDLE..... | 136 |
| tranexamic acid..... | 73 | tri-vylibra lo..... | 98 | ULTIGUARD SAFEPACK- | |
| tranylcypramine..... | 44 | TRIZIVIR..... | 67 | INSULIN SYR..... | 136 |
| TRAVASOL 10 %..... | 75 | TROGARZO..... | 67 | | |

| | | | | | |
|--|------------------|--------------------------------------|--------|----------------------|--------|
| ULTIGUARD SAFEPACK- PEN NEEDLE..... | 136 | UPTRAVI..... | 178 | VIIBRYD..... | 44 |
| ULTILET ALCOHOL SWAB | 101 | ursodiol | 149 | vilazodone..... | 44 |
| ULTILET INSULIN SYRINGE | 121, 137 | V | | VIMPAT..... | 41 |
| ULTILET PEN NEEDLE ... | 137 | valacyclovir..... | 70 | vinate care..... | 181 |
| ULTRA CMFT INS SYR (HALF UNIT) . | 119, 129, 135 | VALCHLOR..... | 101 | vinate gt..... | 181 |
| ULTRA COMFORT INSULIN SYRINGE | 115, 119, 137 | valganciclovir..... | 70 | vinate ii..... | 181 |
| ULTRA FLO INSUL SYR(HALF UNIT)..... | 137 | valproate sodium | 40 | vinate ultra..... | 181 |
| ULTRA FLO INSULIN SYRINGE | 138 | valproic acid..... | 40 | vinorelbine | 35 |
| ULTRA FLO PEN NEEDLE | 137, 138 | valproic acid (as sodium salt) | 40 | viorele (28)..... | 99 |
| ULTRA THIN PEN NEEDLE | 138 | valsartan..... | 77 | VIRACEPT..... | 68 |
| ULTRACARE INSULIN SYRINGE | 138 | valsartan-hydrochlorothiazide | 77 | VIREAD..... | 68 |
| ULTRACARE PEN NEEDLE | 138, 139 | VALTOCO..... | 40, 41 | virt-c dha..... | 181 |
| ULTRA-THIN II (SHORT) INS SYR | 139 | vancomycin | 18 | virt-nate dha | 181 |
| ULTRA-THIN II (SHORT) PEN NDL..... | 139 | VANISHPOINT INSULIN SYRINGE | 141 | virt-pn | 181 |
| ULTRA-THIN II INS PEN NEEDLES..... | 139 | VANISHPOINT SYRINGE | 141 | virt-pn dha..... | 181 |
| ULTRA-THIN II INSULIN SYRINGE | 139 | VAQTA (PF)..... | 165 | virt-pn plus..... | 181 |
| UNIFINE PEN NEEDLE.... | 139 | varenicline..... | 16 | vitafol gummies..... | 181 |
| UNIFINE PENTIPS.... | 126, 139, 140 | VARIVAX (PF) | 165 | vitafol nano | 181 |
| UNIFINE PENTIPS MAXFLOW | 140 | VASCEPA | 86 | vitafol-ob+dha..... | 181 |
| UNIFINE PENTIPS PLUS . | 140 | VELCADE..... | 35 | VITRAKVI..... | 35 |
| UNIFINE PENTIPS PLUS MAXFLOW | 140 | velivet triphasic regimen (28) | 99 | viva dha..... | 181 |
| UNIFINE SAFECONTROL | 140 | VELPHORO | 150 | VIZIMPRO | 35 |
| UNIFINE ULTRA PEN NEEDLE..... | 140, 141 | VEMLIDY..... | 68 | VOCABRIA..... | 68 |
| | | vena-bal dha..... | 181 | vol-nate | 181 |
| | | VENCLEXTA..... | 35 | volnea (28) | 99 |
| | | VENCLEXTA STARTING PACK..... | 35 | VONJO..... | 35 |
| | | venlafaxine..... | 44 | voriconazole..... | 50, 51 |
| | | verapamil | 81 | VOSEVI..... | 69 |
| | | VERIFINE PEN NEEDLE.. | 141 | VOTRIENT..... | 35 |
| | | VERSACLOZ | 63 | vp-ch plus..... | 181 |
| | | VERSALON | 141 | vp-ch-pnv | 181 |
| | | VERZENIO..... | 35 | vp-pnv-dha | 182 |
| | | vestura (28) | 99 | VRAYLAR | 63 |
| | | V-GO 20 | 141 | VUMERITY..... | 91 |
| | | V-GO 30 | 141 | vyfemla (28)..... | 99 |
| | | V-GO 40 | 141 | vylibra..... | 99 |
| | | VICTOZA..... | 46 | W | |
| | | vienva | 99 | warfarin..... | 71 |
| | | vigabatrin | 41 | WEBCOL | 101 |
| | | vigadrone | 41 | WELIREG | 35 |
| | | | | wera (28)..... | 99 |

| | | |
|---|-----|---|
| X | | |
| XALKORI..... | 36 | |
| XARELTO..... | 71 | |
| XARELTO DVT-PE TREAT 30D START | 71 | |
| XATMEP..... | 36 | |
| XCOPRI..... | 41 | |
| XCOPRI MAINTENANCE PACK..... | 41 | |
| XCOPRI TITRATION PACK | 41 | |
| XELJANZ..... | 161 | |
| XELJANZ XR..... | 161 | |
| XERMELO | 149 | |
| XGEVA | 167 | |
| XHANCE..... | 146 | |
| XIFAXAN..... | 18 | |
| XIGDUO XR | 46 | |
| XIIDRA | 146 | |
| XOFLUZA..... | 68 | |
| XOLAIR | 177 | |
| XOSPATA | 36 | |
| XPOVIO | 36 | |
| XTAMPZA ER..... | 12 | |
| XTANDI..... | 36 | |
| | | xulane |
| | | 99 |
| | | XULTOPHY 100/3.6..... |
| | | 48 |
| | | XYOSTED..... |
| | | 151 |
| | | XYREM..... |
| | | 178 |
| | | Y |
| | | YERVOY..... |
| | | 36 |
| | | YF-VAX (PF)..... |
| | | 165 |
| | | YONSA..... |
| | | 36 |
| | | yuvaferm |
| | | 153 |
| | | Z |
| | | zafemy |
| | | 99 |
| | | zafirlukast..... |
| | | 173 |
| | | zaleplon..... |
| | | 178 |
| | | zarah |
| | | 99 |
| | | ZARXIO |
| | | 73 |
| | | zatean-pn dha |
| | | 182 |
| | | zatean-pn plus..... |
| | | 182 |
| | | ZEGALOGUE AUTOINJECTOR |
| | | 169 |
| | | ZEGALOGUE SYRINGE .. |
| | | 169 |
| | | ZEJULA..... |
| | | 36 |
| | | ZELBORAF..... |
| | | 36 |
| | | zenatane |
| | | 101 |
| | | ZENPEP..... |
| | | 142 |
| | | zidovudine..... |
| | | 68 |
| | | zingiber |
| | | 182 |
| | | ziprasidone hcl |
| | | 63 |
| | | ziprasidone mesylate..... |
| | | 63 |
| | | ZIRABEV |
| | | 36 |
| | | ZIRGAN |
| | | 145 |
| | | ZOLADEX..... |
| | | 36 |
| | | zoledronic acid |
| | | 167 |
| | | zoledronic acid-mannitol-water |
| | | 167 |
| | | ZOLINZA |
| | | 36 |
| | | zolmitriptan |
| | | 53 |
| | | zolpidem |
| | | 178 |
| | | ZONISADE..... |
| | | 41 |
| | | zonisamide |
| | | 41 |
| | | zovia 1-35 (28)..... |
| | | 99 |
| | | ZTALMY..... |
| | | 41 |
| | | ZTLIDO..... |
| | | 15 |
| | | zumandimine (28)..... |
| | | 99 |
| | | ZYDELIG |
| | | 36 |
| | | ZYKADIA |
| | | 37 |
| | | ZYLET |
| | | 145 |
| | | ZYNLONTA..... |
| | | 37 |
| | | ZYPREXA RELPREVV..... |
| | | 63 |

This formulary was updated on 01/01/2023. For more recent information or other questions, please contact Senior Care Plus at 775-982-3112 or toll-free at 888-775-7003 (TTY users should call the State Relay Service at 711). (We are not open 7 days a week all year round) Hours are 8:00 a.m. to 8:00 p.m., 7 days a week (except Thanksgiving and Christmas) from October 1 through March 31, and Monday to Friday (except holidays) from April 1 through September 30. You may also visit www.SeniorCarePlus.com.

Senior Care Plus is a Medicare Advantage Plan with a Medicare contract. Enrollment in Senior Care Plus depends on contract renewal.

The formulary may change at any time. You will receive notice when necessary.

This information is available for free in other languages. Please call our customer service number at 775-982-3112 or toll-free at 888-775-7003. TTY users should call the State Relay Service at 711. We are available Monday through Sunday, 8:00 am to 8:00 pm.

Esta información está disponible gratis en otros idiomas. Por favor llame a nuestro número de servicio al cliente de Senior Care Plus al 775-982-3112 o al número gratuito al 888-775-7003. Los usuarios de TTY deben llamar al Servicio de Retransmisión del Estado al 711. Estamos disponibles de lunes a domingo, de 8:00 am a 8:00 pm.